

Regarding the characterization of the population as a tool of external validity

Wilmer Javier Albor-Ortiz,¹  Axel Jesús Correa-Mestra,¹  Luis Fernando Herrera-Barrios,^{1*}  Carolina Salgado-Urda.¹ 

OPEN ACCESS

Citation:

Albor-Ortiz WJ, Correa-Mestra AJ, Herrera-Barrios LF, Salgado-Urda C. Regarding the characterization of the population as a tool of external validity. *Revista. colomb. Gastroenterol.* 2025;40(1):127-128.
<https://doi.org/10.22516/25007440.1255>

Keywords: colonoscopy, bowel preparation, educational status, access to information, video.

¹ Medical Student, Universidad de Cartagena. Cartagena, Colombia.

***Correspondence:** Luis Fernando Herrera-Barrios. lherrerab1@unicartagena.edu.co

Received: 16/07/2024
Accepted: 27/02/2025



Dear Mr. editor,

We have read with great interest the article published by Aponte-Martín et al. entitled *Improving colonoscopy preparation using information and communication technologies (ICT), randomized clinical trial*⁽¹⁾. The authors used information and communication technologies (ICT) to improve the quality of patient preparation for colonoscopy through the use of an educational video. We highlight the suitability of using ICT for these types of patients, not only because of the easy and unlimited access to necessary information for the proper procedure but also because we have observed that, in Colombia, the use of these technologies has steadily increased over the past five years, particularly among the adult and elderly population⁽²⁾, which is the main focus for the application of this examination. Therefore, it is essential to have an appropriate characterization of the population, especially with regard to variables that may seriously affect the results of the clinical trial.

In the aforementioned study, no clear description was provided regarding age, socioeconomic status, and educational level for the different working groups. This not only leaves room for potential biases in the assessment of bowel preparation and adenoma detection but also decreases the external validity of the results, as they cannot be extrapolated to the general population due to the lack of sociodemographic information about the study sample. We believe that it is essential to take into account the various social variables and determinants that affect patients' ability across different regions of Colombia to access and view the video in a timely manner. Although there are areas with high rates of ICT usage, such as Bogotá (84.3%), Meta (82.6%), and Cundinamarca (77.7%) among individuals over the age of five, there are other departments, such as Vichada (12.7%) and Vaupés (21.4%), where the proportion of the population using ICT is significantly lower⁽²⁾.

Other factors to consider include the low rate of ICT use in small towns (41%) and remote rural areas (34.3%). Age is also a relevant variable, as only 40.84% of adults between the ages of 65 and 69, and just 20% of adults aged 70 and older, reported using ICT. This represents a significant barrier when implementing this type of intervention or assessment tool⁽³⁾.

Additionally, it is important to highlight the lack of rigor in verifying whether the video was actually viewed, as patients were simply asked during the follow-up visit whether they had watched the video or not. This method allows for false positives that cannot be filtered and may introduce a social desirability bias, which should be considered when conducting the study. This contrasts with the methodology used in the

study by Hayat U et al., where access codes were employed and patients were not directly asked, thereby reducing this type of bias⁽⁴⁻⁶⁾. This, combined with the subjectivity involved in describing the clarity of the instructions on how to access the video, raises concerns, especially considering that the material consisted of a printed envelope containing the video link. Since the individuals who received it were between 30 and 84 years old, there is a considerable likelihood that many may have experienced difficulties using the tools required to view the video.

Moreover, by explaining the study to patients and making them aware that they were being observed, the results, although statistically significant as demonstrated by the authors, may have been influenced by the Hawthorne effect, which positively alters patients' behavior simply because they know they are part of a study. Furthermore, the article mentions that pilot tests were conducted to assess the ease of access to and viewing of the video; however, beyond stating that such tests were carried out, no further details are provided regarding the outcomes or findings.

Finally, the article concludes by recommending the routine use of this technological strategy; however, it also points

out a "possible limitation of the study, which is that the population involved consists of middle and high-income patients, who may have had greater access to internet technologies"⁽¹⁾, as mentioned by the authors. Due to this, the results and conclusions derived from this research could not be extrapolated to the general population, let alone implement this practice in a systematic and routine manner.

In conclusion, we believe that various factors that could have directly affected the results were overlooked in this study. Furthermore, a clear description regarding the age, socioeconomic status, and educational level of the sample used was not provided, so the results cannot be applied to the Colombian context, nor can they be verified with the methodology provided by the authors. In addition, we propose the use of a method similar to that of Hayat U et al., so as to have more than the patient's testimony and reduce the possibility of false positives. Additionally, it is recommended to add some sort of code at the end of the video, which should be provided by the patients during the follow-up consultation, without informing them about its existence beforehand. This would verify their engagement when accessing the video.

REFERENCES

1. Aponte Martín DM, Corso Bernal CL, Aponte Aparicio MV, Sabbagh Sanvicente LC. Mejoría de la preparación de colonoscopia usando tecnologías de la información y comunicación (TIC), ensayo clínico aleatorizado. *Rev Colomb Gastroenterol*. 2024;39(1):51-8. <https://doi.org/10.22516/25007440.1092>
2. Departamento Administrativo Nacional de Estadística (DANE). Indicadores básicos de tenencia y uso de Tecnologías de la Información y las Comunicaciones – TIC en hogares y personas de 5 y más años de edad Departamental 2022. DANE; 2023 [consultado el 4 de julio de 2024]. Disponible en: <https://www.studocu.com/co/document/sena-sofiaplus/analisis-y-desarrollo-de-software/boletin-dane-tich-2022/105630897>
3. Ministerio de Tecnologías de la Información y las Comunicaciones (MINTIC). Comparativo de tenencia y uso de tic en poblaciones diferenciales 2020 2021. Información estadística del sector TIC con enfoque diferencial [Internet]. MINTIC; 2023 [consultado el 10 de julio de 2024]. Disponible en: https://colombiatic.mintic.gov.co/679/articles-277261_recurso_1.pdf
4. Hayat U, Lee PJW, Lopez R, Vargo JJ, Rizk MK. Online Educational Video Improves Bowel Preparation and Reduces the Need for Repeat Colonoscopy Within Three Years. *Am J Med*. 2016;129(11):1219.e1-1219.e9. <https://doi.org/10.1016/j.amjmed.2016.06.011>
5. Park J-S, Kim MS, Kim H, Kim SI, Shin CH, Lee HJ, et al. A randomized controlled trial of an educational video to improve quality of bowel preparation for colonoscopy. *BMC Gastroenterol*. 2016;16(1):64. <https://doi.org/10.1155/2013/292636>
6. Prakash SR, Verma S, McGowan J, Smith BE, Shroff A, Gibson GH, et al. Improving the Quality of Colonoscopy Bowel Preparation Using an Educational Video. *Can J Gastroenterol*. 2013;27(12):696-700. <https://doi.org/10.1186/s12876-016-0476-6>



Available in:

<https://www.redalyc.org/articulo.oa?id=337782267021>

How to cite

Complete issue

More information about this article

Journal's webpage in redalyc.org

Scientific Information System Redalyc
Diamond Open Access scientific journal network
Non-commercial open infrastructure owned by academia

Wilmer Javier Albor-Ortiz, Axel Jesús Correa-Mestra,
Luis Fernando Herrera-Barrios, Carolina Salgado-Urda.

**Regarding the characterization of the population as a
tool of external validity**

**A propósito de la caracterización de la población como
herramienta de validez externa**

Revista colombiana de Gastroenterología

vol. 40, no. 1, p. 127 - 128, 2025

Asociación Colombiana de Gastroenterología,

ISSN: 0120-9957

ISSN-E: 2500-7440

DOI: <https://doi.org/10.22516/25007440.1255>