



Revista Bioética

ISSN: 1983-8042

ISSN: 1983-8034

Conselho Federal de Medicina

Rodríguez-Calvo, María Sol; Soto, José Luis; Martínez-Silva, Isabel
María; Vázquez-Portomeñe, Fernando; Muñoz-Barús, José Ignacio
Attitudes towards physician-assisted suicide and euthanasia in Spanish university students
Revista Bioética, vol. 27, no. 3, 2019, July-September, pp. 490-499
Conselho Federal de Medicina

DOI: <https://doi.org/10.1590/1983-80422019273333>

Available in: <https://www.redalyc.org/articulo.oa?id=361570648014>

- How to cite
- Complete issue
- More information about this article
- Journal's webpage in redalyc.org

UABM
redalyc.org

Scientific Information System Redalyc
Network of Scientific Journals from Latin America and the Caribbean, Spain and
Portugal

Project academic non-profit, developed under the open access initiative

PESQUISA

Attitudes towards physician-assisted suicide and euthanasia in Spanish university students

María Sol Rodríguez-Calvo¹, José Luis Soto¹, Isabel María Martínez-Silva², Fernando Vázquez-Portomeñe¹, José Ignacio Muñoz-Barús¹

1. University of Santiago de Compostela (USC), Santiago de Compostela, Espanha 2. University of Vigo (UVigo), Vigo, Espanha.

Abstract

Attitudes toward physician-assisted death among medical students differ between populations. The aim of this study was to explore attitudes towards euthanasia and physician-assisted suicide among Spanish university students. A cross-sectional survey was conducted by asking undergraduate students (Medicine, Nursing and Law) of the University of Santiago de Compostela to complete an anonymous 17-item questionnaire. Most participants exhibited a positive attitude towards physician-assisted suicide (54%) and euthanasia (75%), as well as towards their legalization. Attitudes were consistent with the underlying ethical reasoning, with no differences in terms of age, gender or academic degree. In addition, consistency was found between attitudes and willingness to participate in physician-assisted suicide and euthanasia, should they be legal. The results showed that the attitudes of medical students towards euthanasia and physician-assisted suicide were positive and similar to non-medical students.

Keywords: Bioethics. Students. Physicians. Suicide, assisted. Euthanasia. Death. Attitude. Behavior.

Resumo

Atitudes em relação a eutanásia e suicídio medicamente assistido em estudantes universitários espanhóis

A atitude dos estudantes de medicina ante a morte medicamente assistida difere entre populações. O objetivo deste estudo foi explorar as atitudes para a eutanásia e o suicídio medicamente assistido em estudantes universitários espanhóis. Foi realizada uma pesquisa transversal em estudantes de graduação (medicina, enfermagem e direito) da Universidade de Santiago de Compostela que completaram um questionário anônimo de 17 perguntas. A maioria dos participantes mostrou atitude positiva para o suicídio medicamente assistido (54%) e a eutanásia (75%), bem como para a sua legalização. As atitudes foram coerentes com os argumentos éticos, não encontrando diferenças em relação a idade, sexo ou titulação. Assim mesmo, as atitudes estavam de acordo com a intenção de participar nestes procedimentos, se fossem legais. Os resultados mostram que a atitude dos estudantes de medicina para a eutanásia e o suicídio assistido é positiva e similar à de estudantes de enfermagem e direito.

Palavras-chave: Bioética. Estudantes. Médicos. Suicídio assistido. Eutanásia. Morte. Atitude. Comportamento.

Resumen

Actitudes hacia la eutanasia y el suicidio medicamente asistido en estudiantes universitarios españoles

La actitud de los estudiantes de Medicina ante a la muerte médicamente asistida difiere entre poblaciones. El objetivo de este estudio ha sido explorar las actitudes hacia la eutanasia y el suicidio médicamente asistido en estudiantes universitarios españoles. Se realizó una encuesta transversal en estudiantes de grado (Medicina, Enfermería y Derecho) de la Universidad de Santiago de Compostela que completaron un cuestionario anónimo de 17 preguntas. La mayoría de los participantes mostraron una actitud positiva hacia el suicidio médicamente asistido (54%) y la eutanasia (75%), así como hacia su legalización. Las actitudes fueron coherentes con los argumentos éticos, no encontrando diferencias en relación con la edad, el sexo o la titulación. Asimismo, las actitudes estaban de acuerdo con la intención de participar en estos procedimientos, si fueran legales. Los resultados muestran que la actitud de los estudiantes de medicina hacia la eutanasia y el suicidio asistido es positiva y similar a la de estudiantes de enfermería y derecho.

Palabras clave: Bioética. Estudiantes. Médicos. Suicidio asistido. Eutanasia. Muerte. Actitud. Conducta.

Declararam não haver conflito de interesse.

Euthanasia (E) and physician-assisted suicide (PAS) continue to be controversial bioethical issues among healthcare professionals. Discussions about the appropriateness of these procedures are complex due to the many aspects involved, which include ethical, legal, religious, social and psychological considerations. Euthanasia refers to the deliberate and active ending of life by another person at the explicit request of patients who are suffering from an incurable condition they deem unbearable. The term PAS is used when a physician intentionally assists a patient to end his or her life.

Recent studies have revealed a growing acceptance of these practices¹, mainly attributed to the increased value given to the autonomy of the individual, together with the declining impact of religious convictions^{2,3}. Euthanasia was legalized in three European countries, namely Belgium⁴ and the Netherlands⁵ in 2002 and Luxembourg⁶ in 2009. In all three countries the decision to end a life on request is based on the patient-doctor relationship. Patients must be in a condition of unsupportable and irreversible suffering.

On February 13rd, 2014, Belgium extended the possibility of euthanasia to terminally ill children, with no age limit. In the Netherlands, assisted dying is allowed for minors older than 12 years old, but parental consent is required for all persons under the age of 16. In addition to the Netherlands and Luxembourg, Switzerland has established legal possibilities for assisted suicide. Article 115 of the Swiss Penal Code condones assisting suicide for altruistic reasons, although euthanasia is forbidden. The Swiss model differs from others in one major respect, however, in that a physician-patient relationship is not required.

In the USA, there currently exist legally sanctioned possibilities for assisted suicide in the states of Oregon, Washington, Vermont and California⁷⁻⁹, with initiatives in other states, such as Montana¹⁰. Dignity acts and court rulings from these states declare that patients must have a terminal physical illness. On June 5th 2014, Quebec became the first North American jurisdiction to legalize euthanasia¹¹. In February 6th 2015, the Supreme Court of Canada struck down ban on assisted suicide in a unanimous decision¹². Intense debates are currently underway in many other countries regarding the legalization of physician-assisted death (E and PAS)¹³.

In Spain, Law 41/2002 (the Patient's Autonomy Law)¹⁴, an act rooted in respect for the dignity of the person, reinforced the right of competent adults

to refuse any medical treatment even if such refusal results in their death. Nevertheless, euthanasia and physician-assisted suicide are, at present, illegal, punishable criminal acts.

Many studies have described the attitudes of physicians and the general public toward euthanasia and PAS, revealing that over 60% of the general public find euthanasia and PAS ethical in certain circumstances^{15,16}, although the majority of physicians do not find these practices ethical and do not support its legalization^{17,18}. However, available data in this area in relation to medical students are limited and contradictory. In the USA^{19,20}, the Netherlands²¹, Hungary²², Switzerland²³, Greece²⁴, Mexico²⁵ and Belgium²⁶ a majority of students were in favor of euthanasia and physician-assisted suicide. In contrast, in many other countries such as Yugoslavia²⁷, Norway^{28,29}, Italy³⁰, Sweden³¹, Germany^{32,33}, Austria³⁴, Poland³⁵, as well as in the U.S. territory of Puerto Rico³⁶, a negative opinion was prevalent.

Some studies reported that the views of medical students towards end-of-life decisions differ significantly from those of non-medical students³⁷, with more permissive attitudes in the latter group^{22,38}. In Spain, a survey carried out among physicians, medical students and the general public in 1992 found that most agreed with the legislation and practice of euthanasia in terminally ill patients³⁹. To the best of our knowledge, no other surveys have been carried out since this time even though important changes have taken place in Spanish society.

The aims of the present study were therefore to explore the views of participants towards euthanasia and physician-assisted suicide, their knowledge and opinion on the law, and their intentions to participate in these procedures if made legal, in three relevant student populations (Medicine, Nursing and Law) at the University of Santiago de Compostela/Spain.

Method

Participants and data collection

A cross-sectional survey was conducted by distributing 300 questionnaires to third-year medical, nursing and law students from the University of Santiago de Compostela, during the academic year 2015-16. A total of 245 students responded (Medicine: 72; Nursing: 74; Law: 99). The questionnaires were distributed

and collected at the beginning of lectures. In compliance with the ethical principles of research, all participants received information about the aim of the investigation, their participation was entirely voluntary and anonymity was guaranteed. No identifying information was requested and no class credits were obtained for answering.

Questionnaire

The questionnaire was prepared taking into consideration different international studies on attitudes towards physician-assisted death^{17,20,22,31,34,40}. It was piloted on a small group of students (12) and then further refined. Definitions of the terms “euthanasia” and “physician-assisted suicide” were provided at the top of each survey form in order to avoid confusion.

The questionnaire consisted of 17 items and required about eight minutes to complete. It was divided into four sections: a) demographic data: age, gender, study program, and a question about the respondent's opinion on the importance of Ethics in the curriculum of health professions; b) the attitudes of participants towards PAS and E and their ethical rationale; c) knowledge and opinion about the law and d) willingness to participate in PAS and E if made legal.

In section B of the questionnaire students were asked to specify their strength of agreement with PAS and E “What is your view about PAS/E?”, with two statements: *“I think people should be able to freely decide their own death”*; *“It should be accepted that another person can help someone to die if asked”*, relating to three ethical arguments: 1) *“life is a value superior to the autonomy of the person”*; 2) *“respecting autonomy is superior to life”*; 3) *“life and autonomy are values that merit respect and have to be contextualized”*. A five-point scale was used, with response options ranging from “strongly agree” to “strongly disagree”. The answers were scored from 1 to 5, respectively.

In section C, students were asked if they knew the law through the question “do you know the current law concerning PAS and euthanasia?” Answer to this question was dichotomous (Yes/No). Those who responded affirmatively were asked about their opinions about the law using a five-point scale. In section D, students were asked about their intentions and willingness to be involved in PAS and euthanasia, also using a five-point scale. Responses to questions included in B, C and D were transformed from a five-point to a three-point scale for association analysis.

Data analysis

Univariate analysis and frequency distributions were used to describe the overall pattern of responses. Association analysis was carried out using χ^2 for categorical data. Continuous data were analyzed using analysis of variance (Anova). A *p*-value of 5% or lower was considered to be statistically significant.

To assess whether the beliefs of students concerning ethical issues and their willingness to participate in PAS and E correlated with their self-rated categorization (in favor or against PAS and E), two indices were calculated. The ethical index was created by combining student's data on the three questions from section B related to ethical arguments. Answers were scored from 1 to 5. Scores were inverted for those questions where an answer of 5 would correspond to a pro-PAS or pro-E view. The total score ranged from 3-15, with 3 reflecting a strongly pro-PAS/pro-E view. The behavior index was obtained by the sum of scores to questions related to participation in PAS or E. The total score ranged from 2 to 10. The lower the score the more pro-PAS/pro-E the behavior index was considered to be. Data were analyzed using the R software (R Development Core Team, version 2.11.1)⁴¹.

Results

Of 300 questionnaires, 245 were returned (response rate 82%). Some records were excluded from certain parts of the analysis due to insufficient information.

Characteristics of students and personal views towards PAS and Euthanasia

The demographic characteristics of the sample are shown in table 1. The majority of the students were women (73%), 59% attending medical or nursing studies and 41% law studies. No significant differences were found between disciplines in terms of age or gender. A large percentage of students (95%) considered ethics an important subject in the health sciences curriculum.

Of all students sampled, 54% had a positive attitude towards PAS and 75% had a positive attitude towards euthanasia (table 1). There were no significant differences in self-categorization, either in relation to gender or with regards to age or program of study.

Table 1. Characteristics of participants and their opinion about physician-assisted suicide and euthanasia

Variable	Total n=245	Program of study		
		Medicine n=72 (29%)	Nursing n=74 (30%)	Law n=99 (41%)
Mean age (years, SD)	22.5 (4.2)	21.64 (4.67)	22.21 (2.97)	23.85 (4.78)
(min, max)	(19-55)	(19-55)	(20-33)	(19-47)
Gender				
Men	27	26	23	30
Women	73	74	77	70
Ethics is important in the Medicine and Nursing curriculum				
Yes	95	99	98	88
No	1	–	1	2
Unsure	4	1	1	10
Attitude towards PAS				
Strongly agree	28	31	23	31
Agree	26	32	24	23
Undecided	32	20	38	35
Disagree	7	7	11	4
Strongly disagree	7	10	4	7
Attitude towards Euthanasia				
Strongly agree	41	49	36	40
Agree	34	32	30	39
Undecided	16	12	23	13
Disagree	5	4	7	4
Strongly disagree	4	3	4	4

Values are percentages except where indicated otherwise

Most participants (84%) considered that people should be able to freely decide their own death. Also, a large percentage (71%) supported the view that it should be acceptable that another person helps someone to die if asked (table 2). There was a significant correlation between attitudes towards PAS and E and statements regarding freedom to decide about death and acceptance of another person helping someone to die ($p<0.001$). Furthermore, a significant correlation was found between attitudes and ethical rationale ($p<0.001$), and there was consistency in the answers. Most of those that supported these practices believed that respecting autonomy is superior to life, and most

of those who disagreed thought that human life is more valuable.

There was a highly significant difference in the ethical index score between groups of participants ($p<0.001$). Scores were higher among those who disagreed with PAS or E, displaying a more pro-life view and demonstrating that their attitudes are consistent with their personal beliefs. We also found that this correlation between attitudes and ethical rationale varies statistically according to degree course. Medical students had lower index scores than Law students, indicating a higher valuation of patients' autonomy (physician-assisted suicide: $p=0.002$, Coef. -0.646; euthanasia: $p=0.002$, coef. -0.638).

Table 2. Opinion of students about underlying arguments

Statement	Response	Students %			
		Total n=245	Medicine n=72	Nursing n=74	Law n=99
People should be able to decide their own death	Agree	84	80	80	89
	Neutral	11	11	14	8
	Disagree	5	9	6	3
An other persons help in dying should be accepted	Agree	71	70	67	76
	Neutral	18	20	19	15
	Disagree	11	10	14	9

continues...

Table 2. Continuation

Statement	Students %				
	Response	Total n=245	Medicine n=72	Nursing n=74	Law n=99
Life is superior to autonomy	Agree	59	7	21	18
	Neutral	25	18	26	30
	Disagree	16	75	53	52
Autonomy is superior to life	Agree	54	71	47	47
	Neutral	33	17	42	36
	Disagree	13	12	11	17
Life and autonomy are values to respect	Agree	51	57	52	48
	Neutral	30	23	31	34
	Disagree	19	20	17	18

Students' knowledge and opinion about the law

The majority of students (62%) responded affirmatively to the question of knowledge of the law, with 68% expressing the view that it should be changed (table 3). The majority of respondents supported the legalization of PAS (56%) and, to a greater extent, of E (66%), with no significant differences between disciplines.

A significant correlation between knowledge and opinion of the law was found ($p<0.001$), with most respondents in favor of its modification. The attitudes of participants towards PAS and E were independent of their knowledge of the law ($p=0.544$ and $p=0.638$, respectively). Nevertheless, a significant correlation between positive attitudes and opinions about the legalization of these practices was found ($p<0.001$).

Students' intention to participate in PAS and euthanasia

Since personal views and behavioral trends might not be the same, participants were asked how they would act when dealing with a person seeking assistance with dying. Table 3 shows the percentage of students willing to participate in PAS and E, if these practices were legal.

A significant correlation between personal attitudes and willingness to participate in PAS and E was found, and was confirmed by the behavior index ($p<0.001$). Scores increased as participants disagreed more with these practices, indicating consistency between private views on PAS and euthanasia and predicted future behavior. No significant differences in terms of gender, age or course were found.

Table 3. Opinion of students about the law and willingness to participate in PAS and euthanasia

Statement	Students %				
	Response	Total n=245	Medicine n=72	Nursing n=74	Law n=99
Knowledge of the law	No	48	44	27	43
	Yes	62	56	73	57
Law should be changed*	Agree	68	90	62	62
	Neutral	26	7	29	32
	Disagree	6	3	9	6
Legalization of PAS	Agree	56	56	58	53
	Neutral	26	25	26	28
	Disagree	18	19	16	19
Legalization of euthanasia	Agree	66	67	63	65
	Neutral	23	21	23	26
	Disagree	11	12	14	9
Commitment to participate in physician-assisted suicide	Yes	38	49	38	32
	Undecided	30	20	35	33
	No	32	31	27	35
Commitment to participate in euthanasia	Yes	48	60	46	42
	Undecided	30	19	35	34
	No	22	21	19	24

*Percentages refer to students who responded affirmatively to the first question

Discussion

This paper analyzed the attitudes and intentions of medical, nursing and law students towards PAS and E. An objective evaluation of the results indicates that a majority of respondents exhibited a positive attitude towards PAS (54%) and E (75%), which agrees with other studies carried out in the USA^{19,20} and Mexico²⁵, and in some European countries such as the Netherlands²¹, Hungary²², Switzerland²³, Greece²⁴ and Belgium²⁶. The cultural context, religious beliefs and personal philosophy have been found to be related to attitudes^{26,35,40,42}. The present study revealed greater support for E than PAS, which is unusual and contrasts with previously published reports. It is to be expected that helping a patient take her or his own life is more acceptable than the physician directly taking such a life.

However, people might feel safer when the hastening of the dying process is carried out by a physician. Euthanasia is a term that can cause ambivalent feelings, as the act implies two actions that appear to be contradictory: helping patients end their suffering by killing them. Negative attitudes can be explained by the fact that E is intimately associated with death and even with murder. Nevertheless, this term is also related to a patient suffering from a terminal or unbearable condition who requests to die, thus evoking ideas of compassion, help, relief and choice. The positive meaning prevailed in our respondents, as reflected in their attitudes. These results are in agreement with those found in a sample of Mexican physicians and medical students⁴³.

When the responses were analyzed by age, gender or study program, no significant associations were found. Previous findings in relation to such factors are contradictory and inconclusive; some research suggests that age affects attitudes^{39,22} while other studies find no age-related differences^{30,34}. The same occurs with regards to gender; some studies report that women are more supportive^{39,21}, while others have found men are more in favour^{22,36}, and still others have described no differences in gender^{24,28,30,34}. As for the study program, some reports^{22,37} demonstrated important differences in the attitudes of medical and non-medical students, the latter of whom are more supportive of the concept. Nevertheless, a recent survey on a United Kingdom university campus found no significant differences in attitude between nursing and non-nursing students⁴⁴.

The vast majority of participants in this investigation consider ethics an important subject in the curriculum of Health Sciences, reflecting their view that ethics education is an important part of preparing nurses and physicians for the inevitable moral conflicts of their professional practice.

Attitudes of students towards PAS and E were consistent with opinions on the freedom to decide about death and acceptance that another person can help someone to die, and also with the underlying ethical arguments. This correlation between attitudes and ethical rationale differed according to degree, with medical students showing a greater support for patients' autonomy compared to law students. This result can reflect the utmost importance that the respect for autonomy today commands in the physician-patient relationship, which is transmitted to medical students. On the other hand, law students may be closer to the positive law, as PAS and E are banned in Spain. A previous report⁴² indicated that belief in autonomy was a key positive predictor of attitudes about physician-assisted suicide.

A total of 62% of the students were found to be informed about the law concerning PAS and E. The majority believed that the law should be changed and these practices should be legalized. These results are in agreement with a previous Spanish report³⁹ and with data from Dutch medical students²¹. However, in many other countries, the percentage of students with a positive opinion about the legalization of these practices was lower^{22,27-33,35}. Although the attitudes of participants towards PAS and E were independent of their knowledge of the law, concordance was found between personal views on assisted death and opinions about the legalization of these practices.

The present study found a significant correlation between personal attitudes and intentions to take part in PAS and E, if they were legal. Nevertheless, the percentage of respondents who were willing to participate in such practices was lower than those who declared themselves in favor of them. Even so, almost half of respondents declared their willingness to participate in E, and a lower proportion in PAS. These figures are clearly higher than those described in other reports³⁴⁻³⁶. This study revealed no significant differences in willingness to participate in terms of gender, age or degree course, differing from other reports^{35,36}, which showed men were more willing to accede to a demand for PAS or E.

The present study has some limitations that should be taken into account. Firstly, the opinions of students may change with time, implying that present intentions might not directly predict future behavior. Personal and professional experiences might change the views of respondents, as has been shown in some reports^{37,44,45}. Secondly, the University of Santiago de Compostela may not be representative of other universities around the country. Thirdly, the fact that knowledge of the law was measured with just one question, which asks for a subjective appraisal of the respondent's knowledge, should be taken into account.

Final considerations

The results of the present study are of interest in terms of the re-opened debate on euthanasia and PAS and the progress of legalization of such practices

in many countries. The majority of participants showed a positive attitude towards these practices as well as to their legalization, with no differences between medical and non-medical students.

Health care students should receive specialized education regarding end-of-life issues. In order to carry out their daily work in a safe and responsible manner, it is important that they know their professional obligations. Also, ethics education can help them to consider the wider ethical perspective when deliberating on ethical dilemmas such as those raised by patients seeking help to die, thus improving patient care.

It is suggested that the beliefs and opinions of students are tracked over time, and also compared with those of doctors and nurses. It is important to know and understand the views of health professionals on important ethical questions, such as physician-assisted death, as these issues are an integral part of their daily professional practice.

Referências

1. Cohen J, Van Landeghem P, Carpentier N, Deliens L. Different trends in euthanasia acceptance across Europe: a study of 13 Western and 10 Central and Eastern European countries, 1981-2008. *Eur J Public Health* [Internet]. 2013 [acesso 26 fev 2018];23(3):378-80. DOI: 10.1093/eurpub/cks186
2. Jaspers E, Lubbers M, de Graaf ND. 'Horrors of Holland': explaining attitude change towards euthanasia and homosexuals in the Netherlands, 1970-1998. *Int J Public Opin Res* [Internet]. 2007 [acesso 26 fev 2018];19(4):451-73. Disponível: <https://bit.ly/2Z0kqQa>
3. Seale C. Doctors' attitudes surveyed. *BMJ* [Internet]. 2009 [acesso 26 fev 2018];339:b3761. DOI: 10.1136/bmj.b3761
4. Broeckaert B. Belgium: towards a legal recognition of euthanasia. *Eur J Health Law* [Internet]. 2001 [acesso 26 fev 2018];8:95-107. Disponível: <https://bit.ly/301oEnH>
5. Janssen A. The new regulation of voluntary euthanasia and medically assisted suicide in the Netherlands. *Int J Law Policy Family* [Internet]. 2002 [acesso 26 fev 2018];16(2):260-9. Disponível: <https://bit.ly/33xIUuU>
6. Watson R. Luxembourg is to allow euthanasia from 1 April. *BMJ* [Internet]. 2009 [acesso 26 fev 2018];338:b1248. DOI: 10.1136/bmj.b1248
7. Hurst SA, Mauron A. Assisted suicide and euthanasia in Switzerland: allowing a role for non-physicians. *BMJ* [Internet]. 2003 [acesso 26 fev 2018];326:271-3. DOI: 10.1136/bmj.326.7383.271
8. Dyer C. Washington follows Oregon to legalize physician-assisted suicide. *BMJ* [Internet]. 2008 [acesso 26 fev 2018];337:a2480. DOI: 10.1136/bmj.a2480
9. McCarthy M. Vermont governor agrees to sign bill on physician-assisted suicide. *BMJ* [Internet]. 2013 [acesso 26 fev 2018];346:f3210. DOI: 10.1136/bmj.f3210
10. Breitbart W. Physician-assisted suicide ruling in Montana: struggling with care of the dying, responsibility, and freedom in Big Sky Country. *Palliat Support Care* [Internet]. 2010 [acesso 26 fev 2018];8(1):1-6. DOI: 10.1017/S1478951509990642
11. Dyer O. Quebec to pass bill on physician-assisted suicide. *BMJ* [Internet]. 2014 [acesso 26 fev 2018];348:g3508. DOI: 10.1136/bmj.g3508
12. Carter v. Canada (Attorney General). Judgements of the Supreme Court of Canada [Internet]. 2015 [acesso 20 jun 2017]. Disponível: <https://bit.ly/1zXx317>
13. Steck N, Egger M, Maessen M, Reisch T, Zwahlen M. Euthanasia and assisted suicide in selected European countries and US states: systematic literature review. *Med Care* [Internet]. 2013 [acesso 26 fev 2018];51(10):938-44. DOI: 10.1097/MLR.0b013e3182a0f427
14. Espanha. Ley 41/2002, de 14 de noviembre, básica reguladora de la autonomía del paciente y de derechos y obligaciones en materia de información y documentación clínica. *Boletín Oficial del Estado* [Internet]. Madrid, nº 274, p. 40126-40132, 15 nov 2002 [acesso 26 fev 2018]. Disponível: <https://bit.ly/1ksna9Z>
15. Wolfe J, Fairclough DL, Clarridge BR, Daniels ER, Emanuel EJ. Stability of attitudes regarding physician-assisted suicide and euthanasia among oncology patients, physicians, and the general public. *J Clin Oncol* [Internet]. 1999 [acesso 26 fev 2018];17:1274-9. DOI: 10.1200/JCO.1999.17.4.1274

16. Emanuel EJ. Euthanasia and physician-assisted suicide: a review of the empirical data from the United States. *Arch Intern Med* [Internet]. 2002 [acesso 26 fev 2018];162(2):142-52. DOI: 10.1001/archinte.162.2.142
17. Dickinson GE, Clark D, Winslow M, Marples R. US physicians' attitudes concerning euthanasia and physician-assisted death: a systematic literature review. *Mortality* [Internet]. 2005 [acesso 26 fev 2018];10(1):43-52. DOI: 10.1080/13576270500030982
18. Gielen J, Van Den Branden S, Broeckaert B. Attitudes of European physicians toward euthanasia and physician-assisted suicide: a review of the recent literature. *J Palliat Care* [Internet]. 2008 [acesso 26 fev 2018];24(3):173-84. Disponível: <https://bit.ly/2OX5BKb>
19. Caralis PV, Hammond JS. Attitudes of medical students, house staff, and faculty physicians toward euthanasia and termination of life-sustaining treatment. *Crit Care Med* [Internet]. 1992 [acesso 26 fev 2018];20(5):683-90. Disponível: <https://bit.ly/2TAIjsb>
20. Mangus RS, Dipiero A, Hawkins CE. Medical students' attitudes toward physician-assisted suicide. *Jama* [Internet]. 1999 [acesso 26 fev 2018];282(21):2080-1. DOI: 10.1001/jama.282.21.2080
21. Muller MT, Onwuteaka-Philipsen BD, Kriegsman DM, van der Wal G. Voluntary active euthanasia and doctor-assisted suicide: knowledge and attitudes of Dutch medical students. *Med Educ* [Internet]. 1996 [acesso 26 fev 2018];30(6):428-33. Disponível: <https://bit.ly/2KNCvHL>
22. Fekete S, Osvath P, Jegesy A. Attitudes of Hungarian students and nurses to physician-assisted suicide. *J Med Ethics* [Internet]. 2002 [acesso 26 fev 2018];28(2):126. DOI: 10.1136/jme.28.2.126
23. Marini MC, Neuenschwander H, Stiefel F. Attitudes towards euthanasia and physician-assisted suicide: a survey among medical students, oncology clinicians, and palliative care specialists. *Palliat Support Care* [Internet]. 2006 [acesso 26 fev 2018];4(3):251-5. Disponível: <https://bit.ly/2N2aWgQ>
24. Kontaxakis V, Paplos KG, Havaki-Kontaxaki BJ, Ferentinos P, Kontaxaki MI, Kollias CT *et al.* Attitudes on euthanasia and physician-assisted suicide among medical students in Athens. *Psychiatriki* [Internet]. 2009 [acesso 26 fev 2018];20(4):305-11. Disponível: <https://bit.ly/31GSMoV>
25. Loria A, Villarreal-Garza C, Sifuentes E, Lisker R. Physician-assisted death: opinions of Mexican medical students and residents. *Arch Med Res* [Internet]. 2013 [acesso 26 fev 2018];44(6):475-8. DOI: 10.1016/j.arcmed.2013.07.005
26. Roelands M, Van den Block L, Geurts S, Deliens L, Cohen J. Attitudes of Belgian students of medicine, philosophy, and law toward euthanasia and the conditions for its acceptance. *Death Stud* [Internet]. 2015 [acesso 26 fev 2018];39(3):139-50. DOI: 10.1080/07481187.2014.920433
27. Radulovic S, Mojsilovic S. Attitudes of oncologists, family doctors, medical students and lawyers to euthanasia. *Support Care Cancer* [Internet]. 1998 [acesso 26 fev 2018];6(4):410-5. DOI: 10.1007/s005200050185
28. Schioldborg P. Students' attitudes toward active euthanasia, assisted suicide and proposed amendments to the penal code. *Tidsskr Nor Laegeforen* [Internet]. 2000 [acesso 26 fev 2018];120(19):2283-8. Disponível: <https://bit.ly/2Z4z8I9>
29. Nordstrand MA, Nordstrand SJ, Materstvedt LJ, Nortvedt P, Magelssen M. Medical students' attitudes towards legalisation of euthanasia and physician-assisted suicide. *Tidsskr Nor Laegeforen* [Internet]. 2013 [acesso 26 fev 2018];133(22):2359-63. DOI: 10.4045/tidsskr.13.0439
30. Grassi L, Agostini M, Rossin P, Magnani K. Medical students' opinions of euthanasia and physician-assisted suicide in Italy. *Arch Intern Med* [Internet]. 2000 [acesso 26 fev 2018];160(14):2226-7. Disponível: <https://bit.ly/2MfydMN>
31. Karlsson M, Strang P, Milberg A. Attitudes toward euthanasia among Swedish medical students. *Palliat Med* [Internet]. 2007 [acesso 26 fev 2018];21(7):615-22. DOI: 10.1177/0269216307081940
32. Schildmann J, Herrmann E, Burchardi N, Schwantes U, Vollmann J. Physician-assisted suicide: knowledge and views of fifth-year medical students in Germany. *Death Stud* [Internet]. 2006 [acesso 26 fev 2018];30(1):29-39. DOI: 10.1080/07481180500236693
33. Clemens KE, Klein E, Jaspers B, Klaschik E. Attitudes toward active euthanasia among medical students at two German universities. *Support Care Cancer* [Internet]. 2008 [acesso 26 fev 2018];16(6):539-45. DOI: 10.1007/s00520-008-0427-z
34. Stronegger WJ, Schmölzer C, Rásky É, Freidl W. Changing attitudes towards euthanasia among medical students in Austria. *J Med Ethics* [Internet]. 2011 [acesso 26 fev 2018];37(4):227-9. DOI: 10.1136/jme.2010.039792
35. Leppert W, Gottwald L, Majkovic M, Kazmierczak-Lukaszewicz S, Forycka M, Cialkowska-Rysz A *et al.* A comparison of attitudes toward euthanasia among medical students at two Polish universities. *J Cancer Educ* [Internet]. 2013 [acesso 26 fev 2018];28(2):384-91. DOI: 10.1007/s13187-012-0414-4
36. Ramírez-Rivera J, Cruz J, Jaume-Anselmi F. Euthanasia, assisted suicide and end-of-life care: attitudes of students, residents and attending physicians. *P R Health Sci J* [Internet]. 2006 [acesso 26 fev 2018];25(4):325-9. Disponível: <https://bit.ly/31DOO05>
37. Gruber PC, Gomersall CD, Joynt GM, Lee A, Tang PY, Young AS *et al.* Changes in medical students' attitudes towards end-of-life decisions across different years of medical training. *J Gen Intern Med* [Internet]. 2008 [acesso 26 fev 2018];23(10):1608-14. DOI: 10.1007/s11606-008-0713-y
38. Hagelin J, Nilstun T, Hau J, Carlsson H-E. Surveys on attitudes towards legislation of euthanasia: importance on question phrasing. *J Med Ethics* [Internet]. 2004 [acesso 26 fev 2018];30(6):521-3. DOI: 10.1136/jme.2002.002543
39. Vega Vega C, Moya Pueyo V. Attitudes towards active euthanasia and its legislation in Spain. *Med Clin* [Internet]. 1992 [acesso 26 fev 2018];98(14):545-8. Disponível: <https://bit.ly/2YXjo7x>

40. Warner TD, Roberts LW, Smithpeter M, Rogers M, Roberts B, McCarty T *et al.* Uncertainty and opposition of medical students toward assisted death practices. *J Pain Symptom Manage* [Internet]. 2001 [acesso 26 fev 2018];22(2):657-67. DOI: 10.1016/S0885-3924(01)00314-1
41. R Project. The R Project for Statistical Computing [Internet]. [s.d.] [acesso 25 jun 2016]. Disponível: <https://bit.ly/19WExR5>
42. Weiss GL. Attitudes of college students about physician-assisted suicide: the influence of life experiences, religiosity, and belief in autonomy. *Death Stud* [Internet]. 1996 [acesso 26 fev 2018];20(6):587-99. DOI: 10.1080/07481189608252764
43. Álvarez del Río A, Marván ML. On euthanasia: exploring psychological meaning and attitudes in a sample of Mexican physicians and medical students. *Dev World Bioeth* [Internet]. 2011 [acesso 26 fev 2018];11(3):146-53. DOI: 10.1111/j.1471-8847.2011.00308.x
44. Hains CAM, Hulbert-Williams NJ. Attitudes toward euthanasia and physician-assisted suicide: a study of the multivariate effects of healthcare training, patient characteristics, religion and locus of control. *J Med Ethics* [Internet]. 2013 [acesso 26 fev 2018];39(11):713-6. DOI: 10.1136/medethics-2012-100729
45. Goldie J, Schwartz L, Morrison J. Students' attitudes and potential behaviour to a competent patient's request for withdrawal of treatment as they pass through a modern medical curriculum. *J Med Ethics* [Internet]. 2004 [acesso 26 fev 2018];30(4):371-6. Disponível: <https://bit.ly/2ZYt2nv>


Participation of the authors

María Sol Rodríguez-Calvo and José Ignacio Muñoz-Barús were responsible for the study and the analysis of data. José Luis Soto and Fernando Vázquez-Portomeñe took part in data collection and the entering and analysis of data. Isabel María Martínez-Silva was responsible for the analysis of statistical data. All the authors collaborated in and accepted the final version of the text.


Correspondência

María Sol Rodríguez-Calvo – University of Santiago de Compostela. Institute of Forensic Sciences. C/ San Francisco, s/n 15782. Santiago de Compostela, Espanha.


María Sol Rodríguez-Calvo – PhD – msol.rodriguez@usc.es

 0000-0002-6491-2784


José Luis Soto – PhD – joseluis.soto.ordonez@gmail.com

 0000-0003-2607-3390


Isabel María Martínez-Silva – Graduada – imartinez.uvigo@gmail.com


 0000-0002-0622-8802

Fernando Vázquez-Portomeñe – PhD – fernando.portomene@usc.es

 0000-0003-0237-0673

José Ignacio Muñoz-Barús – PhD – joseignacio.munoz.barus@usc.es

 0000-0002-4454-4670



Annex

Attitudes and opinions towards physician-assisted suicide and euthanasia

Age: _____

Gender: M () F ()

Study program: _____

Ethics is important in Medicine and Nursing curriculum: Yes () No () I am not sure ()

Euthanasia (E): The deliberate and active ending of life by another person at the explicit request of a patient who is suffering from an incurable condition deemed unbearable by him/her.

Physician-assisted suicide (PAS): The physician intentionally assists a patient to end his or her life.

Participants' attitudes towards PAS and E					
	Strongly agree		Neutral		Strongly disagree
What is your view about physician-assisted suicide?	1	2	3	4	5
What is your view about euthanasia?	1	2	3	4	5
I think people should be able to freely decide their own death	1	2	3	4	5
It should be accepted that other person helps someone to die if asked for	1	2	3	4	5
My view about euthanasia/PAS is based on these arguments					
Life is a value superior to person's autonomy	1	2	3	4	5
Respect to autonomy is superior to life	1	2	3	4	5
Life and autonomy are values that merit respect and have to be contextualized	1	2	3	4	5

Knowledge and opinion about the law					
Do you know the current law concerning PAS and euthanasia? Yes () No ()					
	Strongly agree		Neutral		Strongly disagree
I Consider that PAS/E Law should be changed	1	2	3	4	5
PAS should be legalized	1	2	3	4	5
Euthanasia should be legalized	1	2	3	4	5
Willingness to participate in PAS and E if made legal					
I would participate in physician-assisted suicide	1	2	3	4	5
I would participate in euthanasia	1	2	3	4	5