

Revista Bioética ISSN: 1983-8034

Conselho Federal de Medicina

Graças, Victor Bruno Andrade das; Souza, Joilson Francisco de; Santos, Jorge Gabriel Mendes Silva; Almeida, Mariana Fontes Andrade; Oliveira, Edvaldo Victor Gois; Santos, Nila Vitória Mendes Oliveira; Medeiros, Luiz Eduardo Dantas Cerqueira; Mattos, Roberta Machado Pimentel Rebello de; Pimentel, Déborah Mônica Machado Conhecimento sobre ética médica e resolução de conflitos na graduação Revista Bioética, vol. 27, no. 4, 2019, October-December, pp. 643-660 Conselho Federal de Medicina

DOI: https://doi.org/10.1590/1983-80422019274348

Available in: https://www.redalyc.org/articulo.oa?id=361570649009



Complete issue

More information about this article

Journal's webpage in redalyc.org



Scientific Information System Redalyc

Network of Scientific Journals from Latin America and the Caribbean, Spain and Portugal

Project academic non-profit, developed under the open access initiative



Print version ISSN 1983-8042 On-line version ISSN 1983-8034

Rev. Bioét. vol.27 no.4 Brasília Oct./Dec. 2019

Doi: 10.1590/1983-80422019274348

## **RESEARCH**

# Knowledge about medical ethics and conflict resolution during undergraduate courses

Victor Bruno Andrade das Graças<sup>1</sup>, Joilson Francisco de Souza Júnior<sup>1</sup>, Jorge Gabriel Mendes Silva Santos<sup>1</sup>, Mariana Fontes Andrade Almeida<sup>1</sup>, Edvaldo Victor Gois Oliveira<sup>1</sup>, Nila Vitória Mendes Oliveira Santos<sup>1</sup>, Luiz Eduardo Dantas Cerqueira Medeiros<sup>1</sup>, Roberta Machado Pimentel Rebello de Mattos<sup>2</sup>. Déborah Mônica Machado Pimentel<sup>2</sup>

1. Departamento de Medicina, Centro de Ciências Biológicas e da Saúde (CCBS), Universidade Federal de Sergipe (UFS), Aracaju/SE, Brasil.

2. Departamento de Odontologia, Universidade Tiradentes (Unit), Aracaju/SE, Brasil.

#### **Abstract**

This descriptive cross—sectional study aimed to evaluate the medical student's perception of the importance of medical ethics being taught and to measure their knowledge about the subject in a public university in the Northeast of Brazil. Through a questionnaire, applied to 230 undergraduates, it was possible to evaluate deficits caused by the absence of formal medical ethics education and to discuss the need for diversified approaches to the subject during graduation. Results show a higher rate of correct answers among undergraduates who attended at least one discipline on medical ethics; whereas they indicated an unsatisfactory rate of success in both groups. One third of the undergraduates who did not have contact with the subject revealed that they did not feel put at a disadvantaged by this gap, and 25.6% of the sample did not value the importance of the subject in comparison to other undergraduate subjects. Therefore, it is necessary to review medical education strategies to ensure better professionals in the future. **Keywords:** Ethics, medical. Curriculum. Education, medical, undergraduate. Knowledge.

#### Resumo

## Conhecimento sobre ética médica e resolução de conflitos na graduação

Estudo quantitativo transversal descritivo que tem o objetivo de avaliar a percepção do graduando em medicina sobre a importância do ensino da ética médica e mensurar seu conhecimento sobre a temática em universidade pública do Nordeste brasileiro. Por meio de questionário aplicado a 230 estudantes foi possível avaliar deficiências provocadas pela ausência do ensino formal da ética médica e discutir a necessidade de abordagens diversificadas do tema durante a graduação. Resultados mostram maior taxa de acertos entre graduandos que cursaram ao menos uma disciplina sobre ética médica, mas índice insatisfatório em ambos os grupos. Um terço dos discentes que não tiveram contato com a temática revelaram não se sentir prejudicados por essa lacuna e 25,6% da amostra sequer valorizou a importância do tema em relação a outras disciplinas da graduação. Assim, torna-se necessário rever as estratégias do ensino médico para garantir melhores profissionais no futuro.

Palavras-chave: Ética médica. Currículo. Educação de graduação em medicina. Conhecimento.

## Resumen

# Conocimiento sobre ética médica y resolución de conflictos en la carrera de grado

Estudio cuantitativo transversal descriptivo que tiene el objetivo de evaluar la percepción del estudiante de medicina sobre la importancia de la enseñanza de la ética médica y mensurar su conocimiento sobre la temática en una universidad pública del Nordeste brasileño. A través de un cuestionario aplicado a 230 estudiantes fue posible evaluar las deficiencias provocadas por la ausencia de la enseñanza formal de la ética médica y discutir la necesidad de abordajes diversificados del tema durante el grado. Los resultados muestran una mayor tasa de aciertos entre los estudiantes que cursaron al menos una disciplina sobre ética médica, pero un índice insatisfactorio en ambos grupos. Un tercio de los estudiantes que no tuvieron contacto con la temática revelaron no sentirse perjudicados por esa laguna, y el 25.6% de la muestra ni siquiera valora la importancia del tema en relación con otras disciplinas de la carrera. Así, se hace necesario revisar las estrategias de la formación médica para garantizar mejores profesionales en el futuro.

Palabras clave: Ética médica. Curriculum. Educación de pregrado en medicina. Conocimiento.

Declaram não haver conflito de interesse.

In the health area, the professional's ability to solve dilemmas is often challenged, and it is essential to know guiding principles of ethical conduct. Thus, it is necessary to study medical ethics from the beginning of the medical course, advancing during the internship <sup>1-4</sup>, medical residency <sup>5</sup> and the practice of profession <sup>6</sup>. Ethics is part of philosophy and constitutes rational knowledge based on three main pillars: the first one involves awareness or perception of conflicts; the second deals with the autonomy and ability of the individual to position himself or herself between reason and emotion; and the third is based on the coherence of the individual <sup>3,7</sup>.

The formal teaching of ethics represents a crucial point for health professionals, especially considering the perspective of humanization of their professional training. Despite its significance and the natural interaction between ethics and medicine, as cited in the Hippocratic oath, only recently disciplines related to ethics were included in the curriculum of medical schools <sup>6,8</sup>, after the Associação Médica Mundial – AMM (World Medical Association) have considered its teaching to be mandatory in all academic curricula from 2015 <sup>2,7</sup>.

Therefore, in this context due to lack of adequate planning, a gap was opened in the teaching of ethics to medical students at the public university of northeastern Brazil in which this research was developed. The curriculum of the course taught at this university was changed in 2017, adding in the first period the discipline Medical Ethics and Communication Skills and transferring the discipline Legal Medicine, Ethics and Medical Assessment from the eighth to the fifth period of the course. Thus, some of the most advanced classes at the time of the alteration had no contact with the theme, nor are they expected to attend academic disciplines linked to ethics. This change may have caused learning deficits for those who did not attend at least one of these academic disciplines.

Thus, the objectives of this article were to evaluate the perception of students about the importance of teaching ethics, as well as measuring their knowledge about the Código de Ética Médica – CEM (Code of Medical Ethics) <sup>9</sup> and their ability to resolve ethical conflicts, comparing the results obtained among those who attended these disciplines with those who did not have the same opportunity, considering the changes in the curriculum.

## Materials and method

This is a descriptive cross-sectional study with quantitative methodology. The data were obtained through a questionnaire created by the authors, adapted from other tools validated in the literature and based on the CEM <sup>9-14</sup>. The tool was divided into three sections: the first covered sociodemographic data of the sample; in the second there were 26 theoretical questions about medical ethics; and the third was composed of 15 questions that dealt with ethical dilemmas in clinical cases in the practice of the profession.

Considering the hypothesis that 80% of the population of 390 students who attended one of the academic disciplines had sufficient knowledge about medical ethics, statistical calculations <sup>15</sup> with 95% confidence interval and 5% margin of error showed that the sample of this group required for the study would consist of 152 students. Among the 150 students who had no discipline related to medical ethics the final sample resulted in 73 students, taking into account the same parameters and the hypothesis that 10% of them had good knowledge of the subject.

The questionnaire was then applied in the first half of 2018 to 230 medical students at a public university in northeastern Brazil. The sample was divided into two groups, the first (G1) contemplating students who attended during graduation at least one of the academic disciplines that address the theme of medical ethics, and the second (G2) constituted of those who had no contact with any of those disciplines. G1 is composed of classes of the 2nd, 5th, 6th, 11th, 12th and part of the 10th semester, and G2 consists of the 7th, 8th, 9th and also part of the 10th semester, since only a few students of the latter attended the discipline Legal Medicine, Deontology and Medical Assessment.

The statistical analysis described the data at simple and percentage frequencies, and the associations between variables were evaluated using Pearson's chisquare test. The significance level of 5% (p<0.05) and the R Core Team 2018 software were adopted.

# Results

The mean age of the participants was 23.5 years, of which the majority were male (60.3%) and Catholic (40.8%, followed by 28.1% who declared they had no religion). Regarding contact with the theme of medical ethics, 55.2% attended the discipline Legal Medicine, Ethics and Medical examination, 9.1% attended the

discipline Medical Ethics and Communication Skills, and 35.7% did not attend any of them. 90.4% of the students stated that they did not read the CEM, 18.1% did not know the Hippocratic Oath, 76.5% did not know about the existence of *Nüremberg Code* <sup>16</sup> and 81.9% did not know the *Declaration of Helsinki* <sup>17</sup>.

The students were divided into two groups: 147 (63.9%) students who attended the academic discipline Medical Ethics and Communication Skills

or Legal Medicine, Ethics and Medical Assessment composed G1; and 83 (36.1%) who did not attend disciplines involving medical ethics composed G2. Of all respondents, 7.9% said that lecturers in other disciplines never cited issues related to medical ethics as something important for professional performance, against 1.3% who said that their lecturers always emphasised this topic. Table 1 compares the results between G1 and G2.

Table 1. Comparison between sample groups on perception and knowledge of medical ethics

|   | Group 1<br>n (%)                  | Group 2<br>n (%)        | р       |
|---|-----------------------------------|-------------------------|---------|
| Have you read the Code of Medical Ethics in full                  | ?                                 |                         |         |
| Yes   | 18 (12,2)                         | 4 (4,8)                 | 0,066   |
| No  | 129 (87,8)                        | 79 (95,2)               |         |
| Do you consider having enough knowledge to de                     | eal with ethical dilemmas?        |                         |         |
| Yes   | 35 (24,0)                         | 7 (8,4)                 | 0,003   |
| No  | 111 (76,0)                        | 76 (91,6)               |         |
| Do you consider the absence of medical ethics in                  | n the medical curriculum harmful  | ?                       |         |
| Yes   | 141 (96,6)                        | 78 (94,0)               | 0,355   |
| No  | 5 (3,4)                           | 5 (6,0)                 |         |
| If you don't have medical ethics as a discipline, I               | how harmed do you feel about it   | ?                       |         |
| None  | 2 (3,6)                           | 3 (3,6)                 | 0,576   |
| Little  | 19 (34,5)                         | 23 (27,7)               |         |
| Very much   | 30 (54,5)                         | 45 (54,2)               |         |
| Extremely   | 4 (7,3)                           | 12 (14,5)               |         |
| Do you find medical ethics as important as othe                   | r medical undergraduate curricul  | um components?          |         |
| Yes   | 129 (88,4)                        | 61 (74,4)               | 0,007   |
| No  | 17 (11,6)                         | 21 (25,6)               |         |
| How do you evaluate your level of knowledge in                    | n medical ethics?                 |                         |         |
| Poor  | 4 (2,7)                           | 30 (36,6)               | <0,001  |
| Reasonable  | 84 (57,1)                         | 39 (47,6)               |         |
| Good  | 57 (38,8)                         | 13 (15,9)               |         |
| Very good   | 2 (1,4)                           | 0 (0,0)                 |         |
| How important do you consider the medical rec                     | ord in solving ethical dilemmas?  |                         |         |
| Very important  | 144 (98,6)                        | 80 (97,6)               | 0,555   |
| Not important   | 0 (0,0)                           | 0 (0,0)                 |         |
| I don't know  | 2 (1,4)                           | 2 (2,4)                 |         |
| What is your university's ethics committee for?                   |                                   |                         |         |
| To promote symposia on medical ethics                             | 0 (0,0)                           | 0 (0,0)                 |         |
| To oversee animal and human research                              | 47 (32,2)                         | 17 (20,7)               | 0,017   |
| To ensure the ethical practice of lecturers                       | 7 (4,8)                           | 0 (0,0)                 |         |
| All previous  | 75 (51,4)                         | 48 (58,5)               |         |
| None of the previous  | 0 (0,0)                           | 2 (2,4)                 |         |
| I don't know  | 17 (11,6)                         | 15 (18,3)               |         |
| During the course, outside of ethics-related disc medical career? | iplines, how often has a lecturer | cited ethics as importa | nt in a |
| Never   | 14 (9,5)                          | 4 (5,0)                 | 0,183   |
| Sometimes   | 90 (61,2)                         | 42 (52,5)               |         |
| Almost always   | 41 (27,9)                         | 33 (41,3)               |         |
| Always  | 2 (1,4)                           | 1 (1,3)                 |         |

continues...

Tabela 1. Continuation

|   | Group 1                 | Group 2                    | р             |
|---|-------------------------|----------------------------|---------------|
|   | n (%)                   | n (%)                      | <u> </u>      |
| Do you think there is a possibility of denying care to a per        | · ·                     | =0 (00 s)                  | 0.044         |
| Yes   | 120 (81,6)              | 70 (88,6)                  | 0,341         |
| No  | 26 (17,7)               | 9 (11,4)                   |               |
| I don't know  | 1 (0,7)                 | 0 (0,0)                    |               |
| Do you think there is a possibility of denying care to a per        |                         |                            | 0.207         |
| Yes   | 28 (19,0)               | 10 (12,5)                  | 0,207         |
| No  | 119 (81,0)              | 70 (87,5)                  |               |
| I don't know  | 0 (0,0)                 | 0 (0,0)                    |               |
| Do you consider the informed consent form essential in cl           |                         |                            | 0.020         |
| Yes   | 143 (97,9)              | 78 (97,5)                  | 0,828         |
| No  | 3 (2,1)                 | 2 (2,5)                    |               |
| I don't know  | 0 (0,0)                 | 0 (0,0)                    |               |
| What does the Spikes protocol mean?                                 | 0 (0 0)                 | 2 (2.5)                    | <b>40.001</b> |
| Communication skills between physicians and children                | 0 (0,0)                 | 2 (2,5)                    | <0,001        |
| Brain death protocol  Bad News Protocol                             | 7 (4,8)                 | 3 (3,8)                    |               |
| I don't know  | 92 (62,6)               | 14 (17,5)                  |               |
| Are you required to give a death certificate to a patient w         | 48 (32,6)               | 61 (76,3)                  |               |
| Yes   |                         | 9 (11,3)                   | 0,155         |
| No No   | 16 (10,9)               | ` ' '                      | 0,155         |
| I don't know  | 103 (70,1)<br>28 (19,0) | 47 (58,8)<br>24 (30,0)     |               |
| Are you required to give a certificate of death of a UBS pa         | , , ,                   | . , ,                      | at home?      |
| UBS – Unidades Básicas de Saúde ( Basic Health Unit)                | tient accompanied by y  | ou allu wilo passeu away   | at nome:      |
| Yes   | 58 (39,7)               | 32 (40,0)                  | 0,076         |
| No  | 58 (39,7)               | 22 (27,5)                  |               |
| I don't know  | 30 (20,5)               | 26 (32,5)                  |               |
| Should health care staff, when confirming brain death, condonation? | mmunicate to the family | y about the possibility of | organ         |
| Yes   | 112 (77,2)              | 74 (92,5)                  | 0,001         |
| No  | 31 (21,4)               | 3 (3,8)                    |               |
| I don't know  | 2 (1,4)                 | 3 (3,8)                    |               |
| Do you know the Hippocratic oath?                                   |                         |                            |               |
| Yes   | 128 (87,1)              | 58 (72,5)                  | 0,006         |
| No  | 19 (12,9)               | 22 (27,5)                  |               |
| Do you know the Nüremberg Code?                                     |                         |                            |               |
| Yes   | 41 (27,9)               | 12 (15,2)                  | 0,032         |
| No  | 106 (72,1)              | 67 (84,8)                  |               |
| Do you know the Declaration of Helsinki?                            |                         |                            |               |
| Yes   | 34 (23,1)               | 7 (8,8)                    | 0,007         |
| No  | 113 (76,9)              | 73 (91,3)                  |               |
| How did you get your knowledge of medical ethics?                   |                         |                            |               |
| During undergraduate education                                      | 104 (88,9)              | 17 (25,4)                  | <0,001        |
| Reading   | 3 (2,6)                 | 10 (14,9)                  |               |
| In lectures, symposiums or seminars                                 | 5 (4,3)                 | 4 (6,0)                    |               |
| Others (internet, newspapers, reports, court cases, etc.)           | 5 (4,3)                 | 15 (22,4)                  |               |
| I have no knowledge in medical ethics                               | 0 (0,0)                 | 21 (31,3)                  |               |

continues...

Tabela 1. Continuation

|  | Group 1<br>n (%)             | Group 2<br>n (%)        | р        |
|--|------------------------------|-------------------------|----------|
| Does your university have separate committees to revie   | w animal and human rese      | earch projects?         |          |
| Yes  | 54 (36,7)                    | 29 (36,3)               | 0,570    |
| No   | 8 (5,4)                      | 2 (2,5)                 |          |
| I don't know   | 85 (57,8)                    | 49 (61,3)               |          |
| How would you act by witnessing a violation of ethical   | conduct by your future co    | lleagues?               |          |
| I feel obligated to report them to the medical council   | 37 (26,1)                    | 16 (19,5)               | 0,002    |
| I would talk to them   | 95 (66,9)                    | 47 (57,3)               |          |
| I'd refuse to take any action  | 0 (0,0)                      | 0 (0,0)                 |          |
| I wouldn't know what to do   | 10 (7,0)                     | 19 (23,2)               |          |
| Do you consider theoretical teaching sufficient to learn   | medical ethics?              |                         |          |
| Yes  | 29 (19,7)                    | 15 (18,5)               | 0,736    |
| No   | 117 (79,6)                   | 66 (81,5)               |          |
| I don't know   | 1 (0,7)                      | 0 (0,0)                 |          |
| How important do you consider the practical learning   | to build knowledge in me     | dical ethics?           |          |
| Not relevant   | 0 (0,0)                      | 2 (2,4)                 | 0,275    |
| Not very relevant  | 0 (0,0)                      | 1 (1,2)                 |          |
| Lightly relevant   | 10 (6,8)                     | 5 (6,1)                 |          |
| Moderately relevant  | 20 (13,7)                    | 13 (15,9)               |          |
| Very relevant  | 73 (50,0)                    | 42 (51,2)               |          |
| Extremely relevant   | 43 (29,5)                    | 19 (23,2)               |          |
| Do you consider that the teaching of ethics is sufficient included in the clinical course and during internship? | in the basic course or it is | insufficient and shoul  | d be     |
| It is sufficient, no need to include it in clinical and internship periods                                       | 12 (8,2)                     | 9 (11,1)                | 0,001    |
| It is insufficient and it needs to be included in the clinical and internship periods                            | 118 (80,3)                   | 48 (59,3)               |          |
| I don't know   | 17 (11,6)                    | 24 (29,6)               |          |
| What is the maximum tolerance for the professional on  | duty and waiting for the     | colleague who will repl | ace him? |
| 15 minutes   | 4 (2,7)                      | 2 (2,4)                 | <0,001   |
| 30 minutes   | 4 (2,7)                      | 3 (3,7)                 |          |
| 60 minutes   | 2 (1,4)                      | 4 (4,9)                 |          |
| Do not leave the duty shift  | 128 (87,1)                   | 47 (57,3)               |          |
| I don't know   | 9 (6,1)                      | 26 (31,7)               |          |

n: absolute frequency; %: percentage frequency in relation to the total answers of each question; Chi-square test. Participants were allowed to answer only questions that made them comfortable, justifying items whose total absolute frequency does not correspond to the number of participants in each sample.

Considering the total, 49% of the answers to the technical questions were correct. The results were divided according to gender, pointing out that women correctly answered on average 51% of the theoretical questions and men were correct approximately 48%. By analysing the groups in isolation, it can be seen that G1 got about 55% of the questions right, while G2 got 39% of them right. In G1 it was also measured the success rate of undergraduates who had attended the course Medical Ethics and Communication Skills (52%) and those who attended Legal Medicine, Deontology and Medical Assessment (59%).

Among the students of the 10th period, the part contained in G1, which had contact with some discipline related to medical ethics, answered correctly an average of 65% of the questions, while in G2, composed of students who did not have this contact, a rate of correct answers of 39% was obtained.

In the second part of the questionnaire, 15 questions related to 11 clinical cases involving ethical conflicts in the daily life of the health professional were addressed (Table 2). Patient's autonomy, physician's autonomy, professional secrecy and conflicts of interest stand out among the various topics addressed.

**Table 2.** Comparison of ways to address ethical conflicts between sample groups

|   | Group 1 n (%)     | Group 2 n (%)          | <i>p</i> -value |
|---|-------------------|------------------------|-----------------|
| Scenario 1: Adolescent patient admits suicidal ideations. Should the p  |                   | erve the patient       | 's privacy,     |
| respecting the bioethical principle of autonomy, keeping the report co  | nfidential?       |                        |                 |
| Yes   | 23 (15,6)         | 10 (12,2)              | 0,623           |
| No  | 114 (77,6)        | 68 (82,9)              |                 |
| I don't know  | 10 (6,8)          | 4 (4,9)                |                 |
| Scenario 2: According to the Code of Medical Ethics, should the physic emergency, even with refusal of family member?                             | ian amputate a    | patient member         | in              |
| Yes   | 50 (34,2)         | 30 (36,6)              | 0,032           |
| No  | 75 (51,4)         | 30 (36,6)              |                 |
| I don't know  | 21 (14,4)         | 22 (26,8)              |                 |
| Scenario 3: Conflicts of interest between industry and physicians can be  | e ethically toler | ated?                  |                 |
| Yes   | 8 (5,4)           | 10 (12,2)              | <0,001          |
| No  | 137 (93,2)        | 58 (70,7)              |                 |
| I don't know  | 2 (1,4)           | 14 (17,1)              |                 |
| Scenario 4: A life-threatening Jehovah's Witness patient and the physi regarding blood transfusion. Is the physician's behaviour correct and l    |                   | spect his or her       | autonomy        |
| Yes   | 63 (42,9)         | 36 (43,9)              | 0,001           |
| No  | 77 (52,4)         | 30 (36,6)              |                 |
| I don't know  | 7 (4,8)           | 16 (19,5)              |                 |
| Scenario 5: Should the physician overlook religious beliefs of the famil blood transfusion?   | y of a Jeovah W   | itness minor ar        | nd perform      |
| Yes   | 81 (55,1)         | 37 (45,1)              | 0,013           |
| No  | 56 (38,1)         | 29 (35,4)              |                 |
| I don't know  | 10 (6,8)          | 16 (19,5)              |                 |
| Scenario 6: Physician assisting terminal patient hides information about conduct ethical and legal?   | ut experimental   | treatment. Is th       | is physican's   |
| Yes   | 42 (28,6)         | 27 (32,9)              | 0,176           |
| No  | 93 (63,3)         | 43 (52,4)              |                 |
| I don't know  | 12 (8,2)          | 12 (14,6)              |                 |
| Scenario 7: Terminally ill patient wishes to die and asks to administer infusion pump. In place of this physician, would you fulfill the patient' |                   | lf or herself, usi     | ng an           |
| Yes   | 81 (55,1)         | 30 (36,6)              | 0,005           |
| No  | 47 (32,0)         | 29 (35,4)              |                 |
| I don't know  | 19 (12,9)         | 23 (28)                |                 |
| Scenario 8a: Requesting abortion related to rape by the means of the System ) Should the physician require any legal document attesting the       |                   |                        |                 |
| Yes   | 72 (49,0)         | 51 (63,0)              | <0,001          |
| No  | 57 (38,8)         | 11 (13,6)              |                 |
| I don't know  | 18 (12,2)         | 19 (23,5)              |                 |
|   |                   |                        |                 |
| Scenario 8b: As for the legal aspect in scenario 8a, the physician shoul  |                   |                        |                 |
| Call the police immediately, testify, and collaborate with State legal  |                   | 22 (27,5)              | <0,001          |
|   | d:                | 22 (27,5)<br>24 (30,0) | <0,001          |

continues...

Tabela 2. Continuation

|   | Group 1 n (%)     | Group 2 n (%)    | <i>p</i> -value |
|---|-------------------|------------------|-----------------|
| Scenario 8c: As for the procedure requested in scenario 8a, the physici   | an may:           |                  |                 |
| Refuse to carry it out, leaving the woman in charge of the next physician, claiming that the procedure goes against his or her religious principles                               | 89 (62,2)         | 22 (27,5)        | <0,001          |
| Perform the procedure, even going against his or her religious precepts, for the good of the patient  | 31 (21,7)         | 17 (21,3)        |                 |
| I don't know  | 23 (16,1)         | 41 (51,3)        |                 |
| Scenario 9a: Insurer wants the physician's testimonial about patient be family. The physician is called. How should he or she behave?   | efore paying life | insurance to the | e patient's     |
| The physician should not provide any details about what happened during the consultation.   | 42 (29,6)         | 9 (11,3)         | 0,001           |
| Must collaborate by telling the truth about the patient's "blackouts" prior to the accident   | 78 (54,9)         | 46 (57,5)        |                 |
| I don't know  | 22 (15,5)         | 25 (31,3)        |                 |
| Scenario 9b: Insurance sues the hospital for access to the medical reconappens in the consultation. Should the hospital then provide the medical reconappens in the consultation. |                   | physical reports | s what          |
| The hospital must provide medical record to insurer   | 6 (4,0)           | 3 (4,1)          | <0,001          |
| The hospital must provide medical record to insurer after court decision  | 102 (68,0)        | 55 (74,3)        |                 |
| The hospital should not provide medical record to insurer   | 21 (14,0)         | 10 (13,5)        |                 |
| I don't know  | 21 (14,0)         | 6 (8,1)          | 0,144           |
| Scenario 10a: Do you think the physician should take into account a fa confidential his or her desire for suicide?  | cially disfigured | patient's reques | st to keep      |
| Yes   | 107 (70,9)        | 60 (69,8)        |                 |
| No  | 17 (11,3)         | 15 (17,4)        |                 |
| I don't know  | 27 (17,9)         | 11 (12,8)        | 0,267           |
| Scenario 10b: What else should be considered when deciding about so   | enario 10a? (ch   | oose only one al | ternative)      |
| The patient's dignity   | 10 (5,5)          | 11 (10,5)        |                 |
| The patient's human rights  | 32 (17,7)         | 22 (21,0)        |                 |
| The law   | 3 (1,7)           | 4 (3,8)          |                 |
| Meus princípios   | 66 (36,5)         | 29 (27,6)        |                 |
| The risks   | 3 (1,7)           | 2 (1,9)          |                 |
| Other   | 67 (37,0)         | 37 (35,2)        | 0,001           |
| Scenario 11: Patient with indication for tubal ligation procedure. Do you the husband's opinion and take into account his or her perception of the                                |                   |                  |                 |
| Yes   | 71 (92,2)         | 29 (65,9)        |                 |
| No  | 6 (7,8)           | 15 (34,1)        |                 |
| I don't know  | 0 (0,0)           | 0 (0,0)          |                 |

n: absolute frequency; %: percentage frequency in relation to the total answers of each question; Chi-square test. Participants were allowed to answer only questions that made them comfortable, justifying items whose total absolute frequency does not correspond to the number of participants in each sample.

## Discussion

Currently, medical curricula are dedicated to the training of technical professionals, neglecting, in most cases, medical ethics and bioethics <sup>7</sup>. These elements are inseparable from the good practice of the profession, because there will always be ethical factors to be considered in decisions associated with the best interests of the patient <sup>8</sup>.

At the university studied, the discipline Medical Ethics and Communication Skills was belatedly included as a mandatory academic discipline, aimed at newly entered students in the undergraduate course, while the discipline Legal Medicine, Deontology and Medical Assessment was moved from the eighth to the fifth semester. Due to the change, a gap was created in the curriculum of undergraduates of the 7th, 8th, 9th and 10th semesters that, if not

corrected, can impair the ability of undergraduates to deal with ethical dilemmas in the daily life of the profession. This lapse in medical training is reflected in the growing number of lawsuits against professionals in the Federal Council of Medicine and in Courts of Law<sup>4</sup>, which sometimes present decisions contrary to the CEM<sup>9</sup>, sometimes show weaknesses and shortcomings of the legal system to respond satisfactorily to new and growing health demands <sup>18</sup>.

The teaching of ethics has a dual function. The first contributes to improve and develop the student's bioethical reflection capacity, so that they make faster and more correct decisions when faced with dilemmas and ethical issues. The other aims to train citizens in order to make them aware of the common good and their commitment as professionals <sup>7</sup>. The theoretical knowledge of ethics is put into practice in the daily life of the physician, materialising in real cases that are judged according to principles and values internalised in the person <sup>3,11,19-21</sup>.

## Theoretical questions section

The technical questions section of the collection instrument of this research compiled students' perception of their ability to resolve conflicts in the light of medical ethics. Surprisingly, only 24% of students who have attended some related discipline consider themselves able to deal with ethical impasses, although paradoxically 95.9% have classified their knowledge of medical ethics as between reasonable and good.

On the other hand, it is not surprising that 91.6% of the undergraduates of the group 2 consider themselves unprepared to solve ethical dilemmas, since they did not attend any discipline that dealt with the subject. Nevertheless, contradictorily, 63.5% of these students consider knowledge of ethics as good or reasonable. Thus, students generally consider it unnecessary to study ethics to apply it in the profession, as well as invest in the subject and instruct themselves on the subject, believing it to be expendable to examine the CEM, laws and resolutions, as if common sense were sufficient. These values differ from that observed by Silverman and collaborators 22, whose article addresses the self-perception of students regarding the ability to resolve ethical issues: 60.8% of their respondents considered themselves able to solve them in clinical practice.

In the article, more than 90% of the interviewees from both groups realised that the absence of medical ethics is harmful to their

training. However, despite this response, 31.3% of the students from the group 2 responded that they did not feel harmed at all or just a little by the absence of the theme in the curriculum. Another report reveals that 25.6% of this group did not consider ethics as important as other curricular components. These numbers reflect the deficiency in medical education, although ethics and bioethics are expressly recommended in the curricular guidelines of medical courses <sup>23</sup>.

When asked whether, during the course and in unrelated disciplines, lecturers cited ethics as something relevant in the career, almost 10% of respondents indicated that lecturers ignored the theme in G1, and 5% in G2. In this regard, it is worth mentioning the need for a cross-sectional and multidisciplinary approach to ethics in teaching<sup>3</sup>, recognised in the literature and ignored by some lecturers. Among the learning methods pointed out by the students, it is noted that the majority of G1 (88.9%) states that they learned medical ethics during undergraduation. The same response was given by 25.4% of G2 students, compared to 31.3% who claim not to know the precepts of medical ethics. Self-teaching is observed 12 as a way to compensate for the traditional education gaps: 14.9% of the latter group read on the subject and 22.4% surveyed the theme on the internet, newspapers, reports and judicial cases.

Regarding professional responsibility, some issues revealed important results. In G1, 26.1% of respondents would report colleagues who acted unethically, against 19.5% in G2. In Silverman's and collaborators study <sup>22</sup>, only 22.4% adopted the same stance. It is worth stressing the legal and ethical implications related to patient safety; it is not only about knowledge of the CEM<sup>9</sup>, but also of judgment of values and corporatism among colleagues, which sometimes entails less commitment to ethics.

Therefore, the results of the present research corroborate the study of Godbold and Lees <sup>12</sup>, which points to more subjective ethical scenarios distorted by the values themselves, neglecting deontology, unlike conflicts in more technical contexts. The Brazilian Code of Medical Ethics (CEM) is explicit when it states in Article 57 on the relationship between physicians, where the professional is prohibited to stop denouncing acts that contradict ethical postulates to the ethics committee of the institution in which the physical carries out his or her professional work and, if necessary, to the

Conselho Regional de Medicina (Regional Council of Medicine)<sup>9</sup>.

Another issue denoted the lack of knowledge of the respondents about the CEM. Specifically regarding the ethical posture of the professional in clinical practice, 19% of G1 students and 12.5% of the G2 said it was possible to refuse to treat patients in emergency and emergency services. However, CEM's Article 33 prohibits the professional from failing to attend patients seeking their professional care in cases of urgency and emergency, when there is no other physician or medical service in a position to do so<sup>9</sup>.

It is observed, in another question, that the majority of respondents in G1 (87.1%) acknowledges that leaving the duty shift constitutes serious ethical violation, and the physician is prevented from doing so. However, only 57.3% of G2 students indicated such understanding. As the CEM prays in article 9, both the abandonment on duty shift without the presence of a substitute and non-attendance are ethical infractions 9.

As for the legal documents, there was no marked difference between G1 and G2. Both defined the medical records as very important to solve ethical issues, respectively 98.6% and 97.6% frequency. These data converge with the same high score rate of 89.8% found in the work of Babu, Venkatesh and Sharmila<sup>24</sup>. The percentages of correctness remained high on issues that dealt with the use of the informed consent form: approximately 97% of both groups considered it important in clinical practice and research. Silverman and collaborators 22 showed that 87.8% of the participants in their study felt safe when they obtained a legally valid consent form. Regarding the obligations of issuing death certificate, the students of the two groups of this research indicated that they are not known, in line with the research by Neves Júnior, Araújo and Rego<sup>7</sup>, which came to the conclusion that legal documents are one of the least discussed topics in Brazilian colleges.

Regarding the Hippocratic Oath, 12.9% of G1 and 27.5% of G2 responded negatively. This finding surprises, considering that G2 is composed of participants from very advanced stages of the medical course. In another moment, when asked about the *Nüremberg Code*, the theoretical basis of informed consent<sup>25</sup>, only 27.9% of G1 and 15.2% of G2 knew it. Finally, few students from both groups (23.1% of G1 and 8.8% of G2) said they knew the *Declaration of Helsinki*, an international document regulating medical research involving human subjects<sup>26</sup>. It is extremely important that this failure in the required curriculum be corrected.

Undergraduates were also asked about the Spikes protocol, used in the communication of bad news. It is considered bad news any information given by the physician, which changes, sometimes in an unavoidable way, the patient's life project <sup>27</sup>. This protocol deals with communicative skills in the relationship between physician and patient, favouring the preparation of the scenario to give the bad news; the perception about the knowledge of the diagnosis or the patient's desire to have more information; the way in which the physician deals with the patient's emotions; and, finally, the establishment of future strategies.

In this context, the difference in knowledge between both groups was evident: G1 correctly defined the Spikes protocol in 62.6% of the questionnaires, while only 17.5% of G2 students indicated the appropriate option. Although most students from the group 1 have answered correctly, this group signals an unsatisfactory rate of formal awareness about bad news compared to Silverman and collaborators 22 study, in which 73.5% of undergraduates felt more comfortable communicating bad news. The low rate of correct answers in G2 points to great ignorance about the Spikes protocol, revealing gaps in the academic formation of this group.

Students were asked whether the teaching of ethics in the basic cycle was sufficient or if it should be supplemented later. Most students who attended any discipline related to medical ethics (80.3%) considered it insufficient and should include the discipline in the clinical period and internship. Thus, it is perceived that these participants value and understand that more in-depth theoretical reflections throughout the course generate more satisfactory results <sup>26</sup>. This way, the character and ethics of the physician are built since entering college and in the course of the entire course <sup>20</sup>.

59.3% of the participants in the G2 considered the teaching of ethics insufficient and 29.6% could not evaluate. It is apparent from these results that students who have studied specific subjects value the theme more, feeling that it is necessary to continue studying and learning the subject. Other research shows that many students prefer broader ethics teaching 6,22 and with active methodologies 28-31.

When asked about the role of the University's Research Ethics Committee, few undergraduates were able to answer this question (32.2% of G1 and 20.7% of G2). These results infer that the theme is not even addressed by lecturers from any disciplines during the

development of research projects with students. This scenario is similar to that described in another study with 371 students, in which 89.1% of Midnapore medical college graduates did not even know the existence of the institutional ethics committee <sup>32</sup>.

## Dilemmas section in clinical cases

In most questions regarding clinical cases, a higher rate of correct answers was found in G1 when compared to G2. The questions on which one could notice this difference dealt with important topics such as patient autonomy. It is shown in the CEM<sup>9</sup> that no procedure can be performed to the detriment of the autonomy of the patient and his/her family, except in cases where the patient is underage or incapable and there is a risk of death.

In the issues that deal with autonomy, including Jehovah's Witnesses, students who have already attended a discipline related to medical ethics have done better. It is likely that the result will be related to debates and lectures held at the university on this subject. Studies indicate that the inclusion of a discipline on ethics in the medical curriculum, in addition to training theoretically professionals to deal with the sick who refuse to receive blood transfusion, provides more security to undergraduates and residents in these cases <sup>22</sup>.

The G1 also obtained a higher average of correct answers in cases of conflicts of interest, which affect the physician-patient relationship by allowing the pharmaceutical industry to influence medical practice, promoting interaction or dependence on pharmaceutical medicines and equipment whatever its nature is 9. Good correct answer rates were also achieved by G1 undergraduates in palliative care scenarios, physician autonomy, abortion and ligation, medical confidentiality and especially in psychiatric issues. In the case involving medical records and its confidentiality, the difference in correct answers between G1 and G2 was less than 2.5%, justified by passive learning of the entire sample in emergency rooms, outpatient clinics, hospitals and even on group talks between professionals and colleagues <sup>2,4,7,28</sup>. However, deficiencies in formal ethics teaching are visible, being insufficient for the learning of a subject so complex 1,2,30,32.

Unexpectedly, in the issues that dealt with suicidal ideation the panorama reversed, with a slightly higher rate of correct answers of G2 (82.9%) compared to G1 (77.6%). It is likely that the knowledge of these participants on the subject was influenced by the public campaigns of the Brazilian Psychiatric Association <sup>33</sup>,

which even clarified to the public at large the fact that suicide attempts are medical emergency of compulsory notification. The experience with preceptors in the medical services attended throughout the course would be another possible explanation <sup>28,34</sup>.

It is noteworthy that even G1 students did not read the CEM in full, as pointed out by 87.8% of the respondents of this group, and it is not surprising that 95.2% of G2 members have not read it either. This justifies part of the gap in learning and the inability to deal with certain ethical conflicts. Thus, even though they studied a formal discipline, the deontological norms were not internalised, since undergraduates did not consider the reading of the CEM as mandatory. The devaluation of disciplines on ethics in relation to others of a technical and procedural nature explains this attitude.

It is essential to seize concepts of medical ethics in training, given their extreme need in the preparation of physicians 5,21,35-38 when establishing ethical conduct in the scientific, technological, biological and health fields <sup>2,7</sup>. However, this research revealed low overall performance of G1, which, when added to the cases of superior performance of G2, shows that the instruction of students, even among those who attended at least one of the two disciplines that address medical ethics, is insufficient to deal with other dilemmas. To reverse this situation, medical ethics should be addressed in more than one moment in graduation, facilitating the clinical application of the concepts learned 1,2,30-32,39. The university where this research was conducted seeks to correct this flaw with the inclusion of the academic discipline Medical Ethics and Communication Skills.

Currently, there are several methods to address ethics. Due to the plurality and heterogeneity of medical schools, no method should be considered ideal or unique, being natural to have methodological differences between institutions as a result of different pedagogical resources <sup>6,40</sup>. Knowledge of ethics was higher in the classes submitted to the traditional learning method in the university curriculum when compared to classes that did not have access to these disciplines, which evidences the need to study ethics in some compulsory curriculum training <sup>2-4,40</sup>.

At the university where this study was conducted, the teaching of ethics is diluted in other curricular components, such as in the discipline Legal Medicine, Deontology and Medical Assessment, in which topics such as traumatology, thanatology, toxicology and medical assessment compete with specific topics of medical ethics. The approach to ethics in conjunction

with other subjects makes some students not properly value it <sup>24</sup>, but their autonomic teaching in medical curricula has grown very little in recent years <sup>6,7</sup>.

In addition to offering specific discipline on ethics, it is up to universities to approach the topic in a transversal way at other times, and this is another appropriate alternative to teach medical ethics satisfactorily <sup>2,3,5,7</sup>. The medical curriculum should be complemented by round tables, lectures, summer courses and direct experience exchanges among professionals, since the greater the exposure to ethics content, the better the learning and solving of dilemmas. Thus, medical ethics should be included in the student's daily life since his or her university entry, going through all his or her academic education <sup>1-4</sup>, encompassing medical residencies <sup>5</sup> and along the professional practice <sup>6</sup>.

It is necessary, in addition to longer time of contact with the theme, that diversified methods be used in the learning process. There are several non-traditional teaching resources that can be applied in this case, such as movies, dilemma scenarios, casuistry, stagings, theatre plays, simulations, video conferences, seminars, lectures, workshops and case discussions 1,3,5,29-32,34,38,39,41.

The study of ethics should go beyond the limits of the classroom, emphasising to the student its need in daily life, as well as in the future work environment <sup>4,6</sup>. By breaking through the barriers of traditional teaching, summarised to texts and theories, it can be possible to awaken the attention of previously disinterested students <sup>29</sup>. Expanding the collection on the subject with specialised books and empowering lecturers also significantly improves lecturer qualification and consequently the teaching of ethics <sup>8,30</sup> to train good professionals <sup>2-4,40</sup>, since the poorly prepared physician can cause irreparable harm to patients and everyone around <sup>40</sup>.

As a limitation of this study, the authors point out that they could have used, in addition to the

questionnaire applied, qualitative approach tools, such as in-depth interviews in focus groups. New research is also suggested that point, from the students' point of view, methodological failures of training that cause lack of interest in such a relevant topic.

## **Final considerations**

We concluded that G2 undergraduates performed less than students from the G1 group regarding the ability to solve ethical problems and global knowledge about medical ethics, especially when comparing the rates of students on the 10th semester. Despite the best result of the group, the average correct answers of G1 (55%) was below the desired and therefore insufficient for future professional practice. It is also worth mentioning that eight out of ten G1 undergraduates considered the teaching of medical ethics insufficient only during the basic period.

More than 90% of undergraduates realise that the absence of content on ethics in the curriculum is harmful to professional training, but about a third of students who did not attend specific academic disciplines revealed they did not feel too harmed by this absence. Also, approximately a quarter of this latter group did not value the theme of ethics compared to other curricular components.

It is necessary to immediately employ the research data in the elaboration of strategies aimed at making better use of the theme throughout the course, emphasising the importance of its practical application in ensuring non-maleficence to patients. It is expected that these results will collaborate with the teaching and valorisation of medical ethics in Brazilian universities, detecting possible failures in the training of professionals, who can in the future better care of their patients, respecting rights and others ethical values.

# Referências

- Aleksandrova-Yankulovska SS. Development of bioethics and clinical ethics in Bulgaria. Folia Med [Internet]. 2017 [acesso 11 ago 2018];59(1):98-105. DOI: 10.1515/folmed-2017-0015
- Rego S, Palacios M. Contribuições para planejamento e avaliação do ensino da bioética. Rev. bioét. (Impr.) [Internet]. 2017 [acesso 2 set 2018];25(2):234-43. DOI: 10.1590/1983-80422017252183
- Gerber VKQ, Zagonel IPS. A ética no ensino superior na área da saúde: uma revisão integrativa. Rev. bioét. (Impr.) [Internet]. 2013 [acesso 2 set 2018];21(1):168-78. DOI: 10.1590/S1983-80422013000100020
- Godoy MF, Ferreira HRA, Pria OAFD. Avaliação do conhecimento da ética médica dos graduandos de medicina. Rev Bras Educ Méd [Internet]. 2014 [acesso 13 ago 2018];38(1):31-7. DOI: 10.1590/S0100-55022014000100005

- Manson HM, Satin D, Nelson V, Vadiveloo T. Ethics education in family medicine training in the United States: a national survey. Fam Med [Internet]. 2014 [acesso 11 ago 2018];46(1):28-35. Disponível: https://bit.ly/2019lh9
- Ferreira-Padilla G, Ferrández-Antón T, Lolas-Stepke F, Almeida-Cabrera R, Brunet J, Bosch-Barrera J. Ethics competences in the undergraduate medical education curriculum: the Spanish experience. Croat Med J [Internet]. 2016 [acesso 11 ago 2018];57(5):493-503. DOI: 10.3325/cmj.2016.57.493
- Neves WA Jr, Araújo LZS, Rego S. Ensino de bioética nas faculdades de medicina no Brasil. Rev. bioét. (Impr.) [Internet]. 2016 [acesso 2 set 2018];24(1):98-107. DOI: 10.1590/1983-80422016241111
- Boulianne S, Laurin S, Firket P. Addressing ethics during clinical supervision: three-step approach. Can Fam Physician [Internet]. 2013 [acesso 15 ago 2018];59(7):e338-40. Disponível: https://bit.ly/2FaP9ky
- Conselho Federal de Medicina. Código de ética médica: Resolução CFM nº 1.931/09 [Internet].
   Brasília: CFM; 2010 [acesso 16 jan 2018]. Disponível: https://bit.ly/2gyRqtD
- Bosch-Barrera J, Briceño García HC, Capellà D, Castro Vila C, Farrés R, Quintanas A et al. Enseñar bioética a estudiantes de medicina mediante el aprendizaje basado en problemas (ABP). Cuad Bioét [Internet]. 2015 [acesso 19 jan 2018];26(87):303-9. Disponível: https://bit.ly/2p0eExf
- 11. Janakiram C, Gardens SJ. Knowledge, attitudes and practices related to healthcare ethics among medical and dental postgraduate students in south India. Indian J Med Ethics [Internet]. 2014 [acesso 19 jan 2018];11(2):99-104. Disponível: https://bit.ly/2RJiqEu
- 12. Godbold R, Lees A. Ethics education for health professionals: a values based approach. Nurse Educ Pract [Internet]. 2013 [acesso 21 jan 2018];13(6):553-60. Disponível: https://bit.ly/2AU4a6c
- Hariharan S, Jonnalagadda R, Walrond E, Moseley H. Knowledge, attitudes and practice of healthcare ethics and law among doctors and nurses in Barbados. BMC Med Ethics [Internet]. 2006 [acesso 21 jan 2018];7:E7. DOI: 10.1186/1472-6939-7-7
- 14. Brasil. Lei nº 9.263, de 12 de janeiro de 1996. Regula o § 7º do art. 226 da Constituição Federal, que trata do planejamento familiar, estabelece penalidades e dá outras providências. Diário Oficial da União [Internet]. Brasília, p. 561, 15 jan 1996 [acesso 19 nov 2019]. Seção 1. Disponível: https://bit.ly/340Uq6d
- 15. Miot H. Tamanho da amostra em estudos clínicos e experimentais. J Vasc Bras [Internet]. 2011 [acesso 6 nov 2019];10(4):275-8. Disponível: http://bit.ly/2PRNSmh
- Nüremberg Military Tribunals. Trials of war criminals before the Nüremberg Military Tribunals [Internet]. Nüremberg: Nüremberg Military Tribunals; 1949 [acesso 31 out 2019]. Disponível: http://bit.ly/32crMgY
- 17. Associação Médica Mundial. Declaração de Helsinki I [Internet]. Helsinki: WMA; 1964 [acesso 31 out 2019]. Disponível: http://bit.ly/2CcjVFx
- 18. Ventura M, Simas L, Pepe VLE, Schramm FR. Judicialização da saúde, acesso à justiça e a efetividade do direito à saúde. Physis [Internet]. 2010 [acesso 6 set 2018];20(1):77-100. DOI: 10.1590/S0103-73312010000100006
- Giubilini A, Milnes S, Savulescu J. The medical ethics curriculum in medical schools: present and future.
   J Clin Ethics [Internet]. 2016 [acesso 11 ago 2018];27(2):129-45. Disponível: https://bit.ly/2qBjs9X
- Behrens KG, Fellingham R. Great expectations: teaching ethics to medical students in South Africa.
   Dev World Bioeth [Internet]. 2014 [acesso 16 ago 2018];14(3):142-9. DOI: 10.1111/dewb.12017
- Walton M, Jeffery H, Van Staalduinen S, Klein L, Rothnie I. When should students learn about ethics, professionalism and patient safety? Clin Teach [Internet]. 2013 [acesso 11 ago 2018];10(4):224-9. Disponível: https://bit.ly/2JOkMPM
- Silverman HJ, Dagenais J, Gordon-Lipkin E, Caputo L, Christian MW, Maidment BW III et al. Perceived comfort level of medical students and residents in handling clinical ethics issues. J Med Ethics [Internet]. 2013 [acesso 13 ago 2018];39(1):55-8. Disponível: https://bit.ly/2PPD7Bi
- 23. Conselho Nacional de Educação, Câmara de Educação Superior. Resolução CNE/CES nº 3, de 20 de junho de 2014. Institui diretrizes curriculares nacionais do curso de graduação em medicina e dá outras providências. Diário Oficial da União [Internet]. Brasília, p. 8-11, 23 jun 2014 [acesso 19 nov 2019]. Seção 1. Disponível: https://bit.ly/37jCzcJ
- 24. Babu A, Venkatesh C, Sharmila V. Are tomorrow's doctors aware of the code of medical ethics? Indian J Med Ethics [Internet]. 2013 [acesso 2 set 2018];10(3):192-4. DOI: 10.20529/IJME.2013.056
- 25. Annas GJ, Grodin MA. Reflections on the 70th anniversary of the Nuremberg doctors' trial. Am J Public Health [Internet]. 2018 [acesso 18 ago 2018];108(1):10-2. Disponível: https://bit.ly/2PLbUzz
- Millum J, Wendler D, Emanuel EJ. The 50th anniversary of the Declaration of Helsinki: progress but many remaining challenges. JAMA [Internet]. 2013 [acesso 13 ago 2018];310(20):2143-4. DOI: 10.2105/AJPH.2017.304203
- Baile WF, Buckman R, Lenzi R, Glober G, Beale EA, Kudelka AP. Spikes: a six-step protocol for delivering bad news: application to the patient with cancer. Oncologist [Internet]. 2000 [acesso 6 nov 2019];5(4):302-11. DOI: 10.1634/theoncologist.5-4-302
- 28. Sheehan S, Robbins A, Porter T, Manley J. Why does moral reasoning not improve in medical students? Int J Med Educ [Internet]. 2015 [acesso 11 ago 2018];6:101-2. DOI: 10.5116/ijme.55d4.c8e4
- 29. Farré M, Arribas S, Pérez J, Baños JE. Bioethical principles, clinical research and popular movies. Med Educ [Internet]. 2013 [acesso 2 set 2018];47(11):1141-2. DOI: 10.1111/medu.12352
- Aleksandrova-Yankulovska S. An innovative approach to teaching bioethics in management of healthcare. Nurs Ethics [Internet]. 2016 [acesso 13 ago 2018];23(2):167-75. DOI: 10.1177/0969733014558967

- 31. Warmling CM, Pires FS, Baldisserotto J, Levesque M. Ensino da bioética: avaliação de um objeto virtual de aprendizagem. Rev. bioét. (Impr.) [Internet]. 2016 [acesso 4 set 2018];24(3):503-14. DOI: 10.1590/1983-80422016243150
- 32. Chatterjee B, Sarkar J. Awareness of medical ethics among undergraduates in a West Bengal medical college. Indian J Med Ethics [Internet]. 2012 [acesso 3 set 2018];9(2):93-100. DOI: 10.20529/IJME.2012.029
- 33. Associação Brasileira de Psiquiatria. Suicídio: informando para prevenir [Internet]. Brasília: CFM; 2014 [acesso 6 set 2018]. Disponível: https://bit.ly/2xDKxQk
- 34. Pandya R, Shukla R, Gor AP, Ganguly B. Personal experience narratives by students: a teaching-learning tool in bioethics. Indian J Med Ethics [Internet]. 2016 [acesso 11 ago 2018];1(3):144-7. Disponível: https://bit.ly/2RDi4zg
- 35. House JB, Theyyunni N, Barnosky AR, Fuhrel-Forbis A, Seeyave DM, Ambs D *et al*. Understanding ethical dilemmas in the emergency department: views from medical students' essays. J Emerg Med [Internet]. 2015 [acesso 16 ago 2018];48(4):492-8. DOI: 10.1016/j.jemermed.2014.09.058
- 36. Murrell VS. The failure of medical education to develop moral reasoning in medical students. Int J Med Educ [Internet]. 2014 [acesso 11 ago 2018];5:219-25. DOI: 10.5116/ijme.547c.e2d1
- 37. Rose A, George K, Dhas A, Pulimood AB, Kang G. Survey of ethical issues reported by Indian medical students: basis for design of a new curriculum. Indian J Med Ethics [Internet]. 2014 [acesso 19 ago 2018];11(1):25-8. DOI: 10.20529/IJME.2014.007
- 38. Novaes MRG, Guilhem D, Barragan E, Mennin S. Ethics education in research involving human beings in undergraduate medicine curriculum in Brazil. Dev World Bioeth [Internet]. 2013 [acesso 13 ago 2018];13(3):163-8. DOI: 10.1111/j.1471-8847.2012.00336.x
- 39. Leite DAA, Pessalacia JDR, Braga PP, Rates CMP, Azevedo C, Zoboli ELCP. Uso da casuística no processo ensino-aprendizagem de bioética em saúde. Rev. bioét. (Impr.) [Internet]. 2017 [acesso 2 set 2018];25(1):82-8. DOI: 10.1590/1983-80422017251169
- Carrese JA, Malek J, Watson K, Lehmann LS, Green MJ, McCullough LB et al. The essential role of medical ethics education in achieving professionalism: the Romanell Report. Acad Med [Internet]. 2015 [acesso 6 set 2018];90(6):744-52. DOI: 10.1097/ACM.000000000000715
- 41. Ferretti E, Rohde K, Moore G, Daboval T. The birth of scenario-oriented learning in ethics. Med Educ [Internet]. 2015 [acesso 2 set 2018];49(5):517-8. DOI: 10.1111/medu.12706

#### **Participation of the Authors**

All authors collaborated in study planning, data collection and interpretation, and manuscript writing.

## Correspondência

Victor Bruno Andrade das Graças – Av. Capitão Joaquim Martins Fontes, 324, bloco Tramandaí, apt. 1.304, Farolândia CEP 49032-016. Aracaju/SE, Brasil.

Victor Bruno Andrade das Graças – Graduando – victorbrunoandrade14@gmail.com

(D) 0000-0001-6817-8292

Joilson Francisco de Souza Júnior – Graduando – jfds.junior@hotmail.com

(D) 0000-0002-1629-9997

Jorge Gabriel Mendes Silva Santos – Graduando – mendesjorgegabriel@gmail.com

(i) 0000-0002-6040-8564

Mariana Fontes Andrade Almeida – Graduanda – marianafontessa@outlook.com

0000-0002-0261-0852

Edvaldo Victor Gois Oliveira – Graduando – edvaldovictor@gmail.com

D 0000-0002-6821-2873

Nila Vitória Mendes Oliveira Santos – Graduanda – nilavitoria.mendes@gmail.com

0000-0001-9050-8825

Luiz Eduardo Dantas Cerqueira Medeiros – Graduando – luiz.edu.dantas@gmail.com

(D) 0000-0003-2672-9687

 $Roberta\ Machado\ Pimentel\ Rebello\ de\ Mattos-Doutoranda-drarobertapimentel@hotmail.com$ 

(D) 0000-0002-7275-2522

Déborah Mônica Machado Pimentel – Doutora – deborahpimentel@icloud.com

(D) 0000-0003-2102-7125

Recebido: 27.11.2018
Revisado: 10. 7.2019
Aprovado: 31. 7.2019