



Revista Estomatológica Herediana  
ISSN: 1019-4355  
ISSN: 2225-7616  
faest.revista@oficinas-upch.pe  
Universidad Peruana Cayetano Heredia  
Perú

# Preferencia y aceptabilidad sobre diferentes diseños de aparatos ortodónticos fijos en adolescentes peruanos

**Camarena-Fonseca, Alexandra; Adriazola-Pando, Manuel**

Preferencia y aceptabilidad sobre diferentes diseños de aparatos ortodónticos fijos en adolescentes peruanos

Revista Estomatológica Herediana, vol. 32, núm. 2, 2022

Universidad Peruana Cayetano Heredia, Perú

**Disponible en:** <https://www.redalyc.org/articulo.oa?id=421571849005>

**DOI:** <https://doi.org/10.20453/reh.v32i2.4212>



Esta obra está bajo una Licencia Creative Commons Atribución 4.0 Internacional.

# Preferencia y aceptabilidad sobre diferentes diseños de aparatos ortodónticos fijos en adolescentes peruanos

Peruvian adolescent preferences and acceptability of orthodontic fixed appliances

Alexandra Camarena-Fonseca <sup>a b c \*</sup>

alexandra.camarena.f@upch.pe

Programa de Doctorado en Estomatología, Universidad Peruana Cayetano Heredia, Perú

Manuel Adriaola-Pando <sup>aa d</sup>

Universidad Peruana Cayetano Heredia, Perú

Revista Estomatológica Herediana, vol. 32, núm. 2, 2022

Universidad Peruana Cayetano Heredia, Perú

Recepción: 05 Mayo 2021  
Aprobación: 11 Noviembre 2021

DOI: <https://doi.org/10.20453/reh.v32i2.4212>

Redalyc: <https://www.redalyc.org/articulo.oa?id=421571849005>

Financiamiento  
Fuente: Ninguno.

**Resumen:** *Objetivo:* Evaluar la preferencia y aceptabilidad sobre seis diferentes diseños de aparatos ortodónticos fijos en adolescentes peruanos de dos colegios de Lima. *Material y Métodos:* Se realizó un estudio descriptivo y transversal en un total de 140 adolescentes con edades entre 10 y 16 años, que completaron una ficha de registro en donde se evaluó la preferencia, aceptabilidad, orden de preferencia y aceptabilidad al uso sobre seis diferentes diseños de aparatos fijos visualizados en un álbum de fotografías. *Resultados:* Los datos fueron analizados con el paquete estadístico SPSS versión 24.0. Se utilizó un nivel de significancia de 5% con un intervalo de confianza de 95%. Debido a la naturaleza de las variables se utilizó la prueba de Chi cuadrado. Los adolescentes prefirieron los brackets metálicos con módulos elásticos de colores y arco de acero (24,3%, n=34); y la aceptabilidad fue de 92,1%. Para el orden de preferencia, se encontró la siguiente jerarquía de primer a sexto lugar: brackets metálicos con módulos elásticos de colores y arco de acero > brackets de zafiro con módulos elásticos transparentes y arco estético > brackets metálicos con módulos elásticos transparentes y arco de acero > brackets de zafiro con módulos elásticos transparentes y arco de acero > brackets de zafiro con módulos elásticos de colores y arco de acero > brackets metálicos autoligantes y arco de acero/brackets de zafiro con módulos elásticos de colores y arco de acero. Se encontró una asociación estadísticamente significativa para algunas preguntas sobre la aceptabilidad al uso en relación al grupo de edad, sexo e institución educativa. *Conclusiones:* Los adolescentes prefirieron los brackets metálicos con módulos elásticos de colores y arco de acero. Los brackets metálicos autoligantes con arco de acero y los brackets de zafiro con módulos elásticos de colores y arco de acero, presentaron menos preferencia.

**Palabras clave:** ortodoncia, soportes ortodónticos, prioridad del paciente, adolescente.

**Abstract:** *Objective:* To evaluate the preference and acceptability of six different orthodontic fixed appliance designs in Peruvian adolescents from two schools in Lima. *Material and Methods:* A descriptive cross-sectional study was executed. A total of 140 adolescents aged between 10 and 16 years completed a registration form in which the preference, acceptability, order of preference and acceptability to use were evaluated on six different designs of fixed orthodontic appliances displayed in a photo album. *Results:* Data analysis was performed using the SPSS program version 24.0. A p-value of less than 0.05 was considered as a level for significance. Due to the nature of the variables the Chi square test was used. Adolescents preferred metal brackets with colored elastomeric

modules and steel arch (24.3%, n= 34); and the acceptability was 92.1%. For the order of preference, the following hierarchy was found from the first to the sixth place: metal brackets with colored elastomeric modules and steel archwire > sapphire brackets with transparent elastomeric modules and aesthetic archwire > metal brackets with transparent elastomeric modules and steel archwire > sapphire brackets with transparent elastomeric modules and steel archwire > sapphire brackets with colored elastomeric modules and steel archwire > self-ligating metal brackets and steel archwire/sapphire brackets with colored elastomeric modules and steel archwire. A statistically significant association was found for some questions about acceptability to use in relation to the age group, sex and educational institution. *Conclusions* . Adolescents preferred metallic brackets with colored elastomeric modules and steel arches. The less preferred appliances were the self-ligating metallic brackets with steel archwire and the sapphire brackets with colored elastomeric modules and steel archwire.

**Keywords:** orthodontics, orthodontic brackets, patient priority, adolescent.

## INTRODUCTION

The orthodontic market has experienced phenomenal growth in the development and production of orthodontic appliances that are designed to appeal to the patient (1). A shifting paradigm toward dental esthetics, increased demand for orthodontic treatment (1,2). Considering that age influences the perception of esthetics, understanding the factors involved in a particular population enables better planning of resources and strategies in private practice. The appearance of orthodontic appliance plays a significant role in patients' decisions to undergo orthodontic therapy (3).

Few studies have investigated patients' perceptions towards orthodontic fixed appliances. Ziuchkovski et al.,(4) and Rosvall et al., (2) found that attractiveness and acceptability varied significantly by appliance type. These studies showed that adult consumers value less metal showing in their brackets and were less willing to accept treatment with appliances they consider to be unesthetic (2,4). At that point, no one asked children and adolescents what they favor for orthodontic appliances and their esthetics. Children and adolescent preferences differ from adult, which increase the demand for further studies to evaluate their perception as patient acceptance affect compliance and motivation, thus leading to more successful treatment outcomes (1,5,6).


The purpose of this study was to evaluate preference and acceptability of six different orthodontic fixed appliance designs in Peruvian adolescents from two schools in Lima. The importance comes in that it is the first study in this field to be conducted in a Peruvian sample and the results will increase awareness of the preferred orthodontic appliances by this age group, which could be major factor for patient compliance and motivation to achieve successful treatment outcomes. This information will help clinicians recognize and meet the demands of young patients in their practices and provide a baseline of data to be used to assess future changes in patient preferences.

## MATERIAL AND METHODS

This research was approved by the ethics research committee of Universidad Peruana Cayetano Heredia. A model was selected for placement and imaging of the orthodontic appliances on basis of good alignment of teeth, adequate gingival and incisal exposure and the absence of strong sex markers in the circum-oral region. The volunteer was also asked to sign the informed consent. Digital image capture was made in a frontal view with an SLR camera (D600 Nikon, Nikon Corp. Japan, Thailand) equipped with a macro lens AF-S Micro Nikkor 105 mm 1:2.8G IF-ED (Nikon Corp. Japan, China) and R1C1 wireless close-up speedlight system (Nikon Corp. Japan, China). Traditional metal brackets (Mini Master, American Orthodontics, Wisconsin, USA), sapphire esthetic orthodontic brackets (Radiance, American Orthodontics, Wisconsin, USA) and self-ligating metal brackets (Empower, American Orthodontics, Wisconsin, USA) were placed in two custom removable appliances that allowed precise and reproducible placement different orthodontic appliance designs. Brackets were not bonded to prevent enamel damage (figure 1). Two photo albums were elaborated in which only the position of the images was modified to avoid memory bias.


A descriptive cross-sectional study was executed in two educational institutions, one public (CJB) and one private (SVP) with a total sample of 140 subjects (70 per institution). To determine the sample size, data from the pilot study was used in a formula for estimating a proportion. It was found that a minimum sample of 89 subjects (adjusted for 15% losses) was needed, considering a confidence level of 95%, significance level of 0.05 and precision of 5%. The inclusion criteria were: students between 10 and 16 years who agreed to be part of the study and the exclusion criteria were students with direct family dentists and history or orthodontic treatment in progress. In each classroom an informed consent form was distributed to request the participation of the students and sent home for consultation and signing by their parents. The minors signed an informed assent. Data were collected by a questionnaire asking about demographic information: age, gender, school type, direct family dentists and previous family history of orthodontic treatment. Each rater received an album with smile pictures of good quality prints. The first sheet showed the 6 images of the different designs of orthodontic appliances in the study identified with letters from A to F (figure 2). To assess preference, the participant marked the letter of the preferred orthodontic appliance design. Likewise, they were asked to order the images in descending order (highest to lowest preference). To assess acceptability, they were asked if they would be willing to use a certain appliance design if it was necessary to undergo orthodontic treatment to which they had to answer yes/no; combinations of two appliance images were made to compare the acceptability to use of each design (1). The average time to carry out the entire questionnaire was 10 to 15 minutes.

## Statistical Analysis



**Figure 1**

Custom removable appliances that allowed precise and reproducible placement different orthodontic appliance designs



**Figure 2**

Different designs of orthodontic appliances in the study identified with letters from A to F

Different designs of orthodontic appliances in the study identified with letters from A to F

A Metal Brackets with transparent elastomeric modules and steel archwire; B metal brackets with colored elastomeric modules and steel archwire; C sapphire with transparent elastomeric modules and steel archwire;

D sapphire brackets with transparent elastomeric modules and aesthetic archwire; E sapphire brackets with colored elastomeric modules and steel archwire and F self-ligating metal brackets and steel archwire.

The data collected were entered using Microsoft Excel program. Data analysis was performed using the Statistical Package of the Social Sciences (SPSS) program version 24.0. A p-value of less than 0.05 was considered as a level for significance. The results were expressed in terms of proportion and frequency. Due to the nature of the variables (qualitative) the Chi square test was used.

## RESULTS

The total sample consisted of 140 adolescents with an age average of 12.49 years (range 10-16 years), of which 67 (47.9%) were female and 73 (52.1%) were male. The results of the descriptive statistics of the study group according to age, sex and educational institution are shown in Table 1. The sample was divided into two age groups according to life stage: 10-13 years (early adolescent) and 14-16 years (late adolescent). These age groups were chosen based on scientific support since differences have been found in terms of age and sex. (1) In general, it was found that adolescents preferred metal brackets with colored elastic modules and steel archwires (24.3%, n=34); and that in terms of acceptability, 92.1% of the study group would agree to use the chosen appliance design (table 2 and table 3).

Regarding the order of preference, the following hierarchy was found from first to sixth place: metal brackets with colored elastic modules and steel arch> sapphire brackets with transparent elastic modules and aesthetic arch> metal brackets with transparent elastic modules and stainless steel arch> sapphire brackets with transparent elastic modules and steel arch> sapphire brackets with colored elastic modules and steel arch> self-ligating metal brackets and steel arch/sapphire brackets with colored elastic modules and steel arch (table 4).

**Table 1**  
Distribution of the study sample according to age, gender and educational institution.

| Covariates              |         | n  | %    |
|-------------------------|---------|----|------|
| Age by years            | 10      | 31 | 22.1 |
|                         | 11      | 22 | 15.7 |
|                         | 12      | 24 | 17.1 |
|                         | 13      | 16 | 11.4 |
|                         | 14      | 18 | 12.9 |
|                         | 15      | 16 | 11.4 |
|                         | 16      | 13 | 9.3  |
| Gender                  | Female  | 67 | 47.9 |
|                         | Male    | 73 | 52.1 |
| Educational Institution | Private | 70 | 50.0 |
|                         | Public  | 70 | 50.0 |

n: Absolute frequency

%: Relative frequency

N=140



**Table 2**

Preference of different orthodontic fixed appliance designs in Peruvian adolescents

| Orthodontic fixed appliance design                                    | n  | %     |
|---|----|-------|
| Sapphire brackets with transparent elastic modules and steel arch     | 11 | 7.86  |
| Sapphire brackets with colored elastic modules and steel arch         | 18 | 12.86 |
| Self-ligating metal brackets and steel arch                           | 19 | 13.5  |
| Sapphire brackets with transparent elastic modules and aesthetic arch | 26 | 18.57 |
| Metal brackets with transparent elastic modules and steel arch        | 32 | 22.85 |
| Metal brackets with colored elastic modules and steel arch            | 34 | 24.28 |

n: Absolute frequency

%: Relative frequency

N=140

**Table 3**

Acceptability of different orthodontic fixed appliance designs in Peruvian adolescents

| Values | n   | %     |
|--------|-----|-------|
| Yes    | 11  | 7.9   |
| No     | 129 | 92.1  |
| Total  | 140 | 100.0 |

n: Absolute frequency

%: Relative frequency

N=140

Table 4

Order of preference different orthodontic fixed appliance designs in Peruvian adolescents

|              |  | n         | %           |
|--------------|--|-----------|-------------|
| First place  | <b>Metal brackets with colored elastic modules and steel arch</b>            | <b>34</b> | <b>24.3</b> |
|              | Metal brackets with transparent elastic modules and steel arch               | 32        | 22.9        |
|              | Sapphire brackets with transparent elastic modules and aesthetic arch        | 26        | 18.6        |
|              | Self-ligating metal brackets and steel arch                                  | 19        | 13.6        |
|              | Sapphire brackets with colored elastic modules and steel arch                | 18        | 12.9        |
|              | Sapphire brackets with transparent elastic modules and steel arch            | 11        | 7.9         |
| Second place | <b>Sapphire brackets with transparent elastic modules and aesthetic arch</b> | <b>34</b> | <b>24.3</b> |
|              | Sapphire brackets with transparent elastic modules and steel arch            | 30        | 21.4        |
|              | Metal brackets with transparent elastic modules and steel arch               | 24        | 17.1        |
|              | Metal brackets with colored elastic modules and steel arch                   | 19        | 13.6        |
|              | Self-ligating metal brackets and steel arch                                  | 19        | 13.6        |
|              | Sapphire brackets with colored elastic modules and steel arch                | 14        | 10.0        |
| Third place  | <b>Metal brackets with transparent elastic modules and steel arch</b>        | <b>37</b> | <b>26.4</b> |
|              | Sapphire brackets with colored elastic modules and steel arch                | 27        | 19.3        |
|              | Self-ligating metal brackets and steel arch                                  | 22        | 15.7        |
|              | Metal brackets with colored elastic modules and steel arch                   | 21        | 15.0        |
|              | Sapphire brackets with transparent elastic modules and steel arch            | 17        | 12.1        |
|              | Sapphire brackets with transparent elastic modules and aesthetic arch        | 16        | 11.4        |
| Fourth place | <b>Sapphire brackets with transparent elastic modules and steel arch</b>     | <b>33</b> | <b>23.6</b> |
|              | Self-ligating metal brackets and steel arch                                  | 27        | 19.3        |
|              | Metal brackets with colored elastic modules and steel arch                   | 21        | 15.0        |
|              | Metal brackets with transparent elastic modules and steel arch               | 20        | 14.3        |
|              | Sapphire brackets with transparent elastic modules and aesthetic arch        | 20        | 14.3        |
|              | Sapphire brackets with colored elastic modules and steel arch                | 19        | 13.6        |
| Fifth place  | <b>Sapphire brackets with colored elastic modules and steel arch</b>         | <b>30</b> | <b>21.4</b> |
|              | Metal brackets with colored elastic modules and steel arch                   | 28        | 20.0        |
|              | Sapphire brackets with transparent elastic modules and aesthetic arch        | 22        | 15.7        |
|              | Sapphire brackets with transparent elastic modules and steel arch            | 21        | 15.0        |
|              | Self-ligating metal brackets and steel arch                                  | 20        | 14.3        |
|              | Metal brackets with transparent elastic modules and steel arch               | 19        | 13.6        |
| Sixth place  | <b>Sapphire brackets with colored elastic modules and steel arch</b>         | <b>32</b> | <b>22.9</b> |
|              | <b>Self-ligating metal brackets and steel arch</b>                           | <b>32</b> | <b>22.9</b> |
|              | Sapphire brackets with transparent elastic modules and steel arch            | 28        | 20.0        |
|              | Sapphire brackets with transparent elastic modules and aesthetic arch        | 22        | 15.7        |
|              | Metal brackets with colored elastic modules and steel arch                   | 18        | 12.9        |
|              | Metal brackets with transparent elastic modules and steel arch               | 8         | 5.7         |

n: Absolute frequency

%: Relative frequency

N=140

The results for acceptability for use among the nine options (two combinations per question) were proposed in the registration form. For the order of preference in fifth place ( $p < 0.01$ ), a statistically significant association was found between the educational institution and the design of the chosen fixed orthodontic appliance. A statistically significant association was also found for the first question of acceptability to



use, between life stage and design of fixed orthodontic appliances ( $p < 0.01$ ), participant's sex and the design of fixed orthodontic appliances chosen for the second question ( $p < 0.01$ ); third question ( $p = 0.001$ ); fourth question ( $p < 0.01$ ); for the eighth question ( $p = 0.01$ ) and the ninth question ( $p < 0.01$ ). On the other hand, a statistically significant association was found between the educational institution and the design of the fixed orthodontic appliance chosen for acceptability for use in the second question ( $p = 0.027$ ); third question ( $p < 0.01$ ) and eighth question ( $p = 0.042$ ).

## DISCUSSION

Orthodontic appliances have evolved according to public demand and available technology. Today, there are innumerable variations in brackets designs in terms of size, shape, method of bonding and incorporation of plastic or ceramic materials. The tendency to reduce the visibility of braces in Orthodontics suggests that patients are more willing to accept a treatment with more clear appliances instead of traditional metal brackets. There is limited literature and most studies have been conducted in adult subjects (1,7). Previous studies reported that adult patients prefer appliances that expose less metal (2,4). However, Walton et al. conducted the first study to evaluate the preference and acceptability of fixed orthodontic appliances in children and adolescents founding substantial differences according to age in contrast to adults (1) Although the demand for orthodontic treatments by adult patients has increased, adolescents continue to represent the highest percentage in private practice which is why the purpose of this study was to evaluate the preference and acceptability of six different appliance designs fixed orthodontic treatment in Peruvian adolescents from two schools in Lima.

A registration form was used to evaluate the preference, acceptability, order of preference and acceptability to use on six different designs of fixed orthodontic appliances. Even though most of the studies use the visual analogue scale to evaluate these variables, the use of a record sheet was opted since no categorization of the scale was found in any of the studies reviewed. Likewise, the study carried out by Barber et al. pointed limitations of the use of the visual analogue scale to evaluate the aesthetics of the smile in adolescents, founding that it presented low reliability for this age group (8).

Results show that, in general, adolescents prefer metal brackets with colored elastic modules and a steel archwires (24.3%,  $n = 34$ ), which is related to the findings of Walton et al., (1,7) in which metal twin brackets with colored elastic modules were the most preferred. In terms of acceptability, it was found that 92.1% of the study group would agree to use the chosen appliance. The acceptability variable was evaluated by questioning the participant about whether they would be willing to use the fixed orthodontic appliance design of their choice and their values were yes/no. However, the value for acceptability differs from the one found in adult subjects where metal brackets present the least preference

(2,4,9). It was interesting to find that metal brackets with colored elastic modules, which are generally the cheapest option and are frequently used by orthodontists, were the most preferred and had a high acceptability, which is consistent with previous reports (1,7).

Regarding the order of preference, the hierarchy was congruent with the findings of Walton et al., (1), but opposed to the ones on adult individuals since for this age group the less visible options such as transparent aligners or lingual brackets occupy the first places, followed by aesthetic brackets (ceramic/sapphire), and finally by twin metallic and self-ligating brackets (2,4,7,9,10).

In this study, the type of educational institution (private or public) was considered as a covariate; this point was not considered in the study by Walton et al., (1,7), which was a continuation of the project carried out by Ziuchkovski et al., (4) and Rosvall et al., (2), only applied to participants between 10 and 17 years but not to adults. It is also worth mentioning that the study subjects had never received orthodontic treatment as in this study, but were recruited from the Ohio University Dental Clinic, so they were subjects who might have been familiar with this type of device, and in turn this prior knowledge could influence the preference and acceptability of a certain type of appliance (2,4).

To evaluate the acceptability of use, the participant put him/herself in the place of a patient who was only given two options to choose from in case of the need of an orthodontic treatment. In the first question of acceptability, the two combinations shown were metal brackets with colored elastic modules and a steel arch and metal brackets with transparent elastic modules and a steel arch, for the age group 10-13 years the acceptance percentages were quite similar, however, for the 14-16 years group the highest percentage was for appliances with transparent elastic modules (72.3%). Walton et al., (1), found that as the age of the evaluators increased they began to opt for less noticeable options. The females obtained the highest percentage for the appliances considered more aesthetic compared to the males. This is similar to previous findings where the preference differed by sex and age but the association in relation to acceptability to use was not evaluated (1). Kuhlman et al., (3) evaluated the aesthetic perception of different designs of fixed orthodontic appliances in children and adolescents and also analyzed the preference according to the age, sex and socioeconomic level. For this purpose, photographs were evaluated with a visual analogue scale. Regarding aesthetic appeal, the hierarchy found for children was: traditional metal brackets with green elastic modules > metal brackets with gray elastic modules > sapphire aesthetic brackets, while for adolescents it was: sapphire aesthetic brackets > transparent aligners without attachments > metal brackets with green elastic modules, respectively. Metal brackets were considered very attractive, despite the fact that aligners, which are considered an aesthetic option, were classified as less attractive by both sexes in the case of children. These results are consistent with the present study since metal brackets with colored elastics were the most preferred, and in the same way as the age of

the evaluator increased, they opted for the less visible options. Male adolescents showed greater preference for aesthetic appliances meanwhile there was no difference for females. Recently, Suliamani et al., (6) carried a cross-sectional study that aimed comparing the esthetic perception of different orthodontic appliances between children and adolescents living in Makkah, Saudi Arabia. The chi-square analysis showed a significant difference in esthetic perception of different orthodontic appliances between the two age groups (6-12 and 15-18), the majority of children choose a metallic appliance with colored elastics as they look attractive, while adolescents choose regular metallic brackets, which is similar to this study results.

The results must be interpreted with caution since they cannot be fully contrasted with previous studies due to the fact that the population reported in the literature has been mainly adults, only Walton et al., (1,7) and Kuhlman et al., (3) conducted studies on an adolescents. Second, because of the evaluation method, since almost all the studies used the visual analogue scale to assess attractiveness, preference and acceptability, in contrast of this study in which a registration form was used because of the absence of a categorization of the visual analogue scale. Likewise, the study carried out by Barber et al., (8), regarding the limitations of its use for the evaluation of smile aesthetics in adolescents, found that it presented low reliability for this age group. There were also differences in the designs of the appliances used for the elaboration of the photo album. Finally, because other covariates were evaluated, such as the type of institution to which the participants belonged, which could be related to the participant's socioeconomic level, which for the public school would correspond to a low level and for the private one, a medium-high one; in addition to other covariates such as the order of preference and acceptability to use that have not been previously reported.

The data obtained from this study is valuable because information about preference and acceptability of fixed orthodontic appliance designs is scarce in the literature and even more so in the age group studied (adolescents) so, it will serve for future researches. Furthermore, the comparison of these results with previous studies will allow to highlight the differences between age groups. This information will help recognize the demands of young patients and could be used to assess future changes in preferences; it will improve the planning of resources, strategies and services provided by orthodontists to satisfy patient's needs.

Results suggests that adolescents preferred metal braces with colored elastic modules and stainless steel archwires and that 92.1% of the total sample would agree to use the chosen appliance. We suggest future researchers to increase the sample size in order to determine if the frequency trend remains the same.



UNIVERSIDAD PERUANA  
CAYETANO HEREDIA  
Vicerrectorado de Investigación  
Dirección Universitaria de Investigación,  
Ciencia y Tecnología (DUICT)

CONSTANCIA 01 - 02-16

El Miembro del Comité Institucional de Ética (CIE) de la Universidad Peruana Cayetano Heredia hace constar que el proyecto de investigación señalado a continuación fue **APROBADO** por el Comité de Ética, bajo la categoría de revisión **EXPEDITA**. La aprobación será ratificada en la sesión del comité más próxima a la fecha de emisión de este documento.

Título del Proyecto : "Preferencia y aceptabilidad de seis diferentes diseños de aparatología ortodóncica fija en adolescentes peruanos de dos colegios de Lima. Año 2016"

Código de inscripción : 66043

Investigador principal : Alexandra Rosy Camarena Fonseca

La aprobación incluyó los documentos finales descritos a continuación:

1. Protocolo de investigación, Versión recibida en fecha 22 de diciembre 2015.
2. Consentimiento informado - Adultos, Versión recibida en fecha 22 de diciembre 2015.
3. Consentimiento informado - Padres, Versión recibida en fecha 22 de diciembre 2015.
4. Asentimiento informado - 12 a 17 años, Versión recibida en fecha 22 de diciembre 2015.
5. Asentimiento informado - Menores de 12 años, Versión recibida en fecha 22 de diciembre 2015.

La **APROBACIÓN** considera el cumplimiento de los estándares de la Universidad, los lineamientos Científicos y éticos, el balance riesgo/beneficio, la calificación del equipo investigador y la Confidencialidad de los datos, entre otros.

Cualquier enmienda, desviaciones, eventualidad deberá ser reportada de acuerdo a los plazos y normas establecidas. El investigador reportará cada seis meses el progreso del estudio y alcanzará un informe al término de éste. La aprobación tiene vigencia desde la emisión del presente documento hasta el **07 de enero del 2017**.

Si aplica, los trámites para su renovación deberán iniciarse por lo menos 30 días previos a su vencimiento.

Lima, 08 de enero del 2016.

  
Dra. Frine Samalvides Cubij  
Presidenta  
Comité Institucional de Ética en Investigación

Av Honorio Delgado 430  
Lima 31  
P.O. Box 4314 Lima100

T. (51 1) 319-0000 A. 2271 / 2542  
E. duict@oficinas-upch.pe

www.upch.edu.pe/vrime/duict

## Acknowledgments

Al Dr. Ken Noborikawa Kohatsu por su ayuda en la toma fotográfica.

## REFERENCIAS BIBLIOGRÁFICAS

1. Walton DK, Fields HW, Johnston WM, Rosenstiel SF, Firestone AR, Christensen JC. Orthodontic appliance preferences of children and adolescents. Am J Orthod Dentofacial Orthop 2010; 138:698.
2. Rosvall MD, Fields HW, Ziuchkovski J, Rosenstiel SF, Johnston WM. Attractiveness, acceptability, and value of orthodontic appliances. Am J Orthod Dentofacial Orthop. 2009; 135:276-277.
3. Kuhlman DC, Lima TA, Duplat CB, Capelli Junior J. Esthetic perception of orthodontic appliances by Brazilian children and adolescents. Dental Press J Orthod. 2016;21(5):58-66.
4. Ziuchkovski JP, Fields HW, Johnston WM, Lindsey DT. Assessment of perceived orthodontic appliance attractiveness. Am J Orthod Dentofacial Orthop. 2008; 133:S68-78.

5. Suliamani GS, Almohammady AZ, Taju WG. Children and adolescents preference of different orthodontic appliances in Makkah province, Saudi Arabia: a comparative study. IJMDC. 2019; 3(12): 1022-1026. doi:10.24911/IJMDC.51-1564053405
6. Alansari RA. Youth perception of different orthodontic appliances. Patient Prefer Adherence. 2020;14:1011-1019. doi: 10.2147/PPA.S257814
7. Walton DK. Orthodontic appliance preferences of children and adolescents. Master Degree Thesis. Ohio: Ohio State University; 2010.
8. Barber S, Houghton N, Spencer J. Limitations of a method used for adolescent assessment of smile aesthetics. Eur J Orthod. 2015; 37(2): 135-41.
9. Feu D, Catharino F, Duplat CB, Capelli J. Esthetic perception and economic value of orthodontic appliances by lay Brazilian adults. Dental Press J Orthod. 2012; 17(5):102-14.
10. Moshkelgosha V, Salahi M, Rostami Sh. Evaluation of perceived acceptability, beauty and value of different orthodontic brackets. J Dent Biomater- 2015; 2(1): 33-8

## Notes

**Aprobación de ética:** Se obtuvo la aprobación del Comité Institucional de Ética de la Universidad Peruana Cayetano Heredia. 8 de enero del 2016, código de constancia de registro 66043- 21-02-16

**Contribuciones de los autores:** Todos los autores contribuyeron en este manuscrito.

## Notas de autor

- a Cirujano Dentista, Especialista en Ortodoncia y Ortopedia Maxilar, Maestro en Estomatología
- b Estudiante
- c Docente
- aa Cirujano Dentista, Especialista en Ortodoncia y Ortopedia Maxilar, Maestro en Estomatología
- d Profesor Principal

**Correspondencia:** Alexandra Camarena Fonseca. Calle 54 #268 Urb. Córpac San Isidro, Lima, Perú. Correo electrónico: alexandra.camarena.f@upch.pe

## Declaración de intereses

- \* Los autores no tienen conflicto de interés con este artículo.

## Enlace alternativo



<https://revistas.upch.edu.pe/index.php/REH/article/view/4212/4766>  
(pdf)