



DYNA

ISSN: 0012-7353

ISSN: 2346-2183

Universidad Nacional de Colombia

Alvarez-Rivera, José Abisenas; Castañón-Nájera, Guillermo; Urrieta-Saltijeral, Juan Manuel; Laínes-Canepa, José Ramón; Hernández-Barajas, José Roberto; Pampillón-González, Liliana; Morales-Bautista, Carlos Mario
Handling of used lubricating oil in Tabasco, Mexico
DYNA, vol. 89, no. 223, 2022, July-September, pp. 121-126
Universidad Nacional de Colombia

DOI: <https://doi.org/10.15446/dyna.v89n223.101484>

Available in: <https://www.redalyc.org/articulo.oa?id=49674890015>

- ▶ [How to cite](#)
- ▶ [Complete issue](#)
- ▶ [More information about this article](#)
- ▶ [Journal's webpage in redalyc.org](#)



Scientific Information System Redalyc

Network of Scientific Journals from Latin America and the Caribbean, Spain and Portugal

Project academic non-profit, developed under the open access initiative

Handling of used lubricating oil in Tabasco, Mexico

José Abisenas Alvarez-Rivera ^{a*}, Guillermo Castañón-Nájera ^a, Juan Manuel Urrieta-Saltijeral ^b, José Ramón Laines-Canepa ^a, José Roberto Hernández-Barajas ^a, Liliana Pampillón-González ^a & Carlos Mario Morales-Bautista ^c

^a Academic Division of Biological Sciences. Universidad Juárez Autónoma de Tabasco, Tabasco, México. abisenas@gmail.com, guillermo_corazon_valiente@hotmail.com, Josra_2001@yahoo.com.mx, Roberto.hernandez@ujat.mx, lilianapg@hotmail.com

^b Instituto Tecnológico Nacional de México, Tabasco, México. urieta@itvillahermosa.edu.mx

^c Academic Division of Biological Sciences. Universidad Juárez Autónoma de Tabasco, Tabasco, México. carlos.morales@ujat.mx

*Corresponding author: abisenas@gmail.com

Received: March 5th, 2022. Received in revised form: June 10th, 2022. Accepted: August 16th, 2022.

Abstract

The improper handling of used lubricating oil (ULO) in Tabasco, Mexico, and worldwide is a serious problem posing a high risk of soil and water pollution. Therefore, this study evaluated the handling of ULO in 10 municipalities in the state of Tabasco. Collection sites were chosen by simple random sampling. The ULO collected was assessed for solids, water, oil and density. The results show that small generators have the greatest potential to generate ULO in Tabasco. Huimanguillo, Comalcalco and Cardenas were the municipalities with the highest ULO generation. The ULO with the highest quality for its low water and solids content was collected in Jalpa de Méndez, Comalcalco and Car Dealerships. 1,287 automotive repair shops were tested in the 10 municipalities that were included.

Keywords: collection; collection center; refining; comprehensive management.

Manejo de aceites lubricantes usados en Tabasco, México

Resumen

El mal manejo de los aceites lubricantes usados (ALU) en Tabasco, México, y en el mundo es un problema serio que genera un alto riesgo de contaminación de suelo y agua. Por lo anterior, en el presente estudio se evaluó el manejo que reciben los ALU en 10 municipios del estado de Tabasco. Los sitios de recolecta se eligieron mediante muestreo simple aleatorio. A los ALU colectados se les determinó el contenido de sólidos, agua, aceite y densidad. Por los resultados encontrados se concluye que el mayor potencial de generación de ALU en Tabasco se debe a los pequeños generadores. Los municipios con mayor generación de ALU fueron Huimanguillo, Comalcalco y Cárdenas. El ALU de mejor calidad por el bajo contenido de agua y sólidos, se colectó en Jalpa de Méndez, Comalcalco y Agencias Automotrices. Se cuantificó un total de 1,287 talleres automotrices en los 10 municipios evaluados.

Palabras clave: colección; centro de acopio; refinación; manejo integral.

1 Introduction

The handling of used lubricating oil (ULO) consists of its collection, transportation and final disposal [3]. There are three types of companies in charge of handling ULO in Mexico; according to [1], there are companies that collect and transport it, others that store it, and others that refine and co-process it. The latter include refined ULO in certain production chains in the state of Tabasco and a large part of Mexico [1].

ULO is hazardous waste, as it is toxic and flammable, and is produced in large quantities, mostly in clandestine automotive

repair shops [1]. These types of repair shops are not registered in the registry of hazardous waste generators of Mexico Ministry of the Environment and Natural Resources (SEMARNAT) [1]. Apparently there is a lack of registration of this type of repair shop in some parts of the world, where there is an attempt to identify gaps in environmental policies, as ULO contains hazardous heavy metals such as lead (Pb), mercury (Hg), and organic substances persistent in the environment, which according to Ahmed et al. [2], have a high potential to pollute water sources and soils. ULO should be collected and recycled to avoid environmental pollution and preserve natural resources [3].

How to cite: Alvarez-Rivera, J.A., Castañón-Nájera, G., Urrieta-Saltijeral, J.M., Laines-Canepa, J.R., Hernández-Barajas, J.R., Pampillón-González, L. and Morales-Bautista, C.M., Handling of Used Lubricating Oil in Tabasco, Mexico. DYNA, 89(223), pp. 121-126, July - September, 2022.

The purpose of this study was to evaluate the handling and physical characteristics of used lubricating oil (ULO) during a four-month period in 10 municipalities in the state of Tabasco.

2 Materials and methods

2.1 Census of generators of used lubricating oils (ULOs) in 10 municipalities of Tabasco

10 municipalities were selected based on their location in the four regions comprising the state of Tabasco: Centro, Nacajuca and Jalpa de Mendez (Centro region), Cardenas, Comalcalco, Cunduacan, Paraiso and Huimanguillo (Chontalpa region), Macuspana (Pantanos region), and Teapa (Sierra region). Another selection criterion was the higher population density found in these municipalities [4].

Visits were made to urban areas to identify the location of automotive repair shops generating used lubricating oil (ULO). Collection routes were then mapped and at the same time, personnel from each selected repair shop as well as collection, transportation and final disposal companies located in the aforementioned municipalities were surveyed. The purpose of the survey was to prepare a census of the existing repair shops and based on this, to select five oil-generating automotive repair shops offering maintenance services in each municipality.

The selected automotive repair shops in each municipality were visited and the major oil activity in each of them was taken as a selection criterion (Table 1) and the ULO collected was measured and its physical properties were assessed. Mastrack software was used to track and locate the vehicles used to collect and transport the ULO. The database used in this work was created with the information obtained in the field (volume of collected ULO in liters).

2.2 Assessment of the oil's physical properties

A sample of 1 L of ULO was taken from each selected repair shop and a small generator was considered to be a repair shop that produces 400 L to 10,000 L annually [1] from each of the 10 municipalities visited between January and

Table 1. Number of repair shops generating used lubricating oils (ULO) in the 10 municipalities sampled in the state of Tabasco.

Region	Municipality	Generador Number	Generador		SRS
			I	F	
Centro	Centro	931	60	991	5
	Nacajuca	44	1	45	5
	Jalpa de Mendez	10	0	10	5
	Cadenas	73	9	82	5
Chontalpa	Comalcalco	38	2	40	5
	Cunduacan	43	0	43	5
	Paraiso	9	1	10	5
Pantanos	Huimanguillo	11	0	11	5
	Macuspana	23	9	32	5
Sierra	Teapa	21	2	23	5

I: Informal, Used Lubricating Oil generators that do not have an Environmental Registration Number

F: Formal, Used Lubricating Oil generators that have an Environmental

SRS: Selected repair shops

Source: Self-made.

April 2019. The water, solids and oil content of each oil sample was determined using the API RP 13B2 method [18], and its density was determined using the ASTM-D854 method [17].

The four measured variables (water content, solids, oil and density) on the four oil collection dates were analyzed with multivariate statistics of principal component analysis (PCA) and hierarchical cluster analysis by the UPGMA method (Unweighted Pair Group Method with Arithmetic Averages), which standardizes the information of each variable to $\mu=0$ and $\sigma^2=1$, so that the measured variables are more proportional to the similarity estimate [6] of the Euclidean distance. Statistical analyses (Principal Components and Cluster) were performed with the SAS package [7].

3 Results

3.1 Repair shop census by study area

1,287 automotive repair shops (generators) were tested. The Central region has the largest number of ULO generators with 1,046 repair shops; of these, 985 (94.2%) are informal, as they are not registered with SEMARNAT, while the remaining 61 (5.8%) are formally registered [1]. The municipality of Centro, in the central region, has the largest number of ULO generators, with 991 repair shops. Moreover, the Chontalpa region has 186 generators, of which 174 (93.5%) are informal automotive repair shops, and only 12 of them (6.5%) are registered with SEMARNAT. In contrast, the municipality of Macuspana, in the Pantanos region, has 32 ULO generators, 23 (71.9%) are informal repair shops and 9 (28.1%) are formal. The municipality of Teapa, in the Sierra region, has 23 repair shops, 21 (91.3%) are informal and only 2 (8.7%) are registered in [1] (Table 1).

3.2 Collection, transportation and storage of used lubricating oils in Tabasco

The ULO generated in the formal repair shops in Tabasco is collected and transported to collection centers authorized by SEMARNAT (Table 2). Nine companies that collect and transport ULO were identified in the municipalities studied; seven are located in the city of Villahermosa, which is part of the municipality of Centro, and the other two are located in the municipality of Nacajuca. In addition, seven of these companies are used as collection centers where all of the ULO generated in the state of Tabasco is stored.

Table 2. Companies that collect and transport used lubricating oil (ULO) in the 10 municipalities sampled in the state of Tabasco.

Company Number	Municipality	Type of waste	Authorization number
1	Centro	ULO	27-I-144D-2013
2	Centro	ULO	27-I-148D-2013
3	Nacajuca	ULO	27-I-156D-2014
4	Centro	ULO	27-I-158D-2014
5	Nacajuca	ULO	27-I-163D-2014
6	Centro	ULO	27-I-167D-2016
7	Centro	ULO	27-I-176D-2017
8	Centro	ULO	27-I-184D-2019
9	Centro	ULO	27-I-186D-2019

Source: Self-made.

3.3 Final disposal of used lubricating oils in Tabasco

The used lubricating oils generated and collected in Tabasco are disposed of in two southeastern Mexican states: the state of Veracruz has four refineries, and the state of Tabasco has three.

The collection results show that all ULO generated in the state of Tabasco is mainly used to produce alternative fuels; no other post-refining uses were reported, which opens the possibility of including ULO in other activities within the industrial sector.

The main problem in the handling of ULO is attributable to the generators, since a large number of them are not regulated by [1], which can cause serious environmental damage (water and soil), given that they are not monitored by SEMARNAT and therefore are not required to comply with waste regulations.

The municipalities of Comalcalco, Jalpa de Mendez and Nacajuca generated the most used lubricating oil (ULO). The samples with the highest water content were collected in Comalcalco, Teapa, Paraiso and Centro. The municipalities with the highest percentage of oil were Comalcalco, Jalpa de Mendez and Nacajuca, ranging from 86.33% to 88.78%, while the car dealerships had 96% oil. The highest percentages of solids were in the municipalities of Centro, Paraiso, Huimanguillo, Cunduacan and Teapa, ranging from 15.73% to 20%. Car dealerships had the lowest values (1.19%). Meanwhile, the ULO collected from car dealerships showed the most favorable characteristics in terms of percentage of oil, low percentage of water and solids in the used oil generated. Regarding the density variable, the densest oil was collected in Teapa, Nacajuca and Huimanguillo; and the least dense oil was collected in Comalcalco, Paraiso and Centro, along with the oil from the car dealerships.

The Principal Component Analysis (PCA) performed on the ULO volume in the four collection stages accounted for 94.3% of the total variation (Table 3). PC1 accounted for 86.0% and PC2 the remaining 8.43%. The eigenvalues of each PC were 3.45 and 0.32.

The distribution of municipalities by principal component analysis (PCA) is shown in Fig. 1. Huimanguillo and Comalcalco are in Quadrant I. Nacajuca, Jalpa and Paraiso are in Quadrant II, Cunduacan in Quadrant III, and Cardenas, Centro and Macuspana are grouped in Quadrant IV.

Table 3. Eigenvalues, eigenvectors, and variance explained by each principal component (PC) in the four stages of ULO collection in automotive repair shops in 10 municipalities of Tabasco.

Collection Number	Eigen vectors	
	PC1	PC2
Y1	0.49*	-0.58*
Y2	0.47	0.80*
Y3	0.51*	-0.08
Y4	0.52*	-0.11
Eigenvalues	3.45*	0.32
Applied variance (%)	86.00	8.43
Applied variance (%)	86.00	8.43
Cumulative variance (%)	86.00	94.3

Significant values * [14].

Source: Self-made.




Figure 1. Distribution of 10 municipalities in the state of Tabasco where ULO was collected. Source: Self-made.

Cluster analysis (Fig. 2) shows a group formed by Jalpa de Mendez, Nacajuca and Paraiso, which have the lowest average volume of used oil (ULO). These municipalities are at a distance of 0.32; while another group comprised of Cardenas, Macuspana, Centro, Comalcalco and Teapa, had a distance of 0.5; Huimanguillo and Cunduacan form a group at a distance of 1.0, which stands out for having the highest average volume of oil collected.

Table 4 shows the eigenvalues and eigenvectors of the principal component analysis (PCA) of the variables measured in the ULO. The first two components (PC1 and PC2) accounted for 85.96% of the total variation. PC1 accounted for 52.83% of the variation and an eigenvalue of 2.11 and was related to the variable percentage of oil and solids. PC2 accounted for 33.13% of the observed variation with an eigenvalue of 1.325.

Fig. 3, shows the distribution of the municipalities regarding the quality of the ULO sampled in each one. Quadrant I show Huimanguillo with the highest averages in the variables measured in oil collected, followed by Comalcalco (Quadrant IV). Quadrant III shows Cunduacan with the lowest averages in the variables measured in the ULO collected.




Figure 2. Dendrogram with the Euclidean distance of 10 municipalities in the state of Tabasco in which ULO was collected. Source: Self-made.

Table 4.

Eigenvalues, eigenvectors, and variance explained by each principal components (PC) in four variables measured in the oils collected in five repair shops in each of the 10 municipalities in Tabasco.

Collection Number	Eigen vectors	
	PC1	PC2
Eigenvalues	2.11*	1.33*
Explained variance (%)	0.53	0.33
Cumulative variance (%)	0.53	0.86

Variables	Eigenvectors	
	PC1	PC2
Water	-0.21	-0.72*
Oil	0.67*	-0.17
Solids	-0.61*	0.39
Density	0.36	0.55*

Significant values * [14].

Source: Self-made.




Figure 3. Distribution of the 10 municipalities in which four variables of the ULO collected in the state of Tabasco were evaluated.

Source: Self-made.

In Fig. 4, 4 clusters (CL) were observed; the CLI consisted of the car dealerships and the municipality of Comalcalco at a distance of 1.1, CLII grouped Cardenas, Jalpa de Mendez, Nacajuca and Teapa at a distance of 0.5; CLIII was consisted of Huimanguillo and Macuspana at a distance of 0.9, and CLIV has the municipalities of Centro, Paraiso and Cunduacan at a distance of 0.4.




Figure 4. Dendrogram with the Euclidean distance of 10 municipalities in the state of Tabasco in which the quality of ULO was evaluated, based on four quantitative variables.

Source: Self-made.

4 Discussion

Based on the number of formal and informal repair shops measured during the study, it was established that the majority (71.13%) of the ULO generators in the sampled municipalities were informal, and the remaining 28.87% were formal or registered with SEMARNAT [1]. It can therefore be established that most of the repair shops that generate used lubricating oils are providing informal services in these municipalities. As a result, environmental managers have work to do, and the regulatory authority lacks information on the status of these repair shops (registered or unregistered). The results obtained in this research show that most of the ULO was generated by the unregulated repair shops. Similar results were reported by [10], who indicated that in Ghana, used oil generators engage in improper disposal practices, causing excessive environmental pollution.

SEMARNAT and PROFEPA are the institutions in the state of Tabasco that regulate and oversee the collection and handling of hazardous waste, and support repair shops that generate ULO by authorizing the collection, transportation, storage, refining and/or co-processing performed by private companies. According to [12], current Brazilian legislation encourages companies producing and importing finished oils to keep the current level of collection of used and contaminated oils for convenience, the same happens according to [11] in Nigeria.

Regarding variations in used oil density, this study confirmed that there were no significant changes in the density of ULO collected in the municipalities sampled; it varied within a narrow range between 0.88 and 0.89 g cm⁻³. These results match those reported by [15], who evaluated different samples, finding that the average ULO density was 0.89 g cm⁻³; however [9], found an average density of 0.96 g cm⁻³ in their study.

The moisture content of the ULO analyzed in this study showed values in the range of 1.92% to 7.66%, which is a high percentage if compared with that reported for this variable by [13] in the different ULO samples analyzed. According to their study [13], moisture percentages in the range of 0.0094 to 2.44%, settleable solids from 0.01 to 1.57% and density from 0.86 to 0.99 g cm⁻³ were detected. For solids, the values were lower and for density, they were higher than those found in this study.

The highest percentage of oil was found at the car dealerships, followed by the municipalities of Comalcalco, Jalpa de Mendez and Nacajuca. The Car dealerships also had the lowest percentage of solids, and the highest percentage of solids was found in the municipalities of Centro, Paraiso, Huimanguillo, Cunduacan and Teapa. This is likely to have been due to the fact that oil change service at dealerships is scheduled according to a quality system.

The results found in ULO generation show that only the municipalities of Huimanguillo, Cardenas and Comalcalco generated the greatest amount of oil during the sampling period. However, it cannot be ruled out that the municipality of Centro produces a larger inventory of used oil, since a total of 991 repair shops are registered, not including the Car Dealerships.

The results of the principal component and cluster analysis according to [14]; in the first component, three of the variables were significant (collection 1, collection 3 and collection 4) and in component two only collection 1 and 2 were significant. Regarding the eigenvalues, the first two were significant.

Since the eigenvalues of the two principal component analyses account for more than 80% of the variance as suggested by [5], it can be said that the variables measured in the ULO in this analysis were classified correctly.

The two cluster analyses performed in this study grouped the municipalities based on the similarity of the variables measured in each case (ULO volume collected and content of water, solids, oil, and density), which coincides with the statement by [8] that cluster analysis is used to classify objects or cases into relatively standardized groups, and that the objects in each group (cluster) are expected to be similar among themselves and different from each other. The only work found in the literature reviewed was that of [16], which shows the results of the comparative analysis of certain lubricating oil properties used in five Wärtsilä internal combustion engines to generate electric power.

5 Conclusion

The collection, transport and final disposal of used lubricating oil (ULO) in the 10 municipalities sampled in Tabasco is properly performed by specialized companies, since they are authorized by the Mexican federal government (SEMARNAT). The principal components analysis showed that the municipalities with the highest ULO generation during the four months of collection were Huimanguillo, Comalcalco and Cardenas. The ULO with the highest quality due to its physiochemical properties was collected in the municipalities of Jalpa de Mendez, Comalcalco and the car dealerships. The largest amount of ULO in the state of Tabasco is produced by micro and small generators (automotive repair shops). Most of the ULO generated in Tabasco is used by the refining industry as a mineral base and then mixed with other solvents to produce alternative fuels with different characteristics. The results of this study indicate that the state of Tabasco generates a significant amount of ULO, which due to its characteristics is a viable source of alternative energy.

References

[1] Secretaria de Medio Ambiente y Recursos Naturales. Gobierno de la república. México (SEMARNAT). [en línea]. Disponible en: <https://www.gob.mx/semarnat/documentos/empresas-autorizadas-para-el-manejo-de-residuos-peligrosos>. 2019. Fecha de consulta: 22 de agosto de 2020.

[2] Ahmed, N.A., Kutiote, J.O.E., Tarlue, J.V.P., Umar, A.N., Nur, A.M. and Mbuya, N.P., Assessment of used oil management at the filling stations within makindye division in Kampala. *African Journal of Environment and Natural Science Research*. 2(1), pp. 77-85, 2019.

[3] Manzanarez, J.L.A. e Ibarra-Ceceña, M.G., Diagnóstico del uso y manejo de los residuos de aceite automotriz en el municipio del fuerte, Sinaloa. *Ra Ximhai* [en línea]. 8(2), pp. 129-137, 2012. Disonible en: <https://www.redalyc.org/articulo.oa?id=46123333013>. DOI: <https://doi.org/10.35197/rx.08.02.e.2012.12.lm>

[4] Instituto Nacional de Estadística y Geografía (INEGI). Anuario Estadístico y Geográfico de Tabasco, Mexico. 2016, 461 P. ISBN 978-607-739-971-1.

[5] Trejos, Z.J., Análisis multivariado de datos. Escuela de Matemática. Universidad de Costa Rica. [en línea]. 2007, 217 P. Disponible en: <https://correo.emate.ucr.ac.cr/jtrejos/Libros/NotasAD.pdf>.

[6] Lévy, M.J.P. y Varela, M.M.J., Análisis multivariable para las ciencias sociales. Pearson Educación, S.A., Madrid, España, 2003, 896 P.

[7] SAS Institute. SAS User's Guide: Statistics. Version 9.0. Statistic Analysis System Institute. Cary, North Carolina, USA. 2004, 1032 P.

[8] Avendaño, P.B.L., Avendaño, P.G., Cruz, W. and Cárdenas-Avendaño, A., Divers: Perspect., *Psicol.* 10(1), pp. 13-27, 2014. DOI: <https://doi.org/10.15332/s1794-9998.2014.0001.01>

[9] Abu-Elella, R., Ossman, M.E., Farouq, R. and Abd-Elfatah, M., Used motor oil treatment: turning waste oil into valuable products. *International Journal of Chemical and Biochemical Sciences*. 7, pp. 57-67, 2015.

[10] Akpakpavi, M., Used oil storage and disposal practices in automobile repair garages in Ghana. *International Journal of Science, Technology and Society*. 3(4), pp. 191-201, 2015. DOI: <https://doi.org/10.11648/j.ijsts.20150304.23>

[11] Bamiro, O.A. and Osibanjo, O., Pilot study of used oils in Nigeria. *International Journal of Mathematics and Computer Sciences*. 15, pp. 100-165, 2013.

[12] Cappello, M.G., Pereira, F.P. and Silva, G.M.F., Reverse logistics: feasibility analysis of the collection and restitution of lubricating oil used or contaminated. *Journal of Engineering and Technology for Industrial Applications*. 5(17), pp. 62-67, 2019. DOI: <https://dx.doi.org/10.5935/2447-0228.20190009>

[13] Fong, W.E., Quiñonez, B.E. and Tejada, T.C., Physical-chemical characterization of spent engine oils for its recycling. *Prospectiva*. 15(2), pp. 135-144, 2017. DOI: <http://dx.doi.org/10.15665/rp.v15i2.782>

[14] Kaiser, H.F., The application of electronic computers to factor analysis. *Educational and Psychological Measurement* 20, pp. 141-151, 1960. DOI: <https://doi.org/10.1177/001316446002000116>

[15] Kwasi, O.B., Ogbonna, J.F., Essumang, D.K., Benson, E.O. Physico-chemical and concentration of heavy metals analyses in Virgin and used lubricating oils: a spectroscopy study. *American Journal of Applied Chemistry*. 7(6), pp. 75-179, 2019. DOI: <https://doi.org/10.11648/j.ajac.20190706.14>

[16] Tavares, J.I.J., Rodríguez, R.I.L., Herrera, A.A.M., Herrera, F.F.B., França, A. de J., Cabral, L.J. y Guedes, O. de A., Análisis estadístico comparativo de propiedades de aceites lubricantes usados en motores de combustión interna de una planta de generación eléctrica. En: VIII Congreso Internacional de Química, Ingeniería Química y Bioquímica. Sociedad Cubana de Química. [En línea]. 2015, [Fecha de consulta 18 de febrero de 2021]. Disponible en: <https://www.researchgate.net/publication/282159827>

[17] ASTM D 854-92, Standard test method for specific gravity of soils. Annual book of ASTM standards. American Society for Testing and Materials, Philadelphia, vol 04.08, 1995, pp 80-83.

[18] API Recommended Practice 13B-2., Recommended practice standard procedure for field testing oil-based drilling fluid, 3rd Ed., USA, 1998.

J.A. Álvarez-Rivera, has a BSc. in Ecology in 1998, has a MSc. in Environmental Sciences in 2008. He made a stay at the Faculty of Geochemistry of the Central University of Venezuela, Caracas, Venezuela. Currently, he is assigned to the Academic Division of Biological Sciences at the Universidad Juárez Autónoma de Tabasco, Mexico. The M en C. Abisenas conducts research focused on soil contamination, remediation of soil contaminated by hydrocarbons, refining of used lubricating oils, and handling of hazardous waste from the automotive and industrial sectors. He has participated in international conferences that have been held in Havana, Cuba. He is currently pursuing a Doctorate in Sciences in Ecology and Management of Tropical Systems. ORCID: 0000-0002-0786-2610

G. Castañón-Nájera, He was born at Francisco I. Madero, Coahuila, Mexico. Is a BSc. in Agonomy Phytothechnics in 1977, the MSc. in Plant Breeding in 1981, and the PhD. in Genetics in 1991, the first of them from the Universidad Autonoma Agraria Antonio Narro, Saltillo, Coahuila,

Mexico. From 1978-1979, he worked Ciba-Geigy Company in Seed Production of Maize and Sorghum, since 1982-1999 worked at INIFAP, in 2000 at ITConkal, and 2001 for the Division Académica de Ciencias Biológicas, he is a full professor in the Biología Genómica, Universidad Juárez Autónoma de Tabasco, Villahermosa, Tabasco, Mexico. His research interests include: Genetics and statistics in wild plants and indigenous crops. ORCID: 0000-0001-8901-0421

J.M. Urrieta-Saltijeral, is originally from Mexico City and has a PhD. in Process Engineering in 2000, from the D'Auvergne University, Blaise Pascal-Clermont II in France. During the period from October 1999 to July 2000 he was assistant professor at the University Center for Engineering Sciences (CUST) in Clermont Ferrand, France. He is a full-time professor-researcher at the Technological Institute of Villahermosa. In 2004 he received the award for Scientific and Technological career from the government of the State of Tabasco. He is a professor with a desirable profile and leader of the Academic Body registered with PRODEPE, a specialist in the disciplines of Food Process Engineering, and quality systems in the food industry. He has experience in the management, coordination and development of research projects in cocoa and chocolate food systems. ORCID: 0000-0001-5559-6866

J.R. Laines-Canepa, is professor-researcher TC at the Universidad Juárez Autónoma de Tabasco (UJAT). President of the Mexican Association of Engineering Science and Environmental Management (AMICA) 2020-2021, Mexican Chapter of the Inter-American Association of Sanitary and Environmental Engineering (AIDIS). President of the Board of Honor of AMICA 2022-2023. Evaluator of the Accreditation Council for the Teaching of Engineering A.C. (CACEI). Recognition of Academic and Scientific Merit at the Universidad Juárez Autónoma de Tabasco. State Award for Ecology 2016 in the State of Tabasco. CONACYT Registry of Accredited Evaluators (RCEA). Member of the Honorable Governing Board of the UJAT. National and International Lecturer on Topics Related to Waste. ORCID: 0000-0002-6770-5596

J.R. Hernández-Barajas, is a BSc. Eng in Chemical Engineer, Dr. in Chemical Engineering Sciences and a doctoral stay at the University of Western Ontario, in Canada. Is a member of the National System of Researchers Level 1 and has the desirable PRODEP profile. Currently, he is attached to the Academic Division of Biological Sciences at the Autonomous University of Tabasco. Dr. Hernández conducts research focused on physical and mathematical models in water treatment and passive energy saving technologies, as well as the analysis of computational fluid dynamics of engineering systems of environmental interest. During his career he has been responsible for and collaborator in a dozen research projects, directing 16 undergraduate theses, 14 master's theses and 4 doctoral theses. His scientific production includes 29 indexed scientific articles, and he currently participates in a national research network. ORCID: 0000-0002-3037-3181

L. Pampillón-González, is a Dr. with a specialty in Scientific and Technological Development for Society from the Center for Research and Advanced Studies of the IPN (CINVESTAV-Zacatenco). MSc. with a specialty in Physical Chemistry (CINVESTAV-Mérida), and BSc. Eng in Environmental Engineer from the Universidad Juárez Autónoma de Tabasco (UJAT). He currently works as a full-time research professor in the Academic Division of Biological Sciences (DACBIOL-UJAT). Its lines of research are developed in the context of climate change and clean energy, through the study of the sustainable use of bioenergy resources, in particular waste, evaluating its potential, the impact on emissions and the development of energy technologies. He has several publications and international participation in prestigious conferences and magazines. He is part of the National System of Researchers (Level 1), PRODEP Profile, State System of Researchers, member of the Mexican Bioenergy Network (REMBIO), among others. ORCID: 0000-0003-0216-700X

C.M. Morales-Bautista, is a Dr. of Science in Ecology from the Universidad Juárez Autónoma de Tabasco where he received an award for the best thesis in 2015. He works in this same institution, trains human resources and is the leader of the academic body, he is also a leader environmental geochemical research line within the postgraduate course in applied chemistry (PNPC). He is currently developing research on sites contaminated with hydrocarbons whose products have allowed him to be a member of the National System of Researchers from 2016 to date, of which, today, he is Level 1 within the Physico-mathematics and Earth Sciences Area. ORCID: 0000-0002-4825-4558