



Acta zoológica mexicana

ISSN: 0065-1737

ISSN: 2448-8445

Instituto de Ecología A.C.

Carbajal-Márquez, Rubén Alonso; Ramírez-Valverde, Tania; Quintero-Díaz, Gustavo Ernesto; García-Balderas, Christian M.; Cedeño-Vázquez, J. Rogelio
Heterospecific amplexus between *Tripion petasatus* (Anura: Hylidae)
and *Incilius valliceps* (Anura: Bufonidae) from Yucatán, Mexico

Acta zoológica mexicana, vol. 34, e3411189, 2018
Instituto de Ecología A.C.

DOI: 10.21829/azm.2018.3411189

Available in: <http://www.redalyc.org/articulo.oa?id=57560238013>

- How to cite
- Complete issue
- More information about this article
- Journal's webpage in redalyc.org

redalyc.org

Scientific Information System Redalyc

Network of Scientific Journals from Latin America and the Caribbean, Spain and Portugal

Project academic non-profit, developed under the open access initiative

Nota científica
(Short Communication)

**HETEROSPECIFIC AMPLEXUS BETWEEN *TRIPRION PETASATUS*
(ANURA: HYLIDAE) AND *INCILIUS VALLICEPS* (ANURA: BUFONIDAE)
FROM YUCATÁN, MEXICO**

**AMPLEXO HETEROESPECÍFICO ENTRE *TRIPRION PETASATUS*
(ANURA: HYLIDAE) E *INCILIUS VALLICEPS* (ANURA: BUFONIDAE)
EN YUCATÁN, MÉXICO**

**RUBÉN ALONSO CARBAJAL-MÁRQUEZ,^{1,3,*} TANIA RAMÍREZ-VALVERDE,¹
GUSTAVO ERNESTO QUINTERO-DÍAZ,^{2,3} CHRISTIAN M. GARCÍA-BALDERAS,¹
AND J. ROGELIO CEDEÑO-VÁZQUEZ¹**

¹ Departamento de Sistemática y Ecología Acuática. El Colegio de la Frontera Sur. Unidad Chetumal, Av. Centenario Km 5.5, 77014, Chetumal, Quintana Roo, México. <trvalverde@gmail.com>, <chrisgarbal@gmail.com>, <rcedenov@ecosur.mx>

² Universidad Autónoma de Aguascalientes, Centro de Ciencias Básicas, Departamento de Biología. C. P. 20131, Aguascalientes, Aguascalientes, México. <gequintmxags@hotmail.com>

³ Conservación de la Biodiversidad del Centro de México, A. C. Andador Torre de Marfil No. 100, C. P. 20229, Aguascalientes, Aguascalientes, México.

*Corresponding author: <redman031@hotmail.com>

Recibido: 04/07/2017; aceptado: 08/12/2017; publicado en línea: 16/03/2018

Editor responsable: Gustavo Aguirre

Carbajal-Márquez, R. A., Ramírez-Valverde, T., Quintero-Díaz, G. E., García-Balderas, C. M., & Cedeño-Vázquez, J. R. (2018) Heterospecific amplexus between *Triprrion petasatus* (Anura: Hylidae) and *Incilius valliceps* (Anura: Bufonidae) from Yucatán, Mexico *Acta Zoológica Mexicana* (n.s), 34(1), 1-3.

Carbajal-Márquez, R. A., Ramírez-Valverde, T., Quintero-Díaz, G. E., García-Balderas, C. M. y Cedeño-Vázquez, J. R. (2018) Amplexo Heteroespecífico entre *Triprrion petasatus* (Anura: Hylidae) e *Incilius valliceps* (Anura: Bufonidae) en Yucatán, México. *Acta Zoológica Mexicana* (n.s), 34(1), 1-3.

ABSTRACT. The heterospecific amplex between *Triprrion petasatus* and *Incilius valliceps* is documented for the first time in the locality of Pisté, Yucatan Mexico. This behavior has been documented previously in other amphibians, many of them also explosive reproducers that take advantage of temporary bodies of water, in places with a marked dry season.

RESUMEN. Se documenta por primera vez el amplexo heteroespecífico entre *Triprrion petasatus* e *Incilius valliceps* en la localidad de Pisté, Yucatán México. Este comportamiento ha sido documentado con anterioridad en otros anfibios, muchos de ellos también reproductores explosivos que aprovechan los cuerpos de agua temporales, en sitios con una marcada estación de secas.

The Yucatán casque-headed tree frog *Triprrion petasatus* (Cope, 1856) is widely distributed in the Yucatán Peninsula, Mexico, Belize, and throughout El Petén, Guatemala, although its occurrence in Honduras has recently been called into question (Lee, 1996; McCranie, 2015; Frost, 2017). The Southern Gulf Coast toad *Incilius valliceps* (Wiegmann, 1833) ranges from central Veracruz, Mexico to northern Costa Rica on the Atlantic versant,

and from the Isthmus of Tehuantepec to south-central Guatemala on the Pacific slope, with an isolated record for El Salvador (Oliver-López *et al.*, 2009; Frost, 2017). Amplexus occurring between amphibians of different orders (Höbel, 2005a; Simović *et al.*, 2014), families (Sodré *et al.*, 2014; Clause *et al.*, 2015; Bell & Scheinberg, 2016; Reilly *et al.*, 2016), genera (Streicher *et al.*, 2010; Kindermann, 2015; Marchant *et al.*, 2015; Loc-Barragán *et*

al., 2016), and species (Höbel, 2005b; Ceron & Zocche, 2016; Schalk, 2016) that overlap spatially and temporally has been documented previously, even if one of those involved is dead (Waterstrat *et al.*, 2008; Müller, 2016), or both are males (Costa-Campos *et al.*, 2016).

We found an axillary amplexus between a male *T. petasatus* and a male *I. valliceps* on 13 June 2015, at Pisté, Yucatán, Mexico (20.682085° N, -88.600571° W; WGS84; elev. 30 m; Fig. 1). Our observation occurred at 20:34 h at a temporary pond surrounded by secondary vegetation and dry forest. Only one other species of anuran, *Smilisca baudinii* (Duméril & Bibron, 1841), was observed to be active in the area. During courtship, the males normally call to attract conspecific females, and differences in vocalization frequencies help to reduce interspecific mating (Wells, 2007). *Triprion petasatus* and *I. valliceps* emit a very different vocalization: 2100 – 2300 Hertz (pulse frequency of 75 – 90 seconds, and duration of 350 milliseconds) and 1800 – 2000 Hertz (pulse frequency 40 – 50 seconds, 2 – 5 seconds duration), respectively (Lee, 1996). At the same time, *T. petasatus* males average 55 mm in snout-vent length (SVL) and females average 70 mm in SVL, whereas male *I. valliceps* average 73 mm in SVL and females average 88 mm in SVL (Lee, 1996).



Figure 1. Axillary amplexus between a male *Triprion petasatus* (top), and a male *Incilius valliceps* (bottom) observed at Pisté, Yucatán, Mexico. Photo by Tania Ramírez-Valverde.

Therefore, the similarity in body size between *T. petasatus* females and male *I. valliceps* could have contributed to the lack of specific discrimination (Yu & Lu, 2013).

In areas with a marked dry season, like the northern Yucatán Peninsula (Torrescano-Valle & Folan, 2015), explosive reproductive events are commonplace where *T. petasatus* and *I. valliceps* congregate in temporary ponds to mate and oviposit, as we observed the night of the discovery, with several tens of individuals of both species congregated, and *S. baudinii* in lower numbers. Therefore, heterospecific and multiple amplexus, even between males, seems to be common among explosive breeders, due to the high number of individuals and an often male-biased sex ratio at the same site (Wogel *et al.*, 2005), the short time for breeding (Höbel, 2005b), confusion of chemical signals (Mollov *et al.*, 2010), and low selectivity toward females (Machado & Bernarde, 2011). To our knowledge, this is the first observation documenting this behavior between individuals of *T. petasatus* and *I. valliceps*, two common anuran species found in sympatry, and suggests that neither differences in morphology and vocalization help to completely prevent heterospecific amplexus.

ACKNOWLEDGMENTS. We thank Steven G. Platt and two anonymous reviewers for his revision and valuable comments to improve an early version of the manuscript.

LITERATURE CITED

- Bell, R. C. & Scheinberg, R. A. (2016) *Hyperolius malleri* (Moller's Reed Frog) and *Phrynobatrachus dispar* (Peters' River Frog). Heterospecific Amplexus. *Herpetological Review*, 47, 109.
- Ceron, K. & Zocche, J. J. (2016) *Rhinella abei* and *Rhinella icterica* (Yellow Cururu Toad). Heterospecific Amplexus. *Herpetological Review*, 47, 120.
- Clause, A. G., Greeley, M. A. & Soto-Huerta, K. A. (2015) *Ecnomiophyla miotympanum* (Small-eared Treefrog) and *Incilius cristatus* (Large-crested Toad). Heterospecific Amplexus. *Herpetological Review*, 46, 230.
- Costa-Campos, C. E., Lobo-Gama, S., Oliveira-Galeno, E. & Melo Furtado, M. F. (2016) Amplexos interespecíficos entre dos especies simpátricas de sapos *Rhinella major* y *Rhinella marina* (Anura: Bufonidae). *Acta Zoológica Mexicana (n.s.)*, 32, 385-386.
- Frost, D. R. (ed.) (2017) Amphibian Species of the World: An Online Reference. Version 6.0. Electronic Available at: [http://www.research.amnh.org/herpetology/amphibia/American Museum of Natural History](http://www.research.amnh.org/herpetology/amphibia/American_Museum_of_Natural_History), New York, USA. (Accessed on 20 May 2017).
- Höbel G. (2005a) Natural History Notes. *Rana palustris* (Pickerel Frog) and *Ambystoma maculatum* (Spotted Salamander). Reproductive behavior. *Herpetological Review*, 36, 55-56.

- Höbel G. (2005b) Natural History Notes. *Rana clamitans* (Green Frog) and *Rana catesbeiana* (American Bullfrog). Reproduction. *Herpetological Review*, 36, 439–440.
- Kindermann, C. (2015) *Litoria wilcoxii* (Stony Creek Frog). Interspecific Amplexus. *Herpetological Review*, 46, 235.
- Lee, J. C. (1996) *The Amphibians and Reptiles of the Yucatán Peninsula*. Comstock Publishing Associates, Cornell University Press. Ithaca, New York, United States.
- Loc-Barragán, J. A., Woolrich-Peña, G. & Ramírez-Silva, J. P. (2016) *Diaglena spatulata* and *Smilisca baudinii*. Heterospecific amplexus. *Mesoamerican Herpetology*, 3, 463–464.
- Machado, R.A. & Bernarde, P. S. (2011) Multiple and heterospecific amplexi between the toads *Rhaebo guttatus* and *Rhinella marina* (Anura: Bufonidae). *Herpetology Notes*, 4, 167–169.
- Marchant, D. B., Herman, T. & Stein, A. D. (2015) *Agalychnis callidryas* (Red-eyed Tree Frog) and *Cruziohyla calcarifer* (Splendid Leaf-frog). Reproductive Behavior. *Herpetological Review*, 46, 229.
- McCranie, J. R. (2015) A checklist of the amphibians and reptiles of Honduras, with additions, comments on taxonomy, some recent taxonomic decisions, and areas of further studies needed. *Zootaxa*, 3931, 352–386.
- Mollov, I. A. (2010) Cases of Abnormal Amplexus in Anurans (Amphibia: Anura) from Bulgaria and Greece. *Biharean Biologist*, 4, 121–125.
- Müller, H. (2016) Heterospecific amplexus of a male *Tomopterna delalandii* with a dead *Sclerophrys cf. capensis* (Amphibia: Anura: Bufonidae and Pyxicephalidae). *Herpetology Notes*, 9, 283–284.
- Oliver-López, L., Woolrich-Peña, G. A. & Lemos-Espinal, J. A. (2009) *La familia Bufonidae en México*. UNAM, CONABIO. D. F. México.
- Reilly, S. B., Stubbs, A. L. & McGuire, J. A. (2016) *Papurana elberti* and *Duttaphrynus melanostictus* (Asian Common Toad). Interspecific Amplexus. *Herpetological Review*, 47, 114.
- Schalk, C. M. (2016) *Rhinella major* and *Rhinella schneideri* (Granular and Rococo Toad). Reproductive Behavior. *Herpetological Review*, 47, 120.
- Simović, A., Anderson, N., Andelković, M., Gvozdenović, S. & Dordević, S. (2014) Unusual amplexuses between anurans and caudates. *Herpetology Notes*, 7, 25–29.
- Sodré, D., Vilhena-Martins, A. A. & Vallinoto, M. (2014) Heterospecific amplexus between the frog *Leptodactylus macrosternum* (Anura: Leptodactylidae) and the toad *Rhinella cf. granulosa* (Anura: Bufonidae). *Herpetology Notes*, 7, 287–288.
- Streicher, J., Sheehy III, C. M., Cox, C. L., Reyes-Velasco, J. & Weatherman, G. N. (2010) *Smilisca baudinii* (Mexican Treefrog) and *Pachymedusa dacnicolor* (Mexican Leaf Frog). Reproduction. *Herpetological Review*, 41, 208.
- Torrescano-Valle, N. & Folan, W. J. (2015) Chapter 2, Physical Settings, Environmental History with an Outlook on Global Change. Pp. 9–37 In: G. A. Islebe, S. Calmé, J. L. León-Cortés & B. Schmook (Eds.), *Biodiversity and Conservation of the Yucatán Peninsula*. Springer International Publishing, Switzerland.
- Waterstrat, F. T., McIntyre, A. P., Hayes, M. P., Phillips, K. M. & Curry, T. R. (2008) *Ascaphus truei* (Coastal Tailed Frog). Atypical amplexus. *Herpetological Review*, 39, 458.
- Wells, K. D. (2007) *The Ecology and Behavior of Amphibians*. The University of Chicago Press. Chicago and London. 1400 pp.
- Wogel, H., Abrunhosa, P. A. & Pombal-Junior, J. P. (2005) Breeding Behaviour and Mating Success of *Phyllomedusa rohdei* (Anura, Hylidae) in South-eastern Brazil. *Journal of Natural History*, 39, 2035–2045.
- Yu, T. L. & Lu, X. (2013) Lack of male mate choice in the Minshan's toad (*Bufo gargarizans minshanicus*). *North-Western Journal of Zoology*, 9, 121–126.