



Revista Ciencias Técnicas Agropecuarias

ISSN: 1010-2760

ISSN: 2071-0054

Universidad Agraria de La Habana

Méndez Jurjo, Néstor; Brown Manrique, Oscar; Peña Casadevall, Manuel; Beltrán Pérez, Yaily
Impacts of Wind Pumping on Sprinkler Irrigation for Garlic Cultivation
Revista Ciencias Técnicas Agropecuarias, vol. 32, no. 1, 2023, pp. 1-5
Universidad Agraria de La Habana

Available in: <https://www.redalyc.org/articulo.oa?id=93274923005>

- ▶ How to cite
- ▶ Complete issue
- ▶ More information about this article
- ▶ Journal's webpage in redalyc.org

LUZEM redalyc.org

Scientific Information System Redalyc

Network of Scientific Journals from Latin America and the Caribbean, Spain and Portugal

Project academic non-profit, developed under the open access initiative

Impacts of Wind Pumping on Sprinkler Irrigation for Garlic Cultivation

Impactos del bombeo eólico en el riego por aspersión para el cultivo del ajo



<https://cu-id.com/2177/v32n1e05>

✉ Néstor Méndez Jurjo^{1*}, ✉ Oscar Brown Manrique¹, ✉ Manuel Peña Casadevall¹, ✉ Yaily Beltrán Pérez²

¹Universidad de Ciego de Ávila (UNICA), Ciego de Ávila, Cuba.

²Empresa Agroindustrial Azucarera Primero de Enero, Ciego de Ávila, Cuba.

ABSTRACT: In order to determine the economic-productive, energy and environmental impacts of wind pumping in sprinkler irrigation for garlic cultivation, the investigation was carried out at "La Cuchilla" farm during 2016-2017, 2017-2018 and 2018-2019 cycles. The mass of the bulbs was 27.47 g, 27.81 g and 27.70 g, respectively, to average 27.66 g and the diameter of the bulbs reached values of 3.92 g, 4.01 g and 3.85 g, respectively. The production volume was 231,400.00 pesos per hectare, the annual costs amounted to 18,929.77 pesos per hectare and the net benefit was 212470.23 pesos per hectare. The favorable production cost per peso of 0.08 cents with a value of 11.22 obtained in the Benefit-Cost ratio was much higher than the unit was. A multi-blade mill was utilized for pumping water instead of a LEPONO brand motorized pump, used by farmers in the region. It has a flow rate of 60 L min⁻¹, maximum head 70 m, turning speed 3400 rpm and current intensity consumed by the 11 A motor and allowed an energy saving of 27.66 kWh corresponding to 146.77 kg of CO₂ equivalent per hectare no longer emitted into the atmosphere.

Keywords: energy, wind pumping, atmosphere, sprinkling, benefit.

RESUMEN: Con el objetivo de determinar impactos económicos-productivos, energéticos y ambientales del bombeo eólico en el riego por aspersión para el cultivo del ajo se realizó la investigación en la Finca "La Cuchilla". La masa de los bulbos fue de 27,47 g; 27,81 g y 27,70 g respectivamente para promediar 27,66 g, el diámetro de los bulbos alcanzó valores de 3,92 g; 4,01 g y 3,85 g durante los ciclos 2016-2017, 2017-2018 y 2018-2019, el volumen de producción fue 231400,00 pesos por hectárea, Los costos anuales ascendieron a 18929,77 pesos por hectárea, el beneficio neto es de 212470,23 pesos por hectárea, el costo por peso de producción favorable de 0,08 centavos, se obtuvo un valor de 11,22 en la relación Beneficio - Costo, muy superior a la unidad. La utilización del molino multipala para el bombeo de agua en lugar de una motobomba de marca LEPONO, utilizada por campesinos de la región, con caudal de 60 L min⁻¹, carga máxima 70 m, velocidad de giro 3400 rpm, intensidad de la corriente que consume el motor 11 A, permitió un ahorro energético de 27,66 kWh, esto representa 146,77 kg de CO₂ equivalente por hectárea que se dejó de emitir a la atmósfera.

Palabras clave: energético, bombeo eólico, atmósfera, aspersión, beneficio.

INTRODUCTION

Wind energy has shown a certain superiority compared to traditional energy sources, which is why it is considered one of the most precious, clean, abundant, cheap, inexhaustible renewable energy sources that is also part of the environment (Chang, 2011). It is predicted that due to greenhouse gas emissions, an increase in global warming between 1.4 and 5.8 °C will be reached by the end of the century, for which all the economies and ecosystems of the world will suffer serious consequences, if the necessary measures to mitigate this problem are not taken (World Bank, 2013; Chou *et al.*, 2017). There is a worldwide interest in the protection of the

environment, the mitigation of the impact that man has generated on it and the rational use of natural resources. There is also a global benefit for encouraging the use of renewable energies as a means of reducing dependence on fossil fuels, mitigating additional risks, such as progressive pollution and the increase in greenhouse gases they generate (Tsai y Kuo, 2010; Gallego *et al.*, 2018). The energy sector is key to sustainable development, as well as in the fight against climate change (Correa *et al.*, 2016; Chou *et al.*, 2017). Based on the above, the objective of the work is to determine the economic-productive, energy and environmental impacts of wind pumping in sprinkler irrigation for garlic cultivation.

*Author for correspondence: Néstor Méndez Jurjo, e-mail: nestormj@unica.cu

Received: 02/02/2022

Accepted: 09/12/2022

with Creole clones. Regarding the diameter of the bulb, it is necessary to consider that it is an indicator that directly influences the quality of the product for marketing, food consumption and use as propagation material (Castellanos *et al.*, 2004; Diriba *et al.*, 2014).

In Figure 4, it is observed that in the three campaigns evaluated the crop yield reached values of 4.38 t ha⁻¹, 4.51 t ha⁻¹ and 4.46 t ha⁻¹, respectively, with an average of 4.45 t ha⁻¹. These yields were higher than the average reported in Cuba by Izquierdo & Gómez (2005) as well as Izquierdo & Gómez (2007), which was 2.0 t ha⁻¹.

Other authors such as García *et al.* (2014) reported higher yields of 6.41 t ha⁻¹, with the combined treatment of FitoMas E® + 300 kg of N ha⁻¹. In the southern area of Las Tunas, yields higher than 5 t ha⁻¹ were achieved with the use of different plant growth stimulants and in Sancti Spíritus, 6.81 t ha⁻¹ were achieved with the application of *Azospirillum brasilense* (González & Rodríguez, 2003)

The combined effect of the size of the bulbs, the planting season (temperature and photoperiod) and soil moisture, which must be maintained in the range of productive moisture throughout the cycle, are factors that favor yields in garlic cultivation (Muñoz *et al.*, 2010).

Analysis of Technical Economic Indices

Table 1 shows the fundamental results of the economic technical indices calculated for the wind system with a multi-blade mill for sprinkler irrigation in garlic cultivation. In it, it is observed that the production volume is 231,400.00 pesos per hectare, conditioned by the sale price of garlic with a value of 52.00 pesos per kilogram, according to the Ministry of Finance and Prices MFP-Cuba (2021).

The annual costs incurred amounted to 18,929.77 pesos per hectare due to the costs of workers' salaries, amortization of the system, water consumption, fertilizers, cultural activities and soil preparation, among others. A net benefit of 212,470.23 pesos per hectare was achieved with a very favorable production cost per peso of 0.08, which indicates that only eight cents must be spent to obtain a peso of product, at the level of one hectare.

The above explained shows that the wind system with a multi-blade mill for sprinkler irrigation in garlic cultivation is economically advantageous, achieving a value of 11.22 in the Benefit-Cost ratio, which is much higher than unity.

The use of the multi-blade mill for pumping water used instead of a LEPONO motorized pump, widely used by farmers in the region, has a flow rate of 60 L min⁻¹, maximum head of 70 m, turning speed of 3400 rpm, intensity of the current consumed by the motor of 11 A and voltage of the motor that feeds the pump of 110 V. It allowed an energy saving of




FIGURE 2. Mass of the bulbs.




FIGURE 3. Diameter of the bulbs.




FIGURE 4. Agricultural yield of the crop.

Table 1. Economic technical indices

Economic technical indices	Valor
V _p (\$/ha)	231400,00
C _a (\$/ha)	18929,77
B _n (\$/ha)	212470,23
C _{pp}	0,08
B/C > 1	11,22

27.66 kWh, corresponding to 146.77 kg of CO₂ equivalent per hectare that were no longer emitted into the atmosphere (Figure 5).

CONCLUSIONS

The improvement of energy efficiency in agriculture requires a transformation of the energy matrix based on the acceptance of renewable energies as an alternative, like wind energy as it is one of the most advantageous for wind pumping.

Favorable economic indices were achieved in terms of crop yield, production volume, net profit, cost per peso of production and cost-benefit ratio, which validate the effectiveness of the research. The satisfaction criteria offered by different companies and institutions demonstrate the scientific, technological and economic relevance of the results.

Energy saved with the use of this wind pumping system is 27.66 kWh, this represents 146.77 kg of CO₂ equivalent per hectare no longer emitted into the atmosphere.

REFERENCES

- CASTELLANOS, J.; VARGAS-TAPIA, P.; OJODEAGUA, J.; HOYOS, G.; ALCANTAR-GONZALEZ, G.; MÉNDEZ, F.; ALVAREZ-SÁNCHEZ, E.; GARDEA, A.: "Garlic productivity and profitability as affected by seed clove size, planting density and plantin method", *HortScience*, 39(6): 1272-1277, 2004, ISSN: 0018-5345.
- CHANG, T.P.: "Estimation of wind energy potential using different probability density functions", *Applied Energy*, 88(5): 1848-1856, 2011, ISSN: 0306-2619.
- CHARPENTIER, W.: *Cómo calcular el consumo eléctrico de una bomba de una piscina, [en línea]*, Puomotores, 2017, Disponible en: <https://www.puomotores.com/13074289/>.
- CHOU, R.R.; MARTÍNEZ, S.K.E.; RAMÍREZ, R.R.: "Energía eólica y aerogeneradores: estudio comparativo de diferentes variantes para el perfeccionamiento de las multiplicadoras", *Revista Universidad y Sociedad*, 9(4): 120-127, 2017, ISSN: 2218-3620.
- CORREA, A.P.F.; GONZÁLEZ, G.D.; PACHECO, A.J.G.: "Energías renovables y medio ambiente: su regulación jurídica en Ecuador", *Revista Universidad y Sociedad*, 8(3): 179-183, 2016, ISSN: 2218-3620.
- DIRIBA, S.G.; NIGUSSIE, D.R.; KEBEDE, W.; GETACHEW, T.: "Bulb quality of garlic (*Allium sativum* L.) as influenced by the application of inorganic fertilizers", *African Journal of Agricultural Research*, 9(8): 784-796, 2014, ISSN: 1991-637X.
- GALLEGO, L.Y.A.; ARIAS, G.R.; CASAS, F.F.; SOSA, P.R.: "Análisis de la implementación de un parque fotovoltaico en la Universidad Central de las Villas", *Ingeniería Energética*, 39(2): 82-90, 2018, ISSN: 1815-5901.
- GARCÍA, A.M.; MONTOYA, R.C.A.; BARROSO, F.C.L.; PÉREZ, D.C.A.; REYES, M.B.: "Reducción de la fertilización nitrogenada en el cultivo del ajo.", *Hombre, Ciencia y Tecnología*, 18(1): 58-67, 2014, ISSN: 1028-0871.
- GONZÁLEZ, R.L.; RODRÍGUEZ, N.I.: "Influencia de la aplicación de Azospirillum en el crecimiento y desarrollo del cultivo del ajo (*Allium sativum* L.)", *Revista Centro Agrícola*, 30(2): 111-117, 2003.
- IZQUIERDO, H.; GÓMEZ, O.: "«Martínez» un clon de ajo (*Allium sativum*, L.) de alta calidad fitosanitaria y buen potencial de rendimiento", *Cultivos Tropicales*, 26(2): 53, 2005.
- IZQUIERDO, H.; GÓMEZ, O.: "«Vietnamita», un clon de ajo (*Allium sativum* l.) de alta calidad fitosanitaria y buen potencial de rendimiento", *Cultivos Tropicales*, 28(1): 75, 2007, ISSN: 1819-4087.
- MFP-CUBA: *Resolución 84. Precios máximos de acopio centralizados y de compra de productos agropecuarios, [en línea]*, no. GOC-2021-356-EX29, Inst. Ministerio de Finanzas y precios (MFP), La Habana, Cuba, 2021, Disponible en: <https://www.gacetaoficial.gob.cu/es/resolucion-84-de-2021-de-ministerio-de-finanzas-y-precios>.
- MUÑOZ, L.; ALMAGUEL, L.; BENÍTEZ, M.; BRITO, G.; CÁCERES, I.; CASTELLANOS, J.; FRAGA, S.; GIL, J.; LÓPEZ, M.; PRATS, A.: "El cultivo y mejoramiento de la producción de ajo en Cuba", *Agricultura Orgánica*, 1: 18-21, 2010.
- PUPO-FERIA, C.; GONZÁLEZ-RAMÍREZ, G.; CARMENATE-FIGUEREDO, O.; PEÑAMOLINA, L.; PÉREZ-LEMES, V.; RODRÍGUEZ-OBRADOR, E.: "Respuesta del cultivo del ajo (*Allium sativum* L.) a la aplicación de dos bioproductos en las condiciones edafoclimáticas del centro este de la provincia Las Tunas, Cuba", *Cultivos Tropicales*, 37(4): 57-66, 2016, ISSN: 0258-5936.
- SECRETARÍA DE MEDIO AMBIENTE Y RECURSOS NATURALES-MÉXICO: *Aviso. Factor de emisión del Sistema Eléctrico Nacional 2020. Registro Nacional de Emisiones, [en línea]*, Secretaría de Medio Ambiente y Recursos Naturales, 2021, Disponible en: <https://www.gob.mx/semarnat>.




FIGURE 5. Relationship of energy saving and CO₂ not emitted into the atmosphere.

TSAI, W.T.; KUO, K.C.: "An analysis of power generation from municipal solid waste (MSW) incineration plants in Taiwan", *Energy*, 35(12): 4824-4830, 2010, ISSN: 0360-5442, DOI: <https://doi.org/10.1016/j.energy.2010.09.005>.

WORLD BANK: "Atlas of Global Development: A Visual Guide to the World's Greatest Challenges. Washington DC: Collins energías alternativas", *Geoenseñanza*, 7(1-2): 54-73, 2013.

Néstor Méndez Jurjo. Dr C., Departamento de Ingeniería Hidráulica. Universidad de Ciego de Ávila. UNICA, Ciego de Ávila, Cuba, e-mail: nestormj@unica.cu.

Oscar Brown Manrique. Dr C., Centro de Estudios Hidrotécnicos (CEH). Universidad de Ciego de Ávila. UNICA, Ciego de Ávila, Cuba, e-mail: obrown@unica.cu.

*Manuel Peña Casadevall*s. Dr C., Centro de Estudios Hidrotécnicos (CEH). Universidad de Ciego de Ávila, Ciego de Ávila, Cuba, UNICA, e-mail: casadevalls@unica.cu.

Yaily Beltrán Pérez. MSc., Especialista de Producción. Empresa Agroindustrial Azucarera Primero de Enero, Ciego de Ávila, Cuba, e-mail: yailybeltran@gmail.com.

The authors of this work declare no conflict of interests.

AUTHOR CONTRIBUTIONS: **Conceptualization:** N. Méndez. **Data Curation:** N.Méndez, O.Brown. **Formal Analysis:** N.Méndez, O.Brown, Y.Beltrán, M.Peña. **Investigation:** N.Méndez, O.Brown, Y.Beltrán, M.Peña. **Methodology:** N.Méndez, O.Brown, M.Peña. **Supervision:** N. Méndez. **Validation:** N.Méndez, O.Brown, M.Peña, Y.Beltrán. **Roles/Writing, original draft:** N. Méndez. **Writing, review & editing:** N.Méndez, O.Brown, Y.Beltrán, M.Peña,

This article is under license [Creative Commons Attribution-NonCommercial 4.0 International \(CC BY-NC 4.0\)](https://creativecommons.org/licenses/by-nc/4.0/)

The mention of commercial equipment marks, instruments or specific materials obeys identification purposes, there is not any promotional commitment related to them, neither for the authors nor for the editor.