

Boletín de la Sociedad Geológica Mexicana ISSN: 1405-3322 Sociedad Geológica Mexicana, A.C.

Pineda-Salgado, Gabriela; Quiroz-Barroso, Sara A.
Ichnology: modern and fossil evidence of biological activity
Boletín de la Sociedad Geológica Mexicana, vol. 70, no. 2, 2018, May-August, pp. 01-02
Sociedad Geológica Mexicana, A.C.

DOI: https://doi.org/10.18268/BSGM2018v70n2p1

Available in: https://www.redalyc.org/articulo.oa?id=94362562001



Complete issue

More information about this article

Journal's webpage in redalyc.org



Scientific Information System Redalyc

Network of Scientific Journals from Latin America and the Caribbean, Spain and Portugal

Project academic non-profit, developed under the open access initiative

Preface Ichnology: modern and fossil evidence of biological activity

Gabriela Pineda-Salgado, Sara A. Quiroz-Barroso

Gabriela Pineda-Salgado

pineda.salgado.g@gmail.com Instituto de Ciencias de la Tierra y Ambientales de La Pampa, Consejo Nacional de Investigaciones Científicas y Técnicas-Universidad Nacional de La Pampa, Mendoza 109, C.P. 6302 Santa Rosa, La Pampa, Argentina.

Sara A. Quiroz-Barroso

Departamento de Biología Evolutiva, Facultad de Ciencias, Universidad Nacional Autónoma de México. Av. Universidad 3000, Delegación Coyoacán, C.P. 04510 CDMX, Mexico.

Ichnology is a multidisciplinary science that studies the traces produced by organisms on and within the substrate (Minter et al., 2016). These traces have been studied and interpreted since the nineteenth century (see Baucon et al., 2012), later Adolf Seilacher (1953, 1964, 1967, 2007, 2008) laid the foundations of modern Ichnology and spurred a new impetus. This impulse showed the importance of the aforementioned discipline in solving problems such as facies analysis, paleoenvironmental reconstructions and sequence stratigraphy. In addition, Seilacher's support and inspiration for other colleagues elicited the inclusion of Ichnology in studies of Evolutionary Paleoecology. In Europe, the United States, Canada, Argentina, Brazil and Uruguay the importance of Ichnology has grown by leaps and bounds, whereas in the rest of the world it has only slightly developed. In Mexico, the study of vertebrate traces has received more attention. Nevertheless, this trend is changing as traces produced by invertebrates in continental and marine environments are being increasingly studied in more detail.

The idea of editing this special issue for the Boletín de la Sociedad Geológica Mexicana arose as a means to highlight: i) the approaches and tools for the study of different traces and their implications in areas such as Geology, Paleontology and Biology, ii) the Ichnology expansion in America, and iii) the state-of-the-art of the Mexican ichnological record. Therefore, the manuscripts included in this special issue can be grouped into Ichnotaxomony, Paleobiology and Paleoenvironments, and Techniques applied to Ichnology.

The Ichnotaxonomical contributions consist of: i) a revision of the ichnogenera *Camurichnus* and *Hamipes* based on the examination of their type specimens (Getty), ii) the reevaluation of dinosaur ichnites from the Neuquén Province in Argentina, as well as the description of *Candelerichnus candelei* ichnogen. nov. ichnosp. nov. (Calvo and Rivera), iii) the description of the oldest record of camel footprints in Mexico (Jiménez-Hidalgo and Guerrero-Arenas), and iv) the southernmost record of *Tetrapodosaurus* ichnogenera in North America (Rodríguez de la Rosa *et al.*).

Paleobiology and Paleoenvironment contributions include: i) the study of predation traces on Holocene gastropod shells from the Ar-

BOL. SOC. GEOL. MEX. 2018 VOL. 70 NO. 2 P. v – vi http://dx.doi.org/10.18268/BSGM2018v70n2p1 gentinian littoral (Gómez-Espinosa et al.), ii) the recognition of ichnoassociations that allow determination of the depositional environment of a Carboniferous formation in Oaxaca (Hernández-Ocaña and Quiroz-Barroso), iii) a case study of ichnopathology on mammalian paleoichnites from South America (Oliva and Arregui), and vi) the paleobiological implications of the camelid and felid trackways study from the Cenozoic of Puebla (Cabral-Perdomo et al.).

The group of papers that rely on techniques applied to Ichnology comprise the study of traces through different modeling methods and neoichnological approaches such as: i) photogrammetry for dinosaur tracks from Coahuila (Gudiño-Maussán *et al.*), ii) the use of morphometric analysis to study the variation of Eocene pupation chambers from Oaxaca (Guerrero-Arenas *et al.*), and iii) the neoichnological analysis of hermit crab trackways as a function of the scavenged mollusk shell they chose to inhabit (Larrañaga and Kruesi).

We are grateful to our colleagues and friends that contributed with the different papers herein presented, to the many referees for their critical reviews and suggestions that improved each manuscript, to the technical editorial team, and to the editor-in-chief, Antoni Camprubí, for his trustful support during the edition of this special issue.

References

Baucon, A., Bordy, E., Brustur, T., Buatois, L.A., Cunningham, T.J., De, C., Duffin, C., Felletu, F., Gaillard, C., Hu, B., Hu, L., Jensen, S., Knaust, D., Lockiey, M., Lowe, P., Mayor, A., Mayoral, E., Mikuláš, R., Muttoni, G., Neto de Carvalho, C., Pemberton, S.G., Pollard, J., Rindsberg, A.K., Santos, A., Seike, K., Song, H., Turner, S., Uchman, A., Wang, Y., Yi-ming, G., Zhang, L., Zhang, W., 2012, History of Ideas in Ichnology, *in* Kanust, D., Bromley, R. (eds.), Trace fossils as indicators of sedimentary environments: Oxford, Developments in Sedimentology 64, Elsevier, 3–44.

Minter, N.J., Buatois, L.A., Mángano, M.G., 2016, The conceptual and methodological tools of Ichnology, *in* Mángano, M.G., Buatois, L.A. (eds.), The trace-fossil record of major evolutionary events. Volume 1: Precambrian and Paleozoic: Springer, Netherlands, Topics in Geobiology, 39, 1–26.

Seilacher, A., 1953, Studien zur Palichnologie I. Über die Methoden der Palichnologie: Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen, 96, 421–452.

Seilacher, A., 1964, Biogenic sedimentary structures, *in* Imbrie, J., Newell, N.D. (eds.), Approaches to Paleoecology: United States of America, John Wiley & Sons, Inc., 296–313.

Seilacher, A., 1967, Bathymetry of trace fossils: Marine Geology, 5, 413–428.

Seilacher, A., 2007, Trace Fossil Analysis: Berlin, Springer, 226 p.

Seilacher, A., 2008, Fossil Art. An exhibition of the Geologisches Institut Tuebingen University Germany: Laasby, Denmark, CBM-Publishing, 97 p.