



Revista de Ingeniería

ISSN: 0121-4993

reingeri@uniandes.edu.co

Universidad de Los Andes

Colombia

Buja, Lawrence

CMIP5 Climate Simulations: Implications for Hydrology

Revista de Ingeniería, núm. 36, enero-junio, 2012, pp. 45-47

Universidad de Los Andes

Bogotá, Colombia

Disponible en: <http://www.redalyc.org/articulo.oa?id=121025826008>

- Cómo citar el artículo
- Número completo
- Más información del artículo
- Página de la revista en redalyc.org

redalyc.org

Sistema de Información Científica

Red de Revistas Científicas de América Latina, el Caribe, España y Portugal

Proyecto académico sin fines de lucro, desarrollado bajo la iniciativa de acceso abierto

CMIP5 Climate Simulations: Implications for Hydrology*

CMIP5 Simulaciones de clima: implicaciones para la hidrología

Lawrence Buja⁽¹⁾

⁽¹⁾ Director of the Climate Science and Applications Program (CSAP) at the National Center for Atmospheric Research (NCAR), Boulder, Colorado, southern@rap.ucar.edu

Recibido 3 de octubre 2012, modificado 19 de octubre de 2012, aprobado 7 de noviembre de 2012

Palabras claves

Adaptación, cambio climático, simulación climática, calentamiento global, vulnerabilidad.

Key words

Adaption, climate change, climate simulation, global warming, vulnerability.

Resumen

En este artículo se señala a través de las simulaciones climáticas del centro nacional de la investigación atmosférica (NCAR) que, para finales del s. XXI, habrá un incremento de la temperatura del 3.3°C y en algunas áreas hasta de 7-8 °C. Este cambio repercutirá sobre la producción agrícola y la mortalidad de los seres humanos. El nuevo enfoque que integra las ciencias sociales con las ciencias físicas busca manejar el problema de adaptación al cambio climático y, asimismo, influir en la toma de decisiones para afrontar la vulnerabilidad y los retos que impone la adaptación al cambio climático.

Abstract

This article points out through climate simulations from the National Center for Atmospheric Research (NCAR) that global warming will be increased by the end of the 21st century 3.3°C and in some areas as 7-8°C. This change will have an impact on agricultural production and human mortality. A new emphasis on the integration of social sciences with physical sciences will be fundamental to address the problem of climate adaptation; likewise, it will be important for decision-making to overcome the vulnerability and the challenges that brings a climate change.

INTRODUCTION

The effects of climate change on the hydrology and water resources are often evaluated using climate simulation models as part of the Coupled Model Intercomparison Project (CMIP). CMIP simulations carried out at the National Center for Atmospheric Research (NCAR) are used to analyze changes in projected temperature and precipitation means and extremes under different future emissions scenarios. These global climate simulations are used to study societal vulnerability and adaption options.

CLIMATE SIMULATIONS

The NCAR in Boulder Colorado is a Federally Funded Research and Development Center (FF RDC) that undertakes basic and applied research into atmospheric and related sciences. Founded in 1960 to support the University research community, NCAR consists of four laboratories, the Earth Observing Laboratory, the NCAR Earth System Laboratory (NESL), the Computational Information Systems Laboratory and the Research Applications Laboratory. Cross laboratory research programs are supported by the crosscutting Integrated Science Program.

One of the flagship activities of the NCAR Earth System Laboratory is the development of the application of open source global and regional climate models. The Community Earth System Model (CESM), NESL's global climate model, has been used to carry out past, present and future simulations of the earth's climate for the global Coupled Model into Comparison Project (CMIP). The CESM model is validated through careful comparison of how well it simulates the observed climate of the present and recent past. Figure 1 compares the simulations of the earth's globally averaged surface temperature over the past One of the flagship activities of

* Este artículo es el resultado de la ponencia de Lawrence Buja presentada en el foro "Hidrología de extremos y cambio climático", que se llevó a cabo en la Universidad de los Andes el día 28 de junio de 2012.



Jerry R. Stedinger. Foto: Roger Triana

terizing 4 to 5 complicated processes all at the same time and place, have proven to be more difficult to simulate accurately with a relatively spatial low resolution climate models. Consequently there is much less confidence in the precipitation simulated by climate models, and the results tend to be presented as broad climatic changes rather than specific changes to watersheds.

That said, the broad changes in future simulations can be summarized as an intensification of the hydrological cycle; when it is dryer, it gets dryer still, when is wetter, it gets wetter still, and their extremes are stronger.

With the release of the IPCC AR4, there was broad acceptance of the findings in industry government and the general public such that, almost overnight, the fundamental question that

society asks of climate science dramatically changed. Before 2007 (Climate 1.0), climate researchers focused on demonstrating that anthropogenic climate change was occurring. The tools to do this were a classic low resolution climate models that have been developed over the last 40 years. After 2007, (Climate 2.0) the question became what is the impact of this expected climate change on the coupled human natural system. This is a much harder question to answer requiring dramatic improvements to the existing climate tools, new approaches priorities and capabilities in bringing new collaborations and partners to the climate research community. To address this, NCAR is developing climate models with much higher time, space and process resolution, sophisticated methods for downscaling the climate model data to scales more relevant to decision-making, and specialized regional models to address phenomenon such as hurricanes, hydrology, chemistry and cropping.

There is also a new emphasis on the integration of social science with physical science to address the problem of climate adaptation. Effectively interfacing across physical climate science, social science, and political science requires integrative frameworks such as shown in figure 3. In this example, to assess the potential impacts of extreme heat events, the external drivers (green), the dimensions of vulnerabi-

lity: exposure sensitivity and adaptive capacity (blue) and the societal adaptations and responses (orange), all must be evaluated to understand the final impact on human mortality and morbidity (red). And all of these occur under changing policies, governance, decisions and future scenario. If only the physical science aspects, such as the temperatures or physical location, are considered (red circle), there is insufficient information to understand the final impact in the absence of the social science information (yellow circle). Only when both the physical and social science dimensions of the problem are considered will it be possible to understand the final human impact.

To transition from the experimental climate research to actionable information for decision-making a more formal process for “climate services” is required. Climate services are defined as “The timely reduction and delivery of useful climate data information and knowledge to decision-makers.” The goal is to develop issued climate products and processes that allow planners to make climate informed infrastructure decisions and move on with their real job, and to also stay out of court. Considerable effort is being made internationally via the World Meteorological Organization Global Framework for Climate Services and the International Conference on Climate Services programs.




Figure 3. Quantifying Societal Impacts to Climate and Weather Risks