Revista Mexicana de Astronomía y Astrofísica Revista Mexicana de Astronomía y Astrofísica

ISSN: 0185-1101

rmaa@astroscu.unam.mx

Instituto de Astronomía

México

Johnson, Joni J.; Harrison, Thomas E.; Osborne, Heather L.

Understanding CV secondaries and the energetics of Dwarf novae outbursts via parallaxes
Revista Mexicana de Astronomía y Astrofísica, vol. 20, julio, 2004, p. 248

Instituto de Astronomía

Distrito Federal, México

Available in: http://www.redalyc.org/articulo.oa?id=57120128



Complete issue

More information about this article

Journal's homepage in redalyc.org



Scientific Information System

Network of Scientific Journals from Latin America, the Caribbean, Spain and Portugal Non-profit academic project, developed under the open access initiative

UNDERSTANDING CV SECONDARIES AND THE ENERGETICS OF DWARF NOVAE OUTBURSTS VIA PARALLAXES

Joni J. Johnson, ¹ Thomas E. Harrison, ¹ and Heather L. Osborne ¹

We combine HST and ground-based parallaxes for cataclysmic variables (CVs) to examine their outburst energetics, as well as the nature of their secondary stars. Harrison et al. (2004) have recently published parallaxes for WZ Sge, YZ Cnc, and RU Peg, and have reanalyzed the HST parallaxes for U Gem, SS Aur, and SS Cvg. Combined with existing HST parallaxes for RW Tri (McArthur et al. 1999), TV Col (McArthur et al. 2001), EX Hya and V1223 Sgr (Beuermann et al. 2004a,b), ten high-quality parallaxes are available to constrain the various types of outbursts of CVs. In addition, Thorstensen (2003) has published ground-based parallaxes for fourteen CV systems.

In Fig. 1 we plot the inclination-corrected (see Harrison et al. 2004) absolute visual magnitudes during outburst for all of the CVs with parallaxes and that exhibit outbursts. The filled circles (HST) and squares (Thorstensen 2003) are the dwarf novae, including both the SS Cyg/U Gem-type and SU UMa-type systems (the latter are plotted at their "normal" outburst levels, except for WZ Sge, which only exhibits superoutbursts). We derive a new M_V - P_{orb} relationship of $M_V = 5.52 - 0.323 P_{orb}(hr)$. This should be compared with the relationship found by Warner (1995): $M_V = 5.74 - 0.259 P_{\rm orb}(hr)$. The steeper relationship we find is mostly due to our greater distances for U Gem, SS Cyg and RU Peg. In Fig. 1, we have plotted the positions of the nondwarf novae systems with open circles (EX Hya, TV Col, V1223 Sgr, and RW Tri). These four systems all exhibit infrequent outbursts of unknown origin. The fact that the rare outbursts of these systems are consistent with the relationship found for the dwarf novae suggests that the cause of their outbursts may have a similar origin.

One remarkable result from these new parallaxes is the calorimetry of the superoutbursts of WZ Sge. The existence of an $M_{\rm V}-P_{\rm orb}$ relationship suggests that during their normal outbursts, the accretion disks of all dwarf novae systems have similar




Fig. 1. The absolute visual outbursts magnitudes (M_V) versus orbital period $(P_{\rm orb})$ for CVs that exhibit outbursts. A least squares fit to the data is plotted as a solid line, while the old relationship from Warner (1995) is plotted as a dashed line.

radial temperature profiles. But during the superoutbursts of systems like WZ Sge, the radial temperature profile must be different (or an additional source of luminosity exists in the system). For example, the accretion disk of U Gem is expected to have $4.5\times$ the area of the disk of WZ Sge, yet during superoutbursts, WZ Sge is more luminous than U Gem! Additional high-precision parallaxes of CV systems covering the entire range in orbital period would be useful for examining the intrinsic range of dwarf novae outbursts.

REFERENCES

Beuermann, K., Harrison, T. E., McArthur, B. E., Benedict, G. F., & Gänsicke, B. T. 2003a, A&A in press
Beuermann, K., Harrison, T. E., McArthur, B. E., Benedict, G. F., & Gänsicke, B. T. 2003b, A&A submitted
Harrison, T. E., et al. 2004, AJ, in press January 2004
McArthur, B. E. et al. 1999, ApJ, 520, L59
McArthur, B. E. et al. 2001, ApJ, 560, 907
Thorstensen, J. R. 2003, astro-ph/0308516v1
Warner, B. 1995a, in Cataclysmic Variable Stars, (Cambridge University Press: Cambridge), p146

 $^{^1\}mathrm{New}$ Mexico State University, Box 30001/MSC4500, Las Cruces, NM 88003 USA.