

**Revista Mexicana de  
Astronomía y Astrofísica**

Revista Mexicana de Astronomía y Astrofísica

ISSN: 0185-1101

rmaa@astroscu.unam.mx

Instituto de Astronomía

México

Peñaloza, F.; Kurtev, R.; Borissova, J.; Bonatto, C.; Ivanov, V. D.; Artigau, E.; Folkes, S.; Geisler, D.;  
Minniti, D.; Lucas, P.; Sale, S.

VVV STUDY OF THE YOUNG MILKY WAY STAR CLUSTERS: MERCER35, 69 AND 70

Revista Mexicana de Astronomía y Astrofísica, vol. 40, 2011, p. 284

Instituto de Astronomía

Distrito Federal, México

Available in: <http://www.redalyc.org/articulo.oa?id=57121297155>

- How to cite
- Complete issue
- More information about this article
- Journal's homepage in redalyc.org

redalyc.org

Scientific Information System

Network of Scientific Journals from Latin America, the Caribbean, Spain and Portugal

Non-profit academic project, developed under the open access initiative

## VVV STUDY OF THE YOUNG MILKY WAY STAR CLUSTERS: MERCER 35, 69 AND 70

F. Peñaloza,<sup>1</sup> R. Kurtev,<sup>1</sup> J. Borissova,<sup>1</sup> C. Bonatto,<sup>2</sup> V. D. Ivanov,<sup>3</sup> E. Artigau,<sup>4</sup> S. Folkes,<sup>1</sup>  
D. Geisler,<sup>5</sup> D. Minniti,<sup>6</sup> P. Lucas,<sup>7</sup> and S. Sale<sup>1</sup>

We present here our first analysis of the young hidden clusters Mercer 35, 69 and 70 based on  $JHK_S$  photometry and near-IR spectroscopy, as part of our systematic study of the inner Milky Way cluster content.

Young massive clusters are usually deeply embedded in dust and gas. Wide-field infrared surveys are a modern tool for studying hidden clusters. “Vista variables in Vía Láctea - VVV” (Minniti et al. 2010) is an ESO/Chile/VISTA public deep near-IR survey, covering the Galactic Bulge and Southern Galactic disk where the star formation activity is high. VVV will take 1929 hours over the next five years covering around  $10^9$  point sources within an area of 520 sq deg, and is ideal for identifying and characterising such objects.

These results represent the latest step in our systematic study of the inner Milky Way cluster content (Borissova et al. 2003; Ivanov et al. 2002; Kurtev et al. 2007), based on VVV and SOFI/NTT  $JHK_S$  photometry and follow-up near-IR spectroscopy. In Table 1 and Figure 1a we summarise our CMD based photometric results, with the spectroscopic results given in Figure 1b.

These three investigated clusters are young ( $t \leq 10$  Myr), and follow-up spectroscopy of some of the brightest probable cluster members show characteristics of supergiant stars. In the Milky Way there are only a few known massive clusters in the red supergiant phase. It is possible that clusters once thought to be of relatively low mass may in fact prove to be quite massive on further investigation. Therefore, perhaps other massive clusters await identification amongst the known examples (Figure 1).

RK acknowledges support from Cento de Astrofísica de Valparaíso and DIPUV 23/2009. SF acknowledges funding support from the ESO-Government of Chile Mixed Committee 2009, and




Fig. 1. (a) CMDs of the target clusters: as observed (top), statistically decontaminated (bottom). (b) The brightest star of the cluster Mercer 35 (Mercer et al. 2005) shows a typical red supergiant spectrum. The best match is the M4.5 II star HD172380. Spectra obtained from OSIRIS on SOAR.

TABLE 1  
REDDENING AND CLUSTER POSITION

	Mercer 35	Mercer 69	Mercer 70
$E(J - K_S)$	$2.4 \pm 0.1$	$1.5 \pm 0.1$	$2.0 \pm 0.1$
$A_V$ (mag)	$15.1 \pm 0.5$	$9.5 \pm 0.5$	$12.8 \pm 0.5$
$(m - M)_0$	$14.0 \pm 0.5$	$13.4 \pm 0.5$	$13.0 \pm 0.5$
dSun (kpc)	$6.3 \pm 1.5$	$4.9 \pm 1.2$	$4.0 \pm 1.0$
dGC (kpc)	$6.8 \pm 1.1$	$4.5 \pm 0.9$	$5.0 \pm 0.8$
$x$ (kpc)	$-4.4 \pm 0.9$	$-3.8 \pm 1.0$	$-4.5 \pm 0.8$
$y$ (kpc)	$-5.2 \pm 1.2$	$-2.5 \pm 0.6$	$-2.0 \pm 0.5$
$z$ (pc)	$9 \pm 2$	$41 \pm 10$	$40 \pm 10$

All distances are assume  $R_0 = 8.00$  kpc.

from GEMINI Conicyt grant No. 32090014/2009. JB and SS are supported by MIDEPLAN ICM Nucleus P07-021-F. JB acknowledges support from FONDECYT No.1080086.

## REFERENCES

- Borissova, J., et al. 2003, A&A, 411, 83  
Ivanov, V. D., et al. 2002, A&A, 349, 1  
Kurtev, R., et al. 2007, A&A, 475, 209  
Mercer, E. P., et al. 2005, ApJ, 365, 560  
Minniti, D., et al. 2010, NewA, 15, 433

<sup>1</sup>Universidad de Valparaíso, Valparaíso, Chile.  
<sup>2</sup>Universidade Federal do Rio Grande do Sul, Brazil.  
<sup>3</sup>European Southern Observatory, Chile.  
<sup>4</sup>Université de Montréal, Canada.  
<sup>5</sup>Universidad de Concepción, Chile.  
<sup>6</sup>Pontificia Universidad Católica, Chile.  
<sup>7</sup>University of Hertfordshire, UK.