



Ciencia y Tecnología del Mar

ISSN: 0716-2006

cona@shoa.cl

Comité Oceanográfico Nacional

Chile

PEQUEÑO, GERMÁN; SÁEZ, SYLVIA; PIZARRO, GLORIA
ÍNDICE BIBLIOGRÁFICO SOBRE BIODIVERSIDAD ACUÁTICA DE CHILE: PECES OSEOS
(PISCES: OSTEICHTHYES)

Ciencia y Tecnología del Mar, vol. 32, núm. 2, 2009, pp. 119-213

Comité Oceanográfico Nacional

Valparaíso, Chile

Disponible en: <http://www.redalyc.org/articulo.oa?id=62416056006>

- Cómo citar el artículo
- Número completo
- Más información del artículo
- Página de la revista en redalyc.org

redalyc.org

Sistema de Información Científica

Red de Revistas Científicas de América Latina, el Caribe, España y Portugal

Proyecto académico sin fines de lucro, desarrollado bajo la iniciativa de acceso abierto

**ÍNDICE BIBLIOGRÁFICO SOBRE BIODIVERSIDAD ACUÁTICA DE CHILE:
PECES OSEOS (PISCES: OSTEICHTHYES)**

BIBLIOGRAPHIC INDEX ON CHILEAN AQUATIC BIODIVERSITY:
(PISCES: OSTEICHTHYES)

GERMÁN PEQUEÑO¹
SYLVIA SÁEZ¹
GLORIA PIZARRO²

¹Instituto de Zoología “Ernst F. Kilian”,
Universidad Austral de Chile.
Casilla 567, Valdivia, Chile
E-mail: gpequeno@uach.cl
²Librería Punto 4, Valdivia.

RESUMEN

Se presentan 1.812 referencias sobre taxonomía, sistemática y distribución geográfica de los peces óseos marinos y que siendo marinos penetran en estuarios de Chile. Se consideran peces de la costa de Chile en el continente sudamericano y también de las islas oceánicas chilenas.

Palabras claves: Peces, Chile, bibliografía, biodiversidad

ABSTRACT

One thousand eight hundred and twelve references on taxonomy, systematics and geographical distribution of marine bony fishes and those that being marine enter in estuaries of Chile are presented. The species considered are those from the Chilean continental coast and those from the Chilean oceanic islands.

Key words: Fishes, Chile, bibliography, biodiversity.

INTRODUCCIÓN

Actualmente, se podría decir que las especies conocidas de peces óseos de aguas marinas chilenas alcanzan un número cercano a las 1.050. Se supone que dada la falta de exploración, especialmente en el dominio marino, ese número debería aumentar. Pero, basta con lo señalado, para justificar la inclusión de un número de referencias bibliográficas no inferior al número de especies reconocidas, en una bibliografía sobre los peces de Chile. En la bibliografía que aquí se presenta, hay 1.812 referencias sobre taxonomía, sistemática y distribución geográfica de peces marinos de Chile (excluyendo aguas antárticas). Se incluyen también aquellas especies que, siendo marinas, penetran por los estuarios pudiendo incluso llegar hasta aguas totalmente limnéticas. Como referencia a las especies de peces de aguas dulces, sugerimos consultar a Ruiz *et al.* (2006)*.

La presente bibliografía incluye los trabajos hechos en taxonomía, sistemática y distribución geográfica de los peces marinos y aquellos que siendo marinos, incursionan en estuarios, considerando la costa de Chile que integra el continente sudamericano y aquella de las islas oceánicas. Puede observarse que se trata de un listado bastante restringido, pero que servirá al lector, en los aspectos científicos básicos señalados.

REFERENCIAS

- ABLE, K. W. 1990. A revision of Arctic snailfishes of the genus *Liparis* (Scorpaeniformes: Cyclopteridae). *Copeia*, 1990(2): 476-492.
- ABBOTT, C. C. 1861. Description of a new species of *Exocoetus*, from Chile. *Proc. Acad. Nat. Sci. Philadelphia*, 472-473.
- ABBOTT, J. F. 1861. The marine fishes of Peru. *Proc. Acad. Nat. Sci. Philadelphia*, 1899: 324-364.
- ABBOTT, J. F. 1899. Notes on Chilean fishes, with description of a new species of *Sebastodes*. *Proc. Acad. Nat. Sci. Philadelphia*, 1898: 475-477.
- ABRAMOV, A. A. 1988. A new *Epigonus* species (Perciformes, Epigonidae) from the southern Pacific. *J. Ichthyol.*, 28: 102-106.
- ACUÑA, E. 1986. El recurso mictófididos (Pisces, Myctophidae): antecedentes en aguas chilenas y marco de referencia para su investigación. En: P. Arana (ed.). *La Pesca en Chile*, Editorial Universitaria, Universidad Católica de Valparaíso, Santiago, pp. 3215-339.
- ACUÑA, E. 1986. Peces linterna (Familia Myctophidae) recolectados en el Estrecho Bransfield (SIBEX-Fase II, Chile). *Inst. Ant. Chil., Serie Científica*, 35: 11-124.
- ACUÑA, E. 1987. Distribution of Myctophid fishes in the eastern Pacific Ocean off Northern Chile (18° 30' S to 30° 30' S). *Biol. Pesq., Chile*, 16: 63-78.
- ADAM, G. 1945. La faune ichthyologique de l'île de Pâques. *Bull. Mus. Nat. Hist. Nat., Paris*, 2 serie, 17(5): 385-394.
- AGAFONOVA, T. B. 1994. Systematics and distribution of *Cubiceps* (Nomeidae) of the World ocean. *Vop. Ikhtiol.*, 45(5): 161-179.
- AGUAYO, H. M. 1986. Situation of the southern hake (*Merluccius australis*) off meridional Chile (43° S, 57° S) (Gadiformes, Merluccidae). *Invest. Pesq., Santiago*, 33: 3-11.
- AHLSTROM, E. H., K. AMAOKA, D. A. HENSLEY, H. G. MOSER & B. Y. SUMIDA. 1984. Pleuronectiformes: development. En: H. G. Moser, W. J. Richards, D. M. Cohen, M. P. Fahay, A. W. Kendall & S. L. Richardson (eds.). *Ontogeny and systematics of fishes*, Amer. Soc. Ichthyol. Herpetol., Spec. Publ., 1: 640-670.
- AHLSTROM, E. H. & O. BALL. 1954. Description of eggs and larvae of jack mackerel (*Trachurus symmetricus*) and distribution abundance of larvae in 1950 and 1951. *Fish. Bull. U.S.*, 56(97): 207-245.

* Ruiz, V. H., R. Figueroa & B. Neira. 2006. Índice bibliográfico de los peces de aguas continentales y estuarinas de Chile. *Boletín Sociedad de Biología de Concepción, Chile*, 77: 73-110.

- AHLSTROM, E. H., J. L. BUTLER & B. V. SUMIDA. 1976. Pelagic stromateoid fishes (Pisces, Perciformes) of the Eastern Pacific: kinds, distributions, and early life histories and observations of five of these from the Northwest Atlantic. *Bull. Mar. Sci.*, 26(3): 285-402.
- AHLSTROM, E. H. & R. C. COUNTS. 1958. Development and distribution of *Vinciguerria lucetia* and related species in the eastern Pacific. U. S. Fish Wildl. Serv., Fish Bull., 58: 363-416.
- AHLSTROM, E. H., H. GEOFFREY MOSER & M. J. O'TOOLE. 1976. Development and distribution of larvae and early juveniles of the commercial lanternfish, *Lampanyctodes hectoris* (Günther), off the west coast of Southern Africa with a discussion of phylogenetic relationships of the genus. *Bull. South. Cal. Acad. Sci.*, 75(2): 138-152.
- AHLSTROM, E. H., J. RICHARDS & S. H. WEITZMAN. 1984. Families, Gonostomidae, Sternoptychidae, and associated stomiiform groups: development and relationships. En: H. G. Moser *et al.* (eds.). *Ontogeny and systematics of fishes*. Am. Soc. Ichthyol. and Herp., Spec. Publ., (1): 184-198.
- ALAY, P., F. GONZÁLEZ. & J. CABELLO. 1993. Variabilidad genética en *Genypterus maculatus* (Tschudi, 1846) (Pisces: Ophidiiformes). *Rev. Biol. Mar., Valparaíso*, 28(2): 301-312.
- ALBERTI, V. 1963. Primera descripción para Chile de un ejemplar del género *Pseudopriacanthus*. *Inv. Zool. Chil.*, 10: 101-105.
- ALBERTI, V. 1966. Contribución al estudio de la distribución geográfica del género *Merluccius* en Chile. Tercer Encuentro Nac. de Geogr., Universidad Católica de Chile, Santiago, pp. 1-24.
- ALEMANY, F. & E. MASSUTI. 1998. First record of larval stages of *Coryphaena hippurus* (Pisces: Coriphaenidae) in the Mediterranean Sea. *Sci. Mar.*, 62 (1-2): 181-184.
- ALLEN, G. R. 1970. Two new species of frogfishes (Antennariidae), from Easter Island. *Pac. Sci.*, 24(4): 517-522.
- ALLEN, G. R. 1980. Butterfly and angelfishes of the world. Vol. II. Butterfly & Angelfishes World, pp. 149-352.
- ALLEN, G. R. 1984. Gobiesociformes: development and relationships. En: H. G. Moser *et al.* (eds.). *Ontogeny and systematics of fishes*. Am. Soc. Ichthyol. and Herp., Spec. Publ., (1): 629-636.
- ALLEN, G. R. 1985. Snappers of the world. An annotated and illustrated catalogue of lutjanid species known to date, FAO species catalogue. Vol. 6. FAO Fish. Synop., 125(6): 1-208.
- ALLEN, G. R., D. F. HOESE, J. R. PAXTON, J. E. RANDALL, B. C. RUSSELL, W. A. STARCK II, F. H. TALBOT & G. WHITLEY. 1976. Annotated checklist of the fishes of Lord Howe Island. *Recs. Austr. Mus.*, 30(15): 365-454.
- ALLEN, G. R. & J. MOYER. 1980. *Ellerkerdia wilsoni*, a new species of serranid fish from southwestern Australia. *Jap. J. Ichthyol.*, 26(4): 329-333.
- ALLEN, G. & J. RANDALL. 1990. *Hypoplectrodes cardinalis*, a new name for the serranid fish *H. ruber* (Allen) from Southwestern Australia, with discussion of *H. semicinctum* from Juan Fernández Islands. *Rev. fr. Aquariol.*, 17(2): 45-46.
- ALLEN, G. R. & F. H. TALBOT. 1985. Review of the snappers of the genus *Lutjanus* (Pisces: Lutjanidae) from Indo Pacific, with the description of a new species. *Indo Pac. Fishes*, 11: 1-87, pls. 1-10.
- ALLEN, G. R. & L. P. WOODS. 1980. A review of the damselfish genus *Stegastes* from the eastern Pacific with the description of a new species. *Rec. West. Aust. Mus.*, 8(2): 171-198.*
- ALVEAL, E. & V. RUÍZ. 1982. *Cubiceps gracilis* (Lowe, 1843). Primer registro de la

- especie para la fauna chilena (Perciformes: Nomeidae). Bol. Soc. Biol., Concepción, 53: 167-170.
- ALVEAL, E. & V. H. RUIZ. 1984. Un pez poco conocido en Chile: *Emmelichthys cyaneus* (Guichenot, 1848) (Perciformes: Emmelichthyidae). Bol. Soc. Biol. Concepción, 55: 167-170.
- AMAOKA, K. & N. V. PARIN. 1990. A new flounder, *Chascanopsetta megagnatha*, from the Salas y Gómez Submarine Ridge, eastern Pacific Ocean (Teleostei: Pleuronectiformes: Bothidae). Copeia, 1990(3): 717-722.
- AMAOKA, K., K. HOSHINO & N. V. PARIN. 1997. Description of a juvenile specimen of a rarely-caught, deep-sea species of *Samariscus* (Pleuronectiformes, Samaridae) from Salas y Gómez Submarine Ridge, eastern Pacific Ocean. Ichthyol. Res., 44(1): 92-96.
- ANDERSEN, N. C. 1984. Genera and Subfamilies of the Family *Nototheniidae* (Pisces: Perciformes) from the Antarctic and Subantarctic. Steenstrupia, 10(1): 1-34.
- ANDERSEN, N. C. & J. C. HUREAU. 1979. Proposition pour une nouvelle classification des Nototheniidae (Pisces, Perciformes, Nototheniidae). Cybium, 3 serie, 6: 47-53.
- ANDERSON, M. E. 1982. A new eelpout (Teleostei: Zoarcidae) from the eastern tropical Pacific Ocean. Biological results of the University of Miami Deep-Sea Expeditions. 136. Bull. Mar. Sci., 32(1): 207-212.
- ANDERSON, M. E. 1984. Zoarcidae: development and relationships. En: H. G. Moser et al. (eds.). Ontogeny and systematics of fishes. Am. Soc. Ichthyol. Herpetol. Spec. Publ., 1: 578-582.
- ANDERSON, M. E. 1984. On the anatomy and phylogeny of the Zoarcidae (Teleostei: Perciformes). Ph.D. thesis, College of William and Mary, Virginia. xix + 253 pp.
- ANDERSON, M. E. 1988. Studies on the Zoarcidae (Teleostei: Perciformes) of the Southern Hemisphere. II. Two new genera and a new species from temperate South America. Proc. Calif. Acad. Sci. (Ser. 4), 45(11): 267-276.
- ANDERSON, M. E. 1988. Biology of the Antarctic Seas 19. Studies on the Zoarcidae (Teleostei: Perciformes) of the Southern Hemisphere. I. The Antarctic and Subantarctic regions. Antarct. Res. Ser., 47: 59-113.
- ANDERSON, M. E. 1985. Family Zoarcidae. En: W. Fischer and J. C. Hureau (eds.). FAO Species Identification Sheets for Fishery purposes. Southern ocean (Fishing areas 48, 58 and 88) (CCAMLR Convention Area), 2: 396:399.
- ANDERSON, M. E. 1988. Studies on the Zoarcidae (Teleostei: Perciformes) of the Southern Hemisphere. II. Two new genera and a new species from temperate South America. Proc. Calif. Acad. Sci. (Ser. 4), 45(11): 267-276.
- ANDERSON, M. E. 1988. *Eucryphycus*, a new genus of *California* eelpout (Teleostei: Zoarcidae) based on *Maynea californica* Starks and Mann, 1911. Proc. Calif. Acad. Sci. (Ser. 4), 45(5): 89-96.
- ANDERSON, M. E. 1989. Records of rare eelpouts of the genus *Lycodapus* Gilbert in the North and southeastern Pacific Ocean, with an addition to the California marine fish fauna. Calif. Fish Game, 75(3): 148-154.
- ANDERSON, M. E. 1988. The eelpout genus *Pachycara* (Teleostei: Zoarcidae) in the Northeastern Pacific Ocean, with descriptions of two new species. Proc. Calif. Acad. Sci., 46 (3): 83-94.
- ANDERSON, E. 1989. Review of the eelpout genus *Pachycara* Zumager, 1911 (Teleostei: Zoarcidae), with descriptions of six new species. Proc. Calif. Acad. Sci., 46(10): 221-242.
- ANDERSON, M. E. 1989. Records of rare eelpouts of the genus *Lycodapus* Gilbert in the

- North and southeastern Pacific Ocean, with an addition to the California marine fish fauna. Calif. Fish and Game, 75(3): 148-154.
- ANDERSON, M. E. 1990. Studies on the Zoarcidae (Teleostei: Perciformes) of the Southern Hemisphere. III. The Southwestern Pacific. J. L. B. Smith. Inst. Ichthyol., Spec. Publ., 50: 1-17.
- ANDERSON, M. E. 1992. Studies on the Zoarcidae (Teleostei: Perciformes) of the Southern Hemisphere, VI, Review of the genus *Ophthalmolycus* Regan, 1913, with description of a new species from Chile. J. L. B. Smith Inst. Ichthyol., Special Publ. 53: 1-10.
- ANDERSON, M. E. 1994. Systematics and osteology of the Zoarcidae (Teleostei: Perciformes). J. L. B. Smith Inst. Ichthyol., Ichthyol. Bull., 60: 1-20.
- ANDERSON, M. E. 1994. Studies on the Zoarcidae (Teleostei: Perciformes) of the South Hemisphere. VII. A new species of *Dieidolycus* Anderson, 1988 from Bismark Sea. Rec. Australian Mus., 46: 121-124.
- ANDERSON, M. E. 1995. The eelpout genera *Lycenchelys* Gill and *Taranetzella* Andriashev (Teleostei: Zoarcidae) in the eastern Pacific, with descriptions of nine new species. Proc. Cal. Acad. Sci., 49: 55-113.
- ANDERSON, M. E. & H. BLUHM. 1997. Description of a new species of *Pachycara* Zugmayer, 1911 from the abyssal, South-Eastern Pacific and redescription of *P. thermophilum* Geistdoerfer, 1994, with a new key to the species. Trans. Roy. Soc. S. Afr., 51: 219-227.
- ANDERSON, M. E. & V. V. FEDOROV. 2004. Family Zoarcidae Swainson 1839. Eelpouts. Calif. Acad. Sci. Annotated Checklists of Fishes, 34: 1-58.
- ANDERSON, E. & A. E. GOSZTONYI. 1991. Studies on the Zoarcidae (Teleostei: Perciformes) of the Southern hemisphere. IV. New records and a new species from the Magellan Province of the South America. Ichthyol. Bull. J.L.B. Smith Inst. Ichthyol., 55: 1-16.
- ANDERSON, W. & P. HEEMSTRA. 1989. *Ellerkeldia* a junior synonym of *Hypoplectrodes*, with redescriptions of the type species of the genera (Pisces: Serranidae: Anthiinae). Proc. Biol. Soc. Washington, 102(2): 1001-1017.
- ANDERSON, M. E. & M. M. MINCARONE. 2006. Studies on the Zoarcidae (Teleostei: Perciformes) of the southern hemisphere. IX. A new specie of *Pachychara* from the southwestern Atlantic. Zoo-taxa, 1177: 21-26.
- ANDERSON, M. E. & A. PEDEN. 1988. The eelpout genus *Pachychara* (Teleostei: Perciformes) in the northeastern Pacific Ocean, with descriptions of two new species. Proc. Cal. Acad. Sci., 46(3): 83-94.
- ANDERSON, M. E. & G. PEQUEÑO. 1998. Studies on the Zoarcidae (Teleostei: Perciformes) of the Southern Hemisphere. VIII. A new species of the genus *Dieidolycus* from Tierra del Fuego. J. L. B. Smith. Inst. Ichthyol., Spec. Publ., 61: 1-5.
- ANDERSON, M. E. & D. TWEDDLE. 2002. A new species of *Physiculus* (Teleostei: Moridae) from the southeastern Atlantic. Arch. Fish. Mar. Res., 50(1): 17-22.
- ANDERSON, W. D., JR. 1981. A new species of Indo-west Pacific *Etelis* (Pisces: Lutjanidae), with comments on other species of the genus. Copeia, 1981(4): 820-825.
- ANDERSON, W. D., JR. 1987 Systematics of the fishes of the Family Lutjanidae (Perciformes: Percoidei), the Snappers. Pp: 1-31. Biology and fisheries management. En: J. J. Polovina and S. Ralston (eds.). Tropical snappers and groupers, 1-31, pl. 1-3.
- ANDERSON, W. D., JR. 1994. Comments on the systematics of the snappers, family Lutjanidae, with emphasis on the genera *Etelis*

- and Paracaesio. Proc. Fourth Indo-Pac. Fish Conference, Bangkok, Thailand: 317-326.
- ANDERSON, W. D., JR. & C. C. BALDWIN. 2002. *Plectranthias lamillai* Rojas and Pequeño, 1998: a junior synonym of *Plectranthias exsul* Heemstra and Anderson, 1983. *Copeia*, 2002(1): 233-238.
- ANDERSON, JR., W. D. & G. D. JOHNSON. 1984. A new species of *Callanthias* (Pisces: Perciformes: Percoidei: Callanthiidae) from the Southeastern Pacific Ocean. *Proc. Biol. Soc. Washington*, 97(4): 942-950.
- ANDERSON, W. D., JR. & J. E. RANDALL. 1991. A new species of the anthiine genus *Plectranthias* (Pisces: Serranidae) from the Salas y Gómez Ridge in the eastern South Pacific, with comments on *P. exsul*. *Proc. Biol. Soc. Washington*, 104(2): 335-343.
- ANDERSON, JR. W. D., N. V. PARIN & J. E. RANDALL. 1990. A new genus and species of anthiine fish (Pisces: Serranidae) from the eastern south Pacific, with comments on anthiine relationships. *Proc. Biol. Soc. Washington*, 103(4): 922-930.
- ANDRIASHEV, A. P. 1955. A new fish of the snailfish family (Pisces, Liparidae) found at a depth of more than 7 kilometers. *Trudy Inst. Okeanol. Akad. Nauk SSSR*, 12: 340-344.
- ANDRIASHEV, A. P. 1962. Biological results of the Soviet Antarctic Expedition (1955-1958). I. Bathypelagic fishes of the Antarctic. I. Family Myctophidae. *Acad. Sci. USSR Explor. Fauna Seas*, 1(9): 216-294.
- ANDRIASHEV, A. P. 1962. On the systematic position of the giant Nototheniid fish (Pisces, Nototheniidae) from the Mc Murdo Sound, Antarctic. *Biol. Zh.*, 61(7): 1.048-1.050.
- ANDRIASHEV, A. P. 1964. Ichthyological investigations of the Soviet Antarctic Expedition (1955-1958) and some problems of Antarctic biogeography. Soviet Antarctic Expedition. Information Bulletin, 1: 133-136, Elsevier Publishing Company, Amsterdam.
- ANDRIASHEV, A. P. 1965. A general review of the Antarctic fish fauna. En: Van Mieghem, J. y J. P. Van Oye (eds.). *Biogeography and Ecology in Antarctica*, Junk Publishers, The Hague. pp. 491-550.
- ANDRIASHEV, A. P. 1967. A review of the "beardfish" of the genus *Pogonophryne* (Pisces, Harpagiferidae) with a description of five new species from the east Antarctic and South Orkneys. *Isledovaniya Fauna Morei*, 12 (II).
- ANDRIASHEV, A. P. 1968. Review of the plunderfishes of genus *Pogonophryne* Regan (Harpagiferidae) with descriptions of five new species from the East Antarctic and South Orkney Islands. *Biol. Reps. Soviet Ant. Exped. (1955-1958)*, 3: 399-425 (Translated from Russian by Israel Program for Scientific Translations), Jerusalem.
- ANDRIASHEV, A. P. 1979. On the occurrence of fishes belonging to the families Zoarcidae and Liparidae off the Kerguelen Island. *Biol. Morya (Vladivostok)*, 1979(6): 28-34.
- ANDRIASHEV, A. P. 1980. On the deepest occurrence of a zoarcid fish (*Lycenchelys atacamensis* sp. n.) from the Atacama Trench. *Zool. Zhur.*, 49(7): 1105-1108.
- ANDRIASHEV, A. P. 1986. A general review of the Antarctic bottom fish fauna. *USSR Academy of Sciences, Proc. Zool. Inst., Leningrad*, 153: 9-45.
- ANDRIASHEV, A. P. 1986. Review of the snailfish genus *Paraliparis* (Scorpaeniformes: Liparididae) of the Southern Ocean. *Theses Zool.*, 7: i-iv + 1-204.
- ANDRIASHEV, A. P. 1990. Observations on the taxonomic status of the Antarctic species *Paraliparis edentatus* (Liparididae) and description of a new genus. *Vop. Ikhtiol.*, 30(2): 179-184.

- ANDRIASHEV, A. P. 1991. New species of the Patagonian liparid fishes of the genus *Careproctus* (Scorpaeniformes, Liparididae). Inform. Bull. Soc. Antarctic Exped., 116: 10-24 (En ruso).
- ANDRIASHEV, A. P. 1991. New species of liparidid fishes of the genus *Careproctus* (Scorpaeniformes, Liparididae) from Patagonia. Second Report. Vop. Ikhtiolog., 31(5): 707-116 (En Ruso, traducido en J. Ichthyol. 1992, 32(1):38-49).
- ANDRIASHEV, A. P. 1992. New and rare deep-sea snailfishes of the genera *Paraliparis* and *Genioliparis* from the western South Atlantic (Pisces, Scorpaeniformes: Liparidae). Zoosyst. Rossica, 1: 148-155.
- ANDRIASHEV, A. P. 1992. New species of patagonian Liparidid fishes of the genus *Careproctus* (Scorpaeniformes; Liparidae). Report 2. J. Ichthyol., 32(1): 38-49.
- ANDRIASHEV, A. P. 1994. Review of Liparidae (Scorpaeniformes) from subantarctic islands of the Indian Ocean, with a description of a new species of *Paraliparis*. Vop. Ikhtiolog., 34(3): 293-297. (En Ruso, traducido al inglés en J. Ichthyol. 34(8):1-9).
- ANDRIASHEV, A. P. 1997. On systematic position of the Chilean coastal liparids of the genus *Careproctus*, *C. pallidus* and *C. crassus*. J. Ichthyol., 37(1): 1-4.
- ANDRIASHEV, A. P. 1998. A new deep sea species of the *Careproctus* genus (Liparidae, Scorpaeniformes) from the Equatorial Region of the Atakama Trench (Chile). J. Ichthyol., 38(7): 541-542.
- ANDRIASHEV, A. P. 1998. A review of recent studies of Southern Ocean Liparidae (Teleostei: Scorpaeniformes). *Cybium*, 22(3): 255-266.
- ANDRIASHEV, A. P. 2003. Liparid fishes of the Southern Ocean and adjacent waters. Results of the Russian Antarctic Expeditions v. 9. Explorations of the Fauna of the Seas 53(61). Saint Petersburg. Liparids South. Ocean., 1-478.
- ANDRIASHEV, A. P. & N. V. CHERNOVA. 1997. Two new liparid fish species (Liparidae, Scorpaeniformes) from abyssal depths of the eastern North Atlantic. Vop. Ikhtiolog., 37(4): 437-443.
- ANDRIASHEV, A. P. & V. V. FEDOROV. 1986. On the first finding of fishes of the family Zoarcidae in New Zealand waters. Vop. Ikhtiolog., 26(1): 24-32 (en ruso).
- ANDRIASHEV, A. P. & V. P. PRIRODINA. 1990. A review of Antarctic species of the genus *Careproctus* (Liparidae) and notes on the carcinophilic species of this genus. J. Ichthyol., 30: 63-76.
- ANDRIASHEV, A. P. & D. L. STEIN. 1998. Review of the snailfish genus *Careproctus* (Liparidae, Scorpaeniformes) in Antarctic and adjacent waters. Contrib. Sci. (Los Angeles), 470: 1-63.
- ARAI, R. 1983. Karyological osteological approach to phylogenetic systematics of teleostiform fishes. Bull. Natl. Sci. Mus. Ser. A (Zool.), 9(4): 175-210.
- ARANA, P. 1970. Contribución a la taxonomía de la merluza, *Merluccius gayi*, Guich. Inv. Mar., Valparaíso, 1(9): 167-220.
- ARANA, P. 1970. Bibliografía sobre la merluza *Merluccius gayi*. Inv. Mar., 1(13): 321-346.
- ARANA, P. 1972. Revisión bibliográfica sobre el género *Merluccius*. Inv. Mar., 3(4-6): 51-172.
- ARANIS, A., R. C. MELÉNDEZ, G. PEQUEÑO & F. CERNA. 2007. *Sprattus fueguensis* en aguas interiores de Chiloé, Chile (Osteichthyes: Clupeiformes: Clupeidae). Gayana, 71(1): 102-113.
- ARTUZ, M. I. 1964. Contribution to the knowledge of the biology of the swordfish (*Xiphias gladius* L.) in the Sea of

- Marmara. Proc. Gen. Counc. Medit. (FAO), 7: 459-471.
- ARRATIA, G. & H. P. SCHULTZE. 1992. Reevaluation of the caudal skeleton of certain actinopterygian fishes: III. Salmonidae. Homologization of caudal skeletal structures. J. Morph., 214: 187-249.
- ASSIS, C. A. 2005. The utricular otoliths, lapilli, of teleosts: their morphology and relevance for species identification and systematics studies. Sci. Mar., 69(2): 259-273.
- ASTORGA, M. & R. GALLEGUILLOS. 1998. Divergencia genética de jureles del género *Trachurus* desde el Pacífico noroeste y suroeste. Rev. Biol. Mar. Oceanogr., 33(1): 155-161.
- BAHAMONDE, N. 1963. *Argyropelecus* en Chile (Teleostomi, Sternoptychidae). Rev. Univ., 48: 83-86.
- BAHAMONDE, N. 1963. Pez Luna (*Mola ramsayi*) en Chiloé. Not. Mens. Mus. Nac. Hist. Nat., Chile, 22: 3-20.
- BAHAMONDE, N. 1965. Islas Desventuradas. Not. Mens. Mus. Nac. Hist. Nat., Chile, 10(112): 1-5.
- BAHAMONDE, N. 1966. Islas Desventuradas. Mus. Nac. Hist. Nat. Chile. Serie Educacional, 6: 1-15.
- BAHAMONDE, N. 1980. Peces batipelágicos integran colecciones del Museo Nacional de Historia Natural. Not. Mens., Mus. Nac. Hist. Nat., Chile, 24(283-284): 10-11.
- BAHAMONDE, N. & G. ATRIA. 1966. Nuevo hallazgo de *Echeneis* (Remilegia) *australis* en Chile. Not. Mus. Nac. Hist. Nat. Santiago, 11(123): 3-5.
- BAHAMONDE, N. & C. CANCINO. 1953. Un ejemplar anómalo de *Calliclinus geniguttatus* (Valenciennes). Inv. Zool. Chil., 2: 11-13.
- BAHAMONDE, N. & G. PEQUEÑO. 1975. Peces de Chile. Lista Sistemática. Mus. Nac. Hist. Nat., Chile, Publ. Oc., 21: 1-20.
- BAILEY, R. M. 1951. The authorship of names proposed in Cuvier and Valenciennes "Histoire Naturelle des Poissons". Copeia, 3: 249-251.
- BAILEY, R. M., C. R. ROBINS & P. H. GREENWOOD. 1980. *Chromis* Cuvier in Desmarest, 1814 (Osteichthyes, Perciformes, Pomacanthidae): proposal to place on Official List of Generic Names in Zoology, and that generic names ending in -chromis by ruled to be masculine. Z.N.(S.) 2329. Bull. Zool. Nomencl., 37(pt 4): 247-255.
- BAIRD, R. C. 1971. The systematics, distribution and zoogeography of the marine hatchetfishes (Family Sternoptychidae). Bull. Mus. Comp. Zool., Harvard, 142(1): 1-128.
- BAIRD, R. C. & M. J. ECKARDT. 1972. Divergence and relationships in the deep-sea hatchetfishes (Sternoptychidae). Bull. Mus. Comp. Zool., 21(1): 80-90.
- BAKLE, I. & S. JOHANSEN. 2002. Characterization of mitochondrial ribosomal RNA genes in Gadiformes: sequences variations, secondary structural features and phylogenetic implications. Mol. Phylonet. Evol., 25(1): 87:100.
- BALBONTÍN, F. & M. C. ORELLANA. 1983. Description of the larvae of the lanternfish, *Hygophun bruuni*, from the area of Valparaíso, Chile (Pisces, Myctophidae). Rev. Biol. Mar., 19(2): 205-216.
- BALBONTÍN, F. & R. PÉREZ. 1980. Description of the larval stages of *Normanichthys crockeri* Clark (Perciformes, Normanichthyidae) in the Valparaíso area. Rev. Biol. Mar., Valparaíso, 17(1): 81-93.
- BALDWIN, C. C. 1990. Morphology of the larvae of American Anthiinae (Teleostei: Serranidae), with comments on relationships within the subfamily. Copeia, 1990(4): 913-955.

- BALDWIN, C. & G. D. JOHNSON. 1993. Phylogeny of the Epinephelinae (Teleostei: Serranidae). *Bull. Mar. Sci.*, 52(1): 240-283.
- BALUSHKIN, A. V. 1976. A review of the "larseni" group of species of the genus *Notothenia* Rich. *J. Ichthyol.*, 16(1): 1-12.
- BALUSHKIN, A. V. 1976. Studies on the species group "tessellata" of the genus *Notothenia* with description of a new subspecies *N. canina occidentalis*. *Zoogeography and Systematics of fishes*, pp. 113-117, Publ. Zool. Inst., Acad. Scs. USSR.
- BALUSHKIN, A. V. 1976. A brief review of Nototheniidae (*Notothenia*) and related genera. En: *Zoogeografiya i Sistematika ryb* (The Zoogeography and Systematics of Fishes), Nauka Press, Leningrad, pp. 118-139.
- BALUSHKIN, A. V. 1976. A short revision of notothenids (*Notothenia* Richardson and related species) from the family Notothenidae. Pp. 118-134. En: O. A. Skarlato (ed.). *Zoogeography and systematics of fish*. Akad. Nauk. USSR, Zool. Inst., Leningrad. Revision Notothenids: 1-195 (En ruso).
- BALUSHKIN, A. V. 1979. *Lindbergichthys* (Notothenidae)- a new generic name for *Lindbergia* Balushkin, 1976 non Riedel, 1959. *Vop. Ikhtiolog.*, 19(5): 930-931. (En ruso, traducido al inglés en *J. Ichthyol.*, 19(5): 144-151).
- BALUSHKIN, A. V. 1979. Mechanisms of topographic shift of the first dorsal fin in phylogenesis of nototheniids. En: *Third European congress*. Warszawa, pp. 8-9.
- BALUSHKIN, A. V. 1984. Morphological bases of the systematics and phylogeny of the nototheniid fish. *Acad. Sci. U.S.S.R. Zool. Inst.* 1984, pp. 1-140.
- BALUSHKIN, A. V. 1988. A new species of toad beardfish, *Pogonophryne curtilemma* sp. n. (Artedidraconidae), from western Antarctica. *J. Ichthyol.*, 28: 127-130.
- BALUSHKIN, A. V. 1990. Review of the Notothenias of the genus *Paranotothenia Balushkin* (Notothenidae) with description of a new species. *Vop. Iktiolog.*, 30(5): 752-763. (En Ruso, traducido al inglés en *J. Ichthyol.* 1991, 30(6): 132-147).
- BALUSHKIN, A. V. 1990. Morphological bases of the systematics and phylogeny of the nototheniid fishes. Rotterdam, A. A. Balke-ma, 153 pp.
- BALUSHKIN, A. V. 1991. Review of green notothenias, *Gobionotothen*, Balushkin (Nototheniidae) of the Antarctic and Subantarctic. *J. Ichthyol.*, 31(8): 42-55.
- BALUSHKIN, A. V. 1992. Classification, phylogenetic relationships, and origins of the families of the suborder Notothenioidei (Perciformes). *J. Ichthyol.*, 32(7): 90-110.
- BALUSHKIN, A. V. 1993. *Patagonotothen thompsoni* sp. n, a new Patagonian notothen from the Strait of Magellan, South America (Pisces, Perciformes, Nototheniidae). *Arch. Fischereiwiss.*, 41(3): 223-229.
- BALUSHKIN, A. V. 1996. Similarity of fish of the Family Channichthyidae (Notothenioidei, Perciformes) with remarks on the species composition of the Family and the description of a new species from the Kerguelen Islands. *J. Ichthyol.*, 36(1): 1-10.
- BALUSHKIN, A. V. 1996. Structure and evolution of the trunk lateral lines of the Notothenioidei (Perciformes). *J. Ichthyol.*, 36(6): 419-429.
- BALUSHKIN, A. V. & R. EAKIN. 1998. A new toad plunderfish *Pogonophryne fusca* sp. *nova* (Fam. Artedidraconidae: Notothenioidei) with notes on species composition and groups in the genus *Pogonophryne* Regan. *Vop. Ikhtiolog.*, 38(5): 598-603 (En Ruso, traducido en *J. Ichthyol.*, 38(8): 574-579).
- BALUSHKIN, A. V. & N. R. MERRETT. 1996. Reexamination of type specimens of *Notothenia ramsayi* Regan, 1913, (Nototheniidae; Perciformes) and the subdivision of

- them into two species: *Patagonotothen ram-sayi* (Regan, 1913) and *P. krefftii* (Balushkin and Stehmann, 1993). *J. Ichthyol.*, 36(7): 533-535.
- BALUSHKIN, A. V. & M. STEHMANN. 1993. Results of the research cruises of FRV "Walter Herwig" to South America. LXXII. *Patagonotothen krefftii* sp. n, a new Patagonian notothen from Burdwood Bank, western south Atlantic (Pisces, Perciformes, Nototheniidae). *Arch. für Fischereiwiss.*, 41: 211-221.
- BALUSHKIN, A. V. & E. A. TARAKONOV. 1987. Taxonomic status of *Pseudotrematomus centronotus* (Regan, 1914) (Nototheniidae). *J. Ichthyol.*, 27: 53-62.
- BANNIKOV, A. F. 1981. Systematics and origin of the Family Scombridae. *J. Ichthyol.*, 21(2): 1-9.
- BANNIKOV, A. F. & J. C. TYLER. 1995. Phylogenetic revision of the fish families Luvaridae and +Kushlukiidae (Acanthuroidei), with a new genus and two new species of Eocene luvarids. *Smithson. Contr. Paleobiol.* No. 81, p. i-iv + 1-45.*
- BARGELLONI, L., S. MARCATO, L. ZONE & T. PATARNELLO. 2000. Mitochondrial phylogeny of notothenioids: a molecular approach to Antarctic fish evolution and biogeography. *Syst. Biol.*, 49(1): 114-129.
- BARNETT, M. A. & R. H. GIBBS, JR. 1968. Four new stomiatooid fishes of the genus *Bathophilus*, with a revised key to the species of *Bathophilus*. *Copeia*, 1968(4): 826-832.
- BAUCHOT, M. L. 1963. Catalogue critique des types de poissons du Muséum National d'Histoire Naturelle. II.--Familles des Chaetodontidae, Scatophagidae, Toxotidae, Monodactylidae, Ehippidae, Scorpidae, Pemppheridae, Kyphosidae, Girellidae. *Publ. Mus. Natl. Hist. Nat.*, 20: 115-195.
- BAUCHOT-BOUTIN, M.-L. 1953. Révision synoptique du genre *Serrivomer* (Anguilliformes). *Bull. Mus. Natl. Hist. Nat. (Sér. 2)* 25(4): 365-367.
- BAUCHOT, M.-L. & M. BLANC. 1961. Catalogue critique des types de poissons du Scombroidei (Poissons Téléostéens perciformes) des collections du Muséum National d'Histoire Naturelle de Paris. *Bull. Mus. Natl. Hist. Nat. (Sér. 2)*, 33(4): 369-379.
- BAUCHOT, M.-L. & M. DESOUTTER. 1987. Catalogue critique des types de poissons du Muséum national d'Histoire naturelle. (Suite) (Famille des Sciaenidae). *Bull. Mus. Nat. Hist. Nat. Ser. 4, Sect. A*, 9(3, suppl.): 1-43.
- BAUCHOT, M.-L., M. DESOUTTER & G. R. ALLEN. 1981. Catalogue critique des types de poissons du Muséum national d'Histoire naturelle. (Suite) (Famille des Lutjanidae). *Bull. Mus. Nat. Hist. Nat. Ser. 4, Sect. A v. 3, suppl.*, pp. 1-51.
- BAYLIFF, W. H. 1959. Notes on the taxonomy and distribution of certain zoarcid fishes in the northeastern Pacific. *Copeia*, 1959(1): 78-80.
- BAYLIFF, W. H. 1980. Sinopsis sobre los datos biológicos de ocho especies de Scombridae. *Rev. Com. Perm. Pacif. Sur*, 11(3-4):3-311.
- BÉAREZ, P., H. TREVIÑO & M. ZAMBRANO. 2002. Primer registro para el sur del Perú de *Rhynchoconger nitens* (Jordan & Bollman 1890) (Teleostei: Congridae). ¿Un caso de dispersión larvaria relacionada con El Niño?. *Rev. Biol. Mar. Oceanogr.*, 37(1): 1-8.
- BECKER, V. E. 1963. New data on the Lantern fish genera *Electrona* and *Protomyctophum* (Pisces, Myctophidae) of the Southern Hemisphere. *Vop. Ikhtiol.*, 3(1): 15-28.
- BECKER, V. E. 1963. Taxonomy and distribution of *Tarletonbeania crenularis* (Myctophidae, Pisces). *Trudy Institute Okeanologia, Academy of Sciences USSR*, 62: 145-163. (en Ruso).
- BECKER, V. E. 1964. Slendertailed myctophids genera *Loweina*, *Tarletonbeania*, *Go-*

- nichthys* and *Centrobranchus* of the Pacific and Indian Oceans. Systematics and Distribution. Trudy Institute of Oceanology, Academy of Sciences USSR., 73: 11-75.
- BECKER, V. E. 1964. On the temperate-cold water complex of myctophids (Myctophidae, Pisces). Okeanol., 4(3): 469-475. (en Ruso).
- BECKER, V. E. 1965. Myctophids of the genus *Hygophum*, systematics and distribution. Trudy Institute of Oceanology, Academy of Sciences USSR., 80: 62-105.
- BECKER, V. E. 1967. Luminiscent anchovies: Family Myctophidae. pp. 145-181, En: T. S. Rass (ed.). Biology of the Pacific Ocean 2 (7) Book III (en Ruso).
- BECKER, V. E. 1978. New species of lanternfish genus *Bolinichthys* (Myctophidae, Osteichthyes) from the South Pacific Ocean. Trudy Inst. Okeanol. Akad. Nauk SSSR v. 111, pp. 259-264.
- BECKER, V. E. 1992. Benthopelagic fishes of the genera *Idiolychnus* and *Diaphus* (Myctophidae) from the eastern South Pacific Ocean, with the description of two new species. Vop. Ikhtiolog. 32(6): 3-10. (En Ruso, traducido al inglés en J. Ichthyol. 1993, 33 (3): 20-29).
- BECKER, V. E. & O. D. BORODULINA. 1968. Lantern fishes of the genus *Ceratocopelus* Gunther. Systematics and Distribution. Vop. Ikhtiolog., 8(5): 779-798.
- BECKER, V. E. & O. D. BORODULINA. 1971. New species of lanternfishes of the genus *Myctophum* (Myctophidae, Pisces). Vop. Ikhtiolog., 11(3): 418-426. (En Ruso, traducido al inglés en J. Ichthyol. 11(3): 329-336).
- BECKER, V. E. & Y. N. SHCHERBACHEV. 1990. Benthopelagic species of the families Neoscopelidae and Myctophidae from the Indian Ocean, with a description of a new species of *Diaphus*. Vop. Ikhtiolog., 30(5): 845-855.
- BEEBE, W. 1938. Eastern Pacific Expeditions of the New York Zoological Society. 14. Introduction, etc. Zaca Expedition 1937-38. Zool. N.Y., 23(14): 287-298.
- BEEBE, W. & J. CRANE. 1936. Deep-sea fishes of Bermuda Oceanographic Expeditions. Family Serrivomeridae. Part I, Genus Serrivomer. Zool. N.Y. 20: 53-102, 42 figs.
- BEEBE, W. & J. CRANE. 1937. Deep-sea fishes of Bermuda Oceanographic Expeditions. Family Nemichthyidae. Zool. N.Y., 22(27): 349-382, 22 figs.
- BEEBE, W. & J. CRANE. 1947. Eastern Pacific Expeditions of the New York Zoological Society. 37. Deep-sea ceartoid fishes, Zool. N.Y., 31(4): 151-182.
- BEEBE, W. & M. VANDER PYL. 1944. Eastern Pacific Expeditions of the New York Zoological Society. 33. Pacific Myctophidae (Fishes), 29(9): 59-95.
- BELLISIO, N. B. 1964. Peces antárticos del sector argentino (Parte I) Taxonomía y Biología de *Chaenocephalus aceratus* y *Notothenia neglecta* de Orcadas del Sur. Serv. Hidrogr. Naval H900, 82 pp.
- BELLWOOD, D. R. 1994. A phylogenetic study of the parrotfishes family Scaridae (Pisces: Labroidei), with a revision of genera. Rec. Aust. Mus., Suppl. 20: 1-86.
- BELLWOOD, D. R., L. van Herwerden & N. Know. 2004. Evolution and biogeography of marine anglerfishes (Pisces: Pomacanthidae). Mol. Phylog. Evolut., 33: 140-155.
- BENIGNUS, S. 1912. In Chile, Patagonien und auf Feuerland: Ergebnisse, mehrjähriger Reisen und Studien, Berlin, 360 pp. (Fisches pp. 356-362).
- BENTIVEGNA, F. & G. FIORITO. 1983. Numerical taxonomic techniques confirm the validity of two genera in Trachinidae. Cybium, (Ser. 3) 7(4): 51-56.

- BENNETT, E. T. 1835. Character of a species of *Acanthurus*. Proc. Zool. Soc. Lond., 119.
- BÖHLKE, E. B. 1984. Catalogue of type specimens in the ichthyological collection of the Academy of Natural Sciences of Philadelphia. Spec. Publs. Acad. Nat. Sci. Philadelphia, (14):1-246.
- BÖHLKE, J. E. & J. E. RANDALL. 1968. A key to the shallow-water west Atlantic cardinalfishes (Apogonidae), with descriptions of five new species. Proc. Acad. Nat. Sci. Philadelphia, 120(4): 175-206.
- BERENDZEN, P. B. & W. W. DIMMICK. 2002. Phylogenetic relationships of Pleuronectiformes based on molecular evidence. Copeia 2002 (3): 642-652.
- BERRY, F. H. 1964. Review and emendation of: Family Clupeidae. Copeia, (4): 720-30 (clupeoid volume of FWNA dated 1 March 1964).
- BERRY, F. H. & L. E. VOGELE. 1961. Filefishes (Monacanthidae) of the Western North Atlantic. Fish. Bull., 181: 61-109.
- BERRY, F. H. & W. J. BALDWIN. 1966. Triggerfishes (Balistidae) of the Eastern Pacific. Proc. Cal. Acad. Sci., 34(9): 429-272.
- BERRY, F. H., W. F. SMITH-VANIZ & J. B. MOBERLY. 1981. Identification of trevallies or crevalles (genus *Caranx*) of the Indian and Pacific Oceans. Int. Game Fish Assoc., Spec. Public., 4 pp., Florida.
- BERTELTSEN, E. 1951. The Ceratioid Fishes. Ontogeny, taxonomy, distribution and biology. Dana Rep., 39: 1-281.
- BERTELTSEN, E. & D. B. GROBECKER. 1980. A new species of the ceratioid anglerfish genus *Oneirodes* (Pisces: Lophiiformes) from the eastern North Atlantic. Arch. Fischwiss., 31(2): 63-66.
- BERTELTSEN, E. & G. KREFFT. 1988. The ceratioid family Himantolophidae (Pisces: Lophiiformes). Steenstrupia, 14(2): 9-89.
- BERTELTSEN, E., G. KREFFT & N. B. MARSHALL. 1976. The fishes of the family Notosudidae. Dana Report, 86: 1-114, 1 pl.
- BERTELTSEN, E., T. W. PIETSCH & R. J. LAVENBERG. 1981. Ceratioid anglerfishes of the family Gigantactinidae: Morphology, systematics and distribution. Contr. Sci., 332: VI + 1-74.
- BERTIN, L. 1937. Les poissons abyssaux du genre *Cyema* Günther (Anatomie, Embryologie, Bionomie). Dana Rep. 10: 30 pp., 24 figs.
- BILECENOGLU, M., E. TASKAVAK & K. BOGAÇ KUNT. 2002. Range extension of three lessepsian migrant fish (*Fistularia commersoni*, *Sphyræna flavicauda*, *Lagocephalus suezensis*) in the Mediterranean Sea. J. Mar. Biol. Assoc. U. K., 82: 525-526.
- BINI, G. 1952. Osservazioni sulla fauna marina della costa del Chile e del Perù con speciale riguardo alla specie ittiche in generale ed ai tonni in particolare. Boll. Pesca Pisc. e Hidrobiol. (nueva serie), 1: 11-60, 27 figs., 2 láms.
- BINI, G. & E. TORTONESE. 1955. Missione sperimentale di pesca nel Cile en el Perú. Pesci marini peruviani. Boll. Pesca, Pisc. e Hidrobiol. (nueva serie), fasc 2: 151-185, 9 figs., 1 lám.
- BLANC, M. & J. C. HUREAU. 1962. Catalogue des types des Poissons de la Famille des Nototheniidae, en collection au Muséum National d' Histoire Naturelle. Bull. Mus. Hist. Nat. Paris, Ser. 2, 34: 5-342.
- BLEEKER, P. 1861. Notice sur le genre *Trachinus* (Artedi) et ses espèces. Ann. Sci. Nat., Paris (Zool.), (Sér. 4) 16: 375-382.
- BLEEKER, P. 1973. Révision des especes indo-archipélagiques du genre *Myripristis*. Ned. Tijdschr. Dierk., 4: 178-197.
- BLEEKER, P. 1873. Révision des espèces indo-archipélagiques des genres *Lutjanus* et *Aprion*. Versl. Akad. Amsterdam, 13: 1-102.

- BLOCH, M. E. 1793. Naturgeschichte der ausländischen Fische. Berlín, 7: 144 p., 36 pl.
- BLOCH, M. E. 1795. Naturgeschichte der ausländischen Fische. Berlín, 9: 192 p., 36 pl.
- BLOCH, M. E. & J. G. SCHNEIDER. 1801. Systema ichthyologiae iconibus ex illustratum. Post obitum auctoris opus inchoatum absolvit, correxit, interpolavit. J. G. Schneider, Saxo, Berolini, 584 p., 110 pl.
- BÖHLKE, J. E. 1953. A catalogue of the type specimens of recent fishes in the Natural Musseum of Standford University. Stanford Ichthyol. Bull., 5(1): 1-168.
- BÖHLKE, J. E. 1974. Description of a new genus and species of clinid fish from the Western caribbean, with comments on the families of the Blennioidea. Proc. Acad.Nat. Sci. Philadelphia, 126(1): 1-8.
- BOLING, R. 1940. A redescription of *Luvarus imperialis* Rafinesque based a specimen from Monterey, California. Cal. Fish and Game, 26(3): 282-284.
- BONATERRE, J. P. 1788. Ichthyolojje. Tableau Encyclopédique et Methodique des trois. Regnes de la Nature, Paris, iv + 215 p., pl. A-B + 1-100.
- BOND, C. E. & T. UYENO. 1981. Remarkable changes in the vertebrae of perciform fish *Scombrolabrax* with notes on its anatomy and systematics. Jap. J. Ichthyol., 28: 259-262.
- BORODULINA, O. D. 1977. A new species of hatchetfish, *Sternoptyx pseudodiaphana* Borodulina (Sternoptychidae, Osteichthyes) from the waters of the Southern Hemisphere. Vop. Ikhti., 17(5): 938-941.
- BORODULINA, O. D. 1978. Materials on the systematics and distribution of the oceanic hatchet fishes genera *Argyropelecus* and *Sternoptyx* (Sternoptychidae, Osteichthyes). Trudy Inst. Oceanogr. SSSR, 111: 28-60.
- BORODULINA, O. D. 1981. On a new species of the genus *Polyipnus* – *Polyipnus inermis* Borodulina (Sternoptychidae) from the Southeast Pacific Ocean. Vop. Ikhti., 21(3): 556-558.
- BORODULINA, C. D. 1981. *Polyipnus inermis* (Sternoptychidae) a new species from the South Eastern Pacific. J. Ichthyol., 21(5): 122-124.
- BOESEMAN, M. 1962. The types of Trichiuridae and Gempylidae in the Leiden Museum. J. Mar. Biol. Assoc. India, 4(2): 214-216.*
- BOUGAINVILLE, L. A. de 1771. Voyage autour de monde, par ... La Boudese, et... l'Etoile; en 1766, 1767, 1768 et 1769. Paris, 4, VII + 417 pp., 3pls., 20 maps.
- BOULENGER, G. A. 1894. Les perches des eaux douces du Chili. Act. Soc. Cient. Chile, 4: 9-17.
- BOULENGER, G. A. 1899. On the South Pacific fishes of the genus *Callanthias*. An. Mag. Nat. Hist., Ser. VII, 3: 346-347.
- BOULENGER, G. A. 1901. Notes on the classification of teleostean fishes. I. On the Trachinidae and their allies. An. Mag. Nat. Hist., Ser. VII, 8: 261-271.
- BOULENGER, G. A. 1902. Pisces. Report on the collection of Natural History Antarc. Reg. Voy. "Southern Cross", 174-189, láms. 11-18. London.
- BOULENGER, G. A. 1902. Notes on the classification of Teleostean fishes, II. On the Berycidae. Ann. Mag. Nat. Hist., 7(9): 197-204.
- BOULENGER, G. A. 1904. A synopsis of the suborders and families of Teleostean fishes. Ann. Mag. Nat. Hist., Ser 7 13: 161-189.
- BOURRET, P. 1985. Poissons téléostéens: Gonnostomatidae, Sternoptychidae, et Myctophidae (MUSORSTOM II). Mem. Mus. Natl. Hist. Nat. (N. S.) (Ser. A) Zool., 133: 55-82.

- BOWEN, B. W., A. L. BASS, L. A. ROCHA, W. S. GRANT & D. R. ROBERTSON. 2001. Phylogeography of the trumpetfishes (*Aulostomus*): ring species complex on a global scale. *Evol.*, 55(5): 1029-1039.
- BRADBURY, M. G. 1962. Lectotypes of species of Ogcocephalidae selected from syntypes in the Museum of Comparative Zoology. *Breviora*, 166: 1-4.
- BRADBURY, M. 1967. The Genera of Batfishes (Family Ogcocephalidae). *Copeia*, 1967 (2): 399-422.
- BRADBURY, M. 1980. A revision of the fish genus *Ogcocephalus* with descriptions of new species from the Western Atlantic Ocean (Ogcocephalidae, Lophiiformes). *Proc. Cal. Acad. Sci.*, 42(7): 229-285.
- BRANDHORST, W., M. CARREÑO & O. ROJAS. 1965. El número de vértebras de la anchoveta (*Engraulis ringens* Jenyns) y otras especies de la superfamilia Clupeoidei en aguas chilenas. *IFOP. Bol.*, 1: 1-16.
- BRAUER, A. 1906. Die Tiefsee-Fische, I Systematischer Teil, In: Wissenschaftliche Ergebnisse der Deutschen Tiefsee-Expedition "Valdivia", 1898-1899. Jena. Tiefsee-Fische, 15(1): 1-432, pls. 1-18.
- BRAUER, A. 1908. Die Tiefsee-Fische. II Anatomischer Teil. *Ibid.* Jena, Verlag von Gustav Fischer., 15(2): 1-266 pp.
- BRAVO, R., D. LLORIS, G. PEQUEÑO & J. RUCABADO. 1999. Revisión de las distintas especies del género *Bovichtus* (Perciformes, Bovichtidae) citadas para el cono sur americano y península Antártica. *Rev. Biol. Mar. Oceanogr.*, 34 (2): 123-138.
- BREDER, C. M., JR. & J. T. NICHOLS. 1930. West Indian forms of the flying fish, genus *Cypselurus*, with the description of a new species. *Am. Mus. Novit.* 417: 1-9.
- BREWER, C. D. 1973. Midwater fishes from the Gulf of California and the adjacent Eastern Tropical Pacific. *Contr. Sci.*, 242: 1-47.
- BRIGGS, J. C. 1951. A review of the clingfishes (Gobiesocidae) of the eastern Pacific with descriptions of new species. *Proc. Calif. Zool. Club*, 1(11): 57-108.
- BRIGGS, J. C. 1955. A monograph on the clingfishes (Orden Xenopterygii). *Stanford Ichthyol. Bull.*, 6: 3-224.
- BRIGGS, J. C. 1956. Notes on the triglid fishes of the genus *Prionotus*. *Q. J. Fla. Acad. Sci.*, 19(2-3): 99-103.
- BRIGGS, J. C. 1961. The East Pacific barrier and the distribution of shore fishes. *Evol.*, 15: 545-554.
- BRIGGS, J. C. 1979. Ostariophysan zoogeography: an alternative hypothesis. *Copeia*, 1979(1): 111-118.
- BRITO, J. L. 2003. Nuevos registros de *Balistes polylepis* (Balistidae), *Sphoeroides lobatus* (Tetraodontidae), *Mola mola* y *M. ramsayi* (Molidae) en San Antonio, Chile (Pisces, Tetraodontiformes). *Inv. Mar., Valparaíso*, 31(1): 77-83.
- BRITZ, R. & G. D. JOHNSON. 2005. Occipito vertebral fusion in Ocean Sunfishes (Teleostei: Tetraodontiformes: Molidae) and its phylogenetic implications. *J. Morph.*, 266: 74-79.
- BRUCE, R. W. & J. E. RANDALL. 1985. Revision of the Indo-Pacific parrotfish genera *Calotomus* and *Leptoscarus*. *Indo-Pac. Fishes*, 5: 1-32.
- BRUUN, A. F. 1933. On the value of the number of vertebrae in the classification of the Exocoetidae. *Vidensk. Medd. Dansk Naturh. Foren. Kjøbenhavn*, 94: 375-384.
- BRUUN, A. F. 1934. Notes on the Linnaean type-specimens of flying-fishes (Exocoetidae). *J. Linn. Soc. Lond. Zool.*, 39(263): 133-135.
- BRUUN, A. 1935. Flying fishes (Exocoetidae) of the Atlantic. *Systematic and biological studies. Dana Rep.*, 6: 1-108.

- BRUUN, A. F. 1937. Contributions to the life histories of the deep sea eels: Synphobranchidae. Dana Rep. 9, Carlsberg Ocean. Exped. 1928-30, 31 pp., 17 figs., 1 lám.
- BRUUN, A. F. 1937. Notes sur les types des exocets décrits par Cuvier et Valenciennes. Bull. Mus. Natl. Hist. Nat., (Sér. 2) 9(3): 180-187.
- BRUUN, A. F. 1956. The Abyssal Fauna; its Ecology, Distribution and Origin. Nature, Lond., 177: 1105-1108.
- BURGESS, W. E. 1978. Butterflyfishes of the world. A monograph of the Family Chaetodontidae, 832 p. T.F.H. Publs., Neptune City, New Jersey.
- BURGESS, W. E. 1991. Two new genera of angelfishes, family Pomacanthidae. Trop. Fish Hobb., 39(7): 68-70.
- BURGESS, W. E. & D. G. CALDWELL. 1978. *Amphichaetodon melbae* 291-298 pp. En: W. E. Burgess (ed.). Butterflyfishes of the world. A monograph of the family Chaetodontidae. T.F.H. Publications, Inc. Ltd.
- BURKE, C. V. 1930. Revision of the fishes of the family Liparidae. Bull. U.S. Nat. Mus. 15: iii + xii + 1-204 p.
- BURRIDGE, S. P. 1999. Molecular phylogeny of *Nemadactylus* and *Acantholatris* (Perciformes: Cirrhitidae: Cheilodactylidae), with implications for taxonomy and biogeography. Mol. Phylogenet. Evol., 13(1): 93-109.
- BURRIDGE, C. P. 1999. Molecular phylogeny of *Nemadactylus* and *Acantholatris* (Perciformes: Cirrhitidae), with implications for taxonomy and biogeography. Mol. Phylogenet. Evol., 13: 93-109.
- BURRIDGE, C. P. 1999. Suggestion of synonymy for *Nemadactylus* and *Acantholatris* (Perciformes: Cirrhitidae). En: Proc. 5th Indo-Pac. Fish Conf., Noumea, 1997 (Séret B. & J.-Y. Sire, eds). Proc. 5th Indo-Pac. Fish Conf., Noumea, 1997: 413-416.
- BURRIDGE, C. P. 2000. Molecular phylogeny of the Aplodactylidae (Perciformes: Cirrhitidae), a group of southern hemisphere marine fishes. J. Nat. Hist., 34: 2173-2185.
- BURRIDGE, C. P. 2004. Molecular phylogeny of the Cheilodactylidae and Latridae (Perciformes: Cirrhitidae) with notes on taxonomy and biogeography. Mol. Phylogenet. Evol., 30(2004): 118-127.
- BURRIDGE, C. P. 2004. *Cheilodactylus (Goniistius) francisi*, a new species of morwong (Perciformes: Cirrhitidae) from the southwest Pacific. Rec. Aust. Mus., 56(2): 231-234.
- BURRIDGE, C. P. & R. W. WHITE. 2000. Molecular phylogeny of the antitropical subgenus *Goniistius* (Perciformes: Cheilodactylidae: *Cheilodactylus*): evidence for multiple transequatorial divergences and non-monophyly. Biol. J. Linn. Soc., 70: 435-458.
- BURRIDGE, C., R. MELÉNDEZ & B. DYER. 2006. Multiple origins of the Juan Fernández kelpfish fauna and evidence for frequent and unidirectional dispersal of cirrhitoid fishes across the South Pacific. Syst. Biol., 55(4): 566-578.
- BUSAKHIN, S. 1982. Systematics and distribution of the family Berycidae (Osteichthyes) in the World Ocean. J. Ichthyol., 22(6): 21.
- BUSSING, W. A. 1965. Biology of the Antarctic Seas 2. Studies of the midwater fishes of the Perú-Chile Trench, Biology of the Antarctic seas. Ant. Res. Ser., 5: 185-227.
- BUSSING, W. A. & M. I. BUSSING. 1966. Antarctic Scopelarchidae: a new fish of the genus *Benthalbella* and the distribution of *B. elongata* (Norman). Bull. Southern Cal. Acad. Sci., 65(1): 53-64.
- BUSSING, W. A. & S. M. I. LÓPEZ. 1994. Demersal and pelagic inshore fishes of the Pacific coast of lower central America. An illustrated guide. Rev. Biol. Trop. (Spec. Publ.): 1-164.

- BUTLER, J. L. 1979. The nomeid genus *Cubiceps* (Pisces) with a description of a new species. *Bull. Mar. Sci.*, 23(2): 226-241.
- CANCINO, A. C. 1955. Peces de las pozas litorales de Chile Central. (Memoria U. de Chile).
- CANCINO, A. C. 1964. A revision of the genus *Parapercis*, family Mugiloididae. *Pac. Sci.*, 18(3): 239-280.
- CANCINO, C., E. DE LA HOZ & K. FARIÁS. 1999. Morfología cefálica de *Hypsoblennius sordidus* (Bennet, 1828) (Perciformes: Blenniidae): un blénido omnívoro. *Rev. Biol. Mar. y Oceanogr.*, 34(2): 167-180.
- CANCINO, C. & R. MELÉNDEZ. 2000. Comentarios sobre el seminario-taller sistemática filogenética y biogeografía de peces marinos de Chile. *Estud. Oceanol.*, 19: 137-141.
- CANCINO, C., A. PEÑA & P. GARVISO. 1999. Caracterización morfológica de *Brama australis* (Valenciennes, 1837) (Perciformes; Bramidae) de la bahía de Valparaíso, Chile. *Rev. Biol. Mar. Oceanogr.*, 34(2): 181-195.
- CANTWELL, G. E. 1964. A revision of the genus *Parapercis*, family Mugiloididae. *Pac. Sci.*, 18: 239-280.
- CANTWELL, G. B. 1966. An interpretation of the relationships among the species of *Parapercis*, family Mugiloididae. *Pac. Sci.*, 20(2): 189-192.
- CAPUTO V., P. NISI CERIONI, A. SPENDIANI, T. CAPRIGLIONE, G. ODIERNA & E. OLMO. 2002. Chromosomal studies on ten species of nototheniid fishes (Notothenioidei: Bathydraconidae, Channichthyidae, Nototheniidae). *Cytogenet Genome Res.*, 98(4): 285-90.
- CAPUTO, V. & M. SORICE. 1999. Electrophoretic studies on some species of Scorpaeniformes (Teleostei, Percomorpha). *Ital. J. Zool.*, 66(1): 79-85.
- CÁRDENAS, T. & G. PEQUEÑO. 1990. Dimorfismo sexual, huevos y larvas de "aguja de mar" *Leptonotus blainvillianus* (Eydoux & Gervais, 1837) (Osteichthyes, Syngnathidae). *Biol. Pesq.*, 19: 27-38.
- CÁRDENAS, V. & G. PEQUEÑO. 1995. Nuevo registro de *Auchenionchus variolosus* (Valenciennes, 1836) y estudio alimentario preliminar (Osteichthyes: Labrisomidae). *Cienc. Tecnol. Mar.*, 18: 3-12.
- CARUSO, J. H. 1981. The systematics and distribution of the lophiid anglerfishes: I. A revision of the genus *Lophiodes* with description of two new species. *Copeia*, 1981(3): 522-549.
- CARUSO, J. H. 1983. The systematics and distribution of the lophiid anglerfishes: II Revisions of the genera *Lophiomus* and *Lophius*. *Copeia*, 1983(1): 11-30.
- CARUSO, J. H. 1989. Systematics and distribution of Atlantic chaunacid anglerfishes (Pisces: Lophiiformes). *Copeia*, 1989(1): 153-165.
- CARR, S. M., D. S. KIVLICHAN, P. PEPIN & D. C. CRUTCHER. 1999. Molecular systematics of gadid fishes: implications for the biogeographic origins of Pacific species. *Can. J. Zool.*, 77: 19-26.
- CASTILLO, L. 1912. La rémora. *Bol. Bosques, Pesca y Caza. Chile*, 1(3): 208-213.
- CASTILLO, R. & G. PEQUEÑO. 1998. Sinopsis de Tripterygiidae de Chile (Osteichthyes: Perciformes). *Gayana (Zool.)*, 62(2): 109-133.
- CASTLE, P. H. J. 1964. Deep sea eels: family Synphobranchidae. *Galathea Rep.*, 7: 29-42, 2 fig.
- CASTLE, P. H. J. 1969. An index and bibliography of eel larvae. *Spec. Publ.*, 7: 121.
- CERVIGÓN, F. 1993. Polynemidae. En: F. Cervigón, R. Cipriani, W. Fischer, L. Garibaldi, M. Hendrickx, A. J. Lemus, R. Már-

- quez, J. M. Poutiers, G. Robaina & B. Rodríguez (eds.). FAO species identification sheets for fishery purposes—field guide to the commercial marine and brackish-water resources of the northern coast of South America, p. 381. Rome, FAO.
- CERVIGÓN, F., G. PEQUEÑO & C. MORENO. 1979. Descripción de *Calliclinus nuvidentris* nov. sp. y notas adicionales sobre *C. geniguttatus* (Pisces: Clinidae) de Chile. Medio Ambiente, 4(1): 40-50.
- CERVIGÓN, F., G. PEQUEÑO & I. KONG. 1980. Presencia de *Pseudoxenomystax albescens* (Barnard 1923) y *Xenomystax atrarius* Gilbert, 1891, en las costas de Chile (Teleostomi, Congridae). Bol. Mus. Nac. Hist. Nat., Chile, 37: 317-321.
- CIECHOMSKI, J. D. & G. WEISS. 1974. Características del desarrollo embrionario y larval de las merluzas (Pisces, Merlucciidae). Physis, 33(87): 527-536.
- CLARK, F. E. 1881. Description of a new species of *Trachypterus*. Trans. Proc. N. Z. Inst., 13(21): 195-199.
- CLARK, W. H. 1937. New fishes from the Templeton Croker Expedition of 1934-1935. Copeia, 1937(2): 88-91.
- CLARK, W. H. 1938. The Templeton Croker Expedition, of 1934-1935. Additional new fishes. Proc. Cal. Acad. Sci., 4th Series, 22 (7): 179-185.
- CLARK, G. T. & R. FRICKE. 1985. A new species of dragonet, *Synchiropus randalli*, from Easter Island (Teleostei, Callionymidae). Proc. Biol. Soc. Washington, 98(3): 539-543.
- COCKERELL, T. D. 1913. The scales of the South American characinid fishes. Ann. Carnegie Mus., 9(1913-15): 92-113.
- CLEMENTS, K. D., R. D. GRAY & J. HOWARD CHOAT. 2003. Rapid evolutionary divergences in reef fishes of the family Acanthuridae (Perciformes: Teleostei). Mol. Phylogenet. Evol., 26(2): 190-201.
- COCCO, A. 1833. Cenni sul genere *Ruvettus* e sui caratteri che lo distinguono. Osservazioni Peloritani 8, p. 18.
- COHEN, D. M. 1956. Notes on the identity of several salarine blennies of the genus *Scartichthys* from Western South America. Copeia, 1956(4): 246-248.
- COHEN, D. M. 1973. The gadoid fish genus *Halargyreus* (Family Eretmophoridae) in the southern hemisphere. J. Roy. Soc. New Zeal., 3(4): 629-634.
- COHEN, D. M. 1979. Notes on the morid fish genera *Lotella* and *Physiculus* in Japanese waters. J. Jap. Ichthyol., 26(3): 225-230.
- COHEN, D. M. 1984. Families Bregmacerotidae and Moridae: Overview. En: W. Fischer and G. Bianchi. (eds.). FAO Identification Sheets for Fishery Purposes, Western Indian Ocean.
- COHEN, D. M. 1984. Gadiformes: Overview. En: H. G. Moser *et al.* (eds.). Ontogeny and Systematics of Fishes. Am. Soc. Ichthyol. Herp., Spec. Publ., 1: 259-264.
- COHEN, D. 1986. Bathylagidae. En: P. Whitehead, M. Bauchot, J. Hureau, J. Nielsen, E. Tortonese (eds.). Fishes of the North-eastern Atlantic and Mediterranean. UNESCO, 2: 392-394.
- COHEN, D. M. 1989. Papers on the systematic of Gadiform fishes. DM Cohen (ed.). Nat. Hist. Mus. Los Angeles County, Sc. Ser. 32: 1-262.
- COHEN, D. M., T. INADA, T. IWAMOTO & N. SCIALABBA. 1990. FAO Species Catalogue. Vol. 10. Gadiform fishes of the world. (Order Gadiformes). An annotated and illustrated catalogue of cods, hakes, grenadiers and other gadiform fishes known to date. FAO Fish. Syn. 125(10): 1-442, Rome.
- COHEN, D. M. & J. G. NIELSEN. 1978. Guide to the identification of genera of the fish Order Ophidiiformes with a tentative classification of the Order. NOAA Technical Report. Nat. Mar. Fish. Serv., Circ. 417: 1-68.

- COHEN, D. M. & B. A. ROHR. 1993. Description of a giant circumglobal Lamprogrammus species (Pisces: Ophidiidae). *Copeia*, 1993(2): 470-475.
- COLGAN, D. J, C. ZHANG & J. R. PAXTON. 2000. Phylogenetic investigations of the Stephanoberyciformes and Beryciformes, particularly whalefishes (Euteleostei: Cetomimidae), based on partial 12S rDNA and 16S rDNA sequences. *Mol. Phylogenet. Evol.*, 17(1): 15-25.
- COLLETT, R. 1879. On a new fish of the genus *Lycodes* from the Pacific. *Proc. Zool. Soc. Lond.*, 1879 (pt 2): 381-382.
- COLLETT, R. 1896. Poissons provenant des campagnes du yacht "L'Hirondelle" (1858-88) Result. *Camp. Scient. Prince Albert I*, 10: VIII + 198 p., 6 láms.
- COLLETTE, B. B. 1966. Revue critique des types de Scombridae des collections du Museum National d'Histoire Naturelle de Paris. *Bull. mus. Hist. Nat. Paris*, 38(4): 362-375.
- COLLETTE, B. B. 1974. Geographic variation in the central Pacific halfbeak. *Hyporhamphus acutus* (Günther). *Pacific Sci.*, 28(2): 111-122.
- COLLETTE, B. B. & F. H. BERRY. 1965. Recent studies on the needlefishes (Belonidae): An evaluation. *Copeia*, 1965(3): 386-392.
- COLLETT, B. B. & H. JR. GIBBS. 1963. A preliminary review of the fishes of the family Scombridae. *FAO Fish. Rep.*, 1(6): 23-59.
- COLLETTE, B. B. & L. N. CHAO. 1975. Systematics and morphology of the bonitos (*Sarda*) and their relatives (Scombridae, Sardini). *Fish. Bull.*, 73(3): 516-625.
- COLLETTE, B. B., G. E. MCGOWEN, N. V. PARIN & S. MITO. 1984. Beloniformes: development and relationships. En: H. G. Moser *et al.*, eds. *Ontogeny and systematics of fishes*. *Am. Soc. Ichthyol. Herpetol. Spec. Publ.*, 1: 335-354.
- COLLETTE, B. B. & C. E. NAUEN. 1983. Scombrids of the world. *FAO Fisheries Synopsis*, 125(2): 1-137.
- COLLETTE, B. B. & N. V. PARIN. 1978. Five new species of halfbeaks (Hemiramphidae) from the Indo-west Pacific. *Proc. Biol. Soc. Washington*, 91(3): 731-747.
- COLLETTE, B. B., N. V. PARIN, M.-L. BAUCHOT & M. BEAUNIER. 1997. Catalogue critique des types de poissons du Muséum National d'Histoire Naturelle (suite). *Ordre des Beloniformes. Cybium*, 21(1): 5-35.
- COLLETTE, B. B., N. V. PARIN & M. S. NIZINSKI. 1992. Catalog of type specimens of Recent fishes in the National Museum of Natural History, Smithsonian Institution, 3: Beloniformes (Teleostei). *Smithson. Contrib. Zool.*, 525: 1-16.
- COLLETTE, B. B., T. POTTHOFF, W. J. RICHARDS, S. UEYANAGI, J. L. RUSSO & Y. NISHIKAWA. 1984. Scombroidei: development and relationships. En: H. G. Moser *et al.*, (eds.). *Ontogeny and systematics of fishes*. *Am. Soc. Ichthyol. Herpetol. Spec. Publ.*, 1: 591-620.
- COLLETTE, B. B., C. REEB & B. A. BLOCK. 2001. Systematics of the tunas and mackerels (Scombridae). Pp. 1-33. En: B. A. Block & E. D. Stevens (eds.), *Tuna: Physiology, ecology, and evolution*. *Fish Physiology*, v. 19. Academic Press, San Diego. *Tuna Physiol. Ecol. Evol.*, 19: i-xiii + 1-468.
- COLLETTE, B. B. & J. L. RUSSO. 1979. An introduction to the Spanish mackerels, genus *Scomberomorus*. Pp. 3-16. En: E. L. Nakamura & H. R. Bullis, Jr. (eds). *Proceedings of the Mackerel Colloquium*, Gulf States Marine Fisheries Commission, Publication Nº 4 Ocean Spring Mississippi. *Proc. Mackerel Coll.* i-vii + 1-117.
- COLLETTE, B. B. & J. L. RUSSO. 1985. Morphology, systematics, and biology of

- the Spanish mackerels (*Scomberomorus*, *Scombridae*). U. S. Natl. Mar. Fish. Serv. Fish. Bull., 82(4): 545-692.
- COOPER, J. A. & F. CHAPLEAU. 1998. Monophyly and intrarelationships of the family Pleuronectidae (Pleuronectiformes), with a revised classification. Fish. Bull., 94(6): 686-726.
- COPE, E. D. 1873. Observations on the systematic relations of the fishes. Proc. Amer. Ass Adv. Sci., 20: 317-343.
- CORTÉS, N., M. ARRIAZA & C. OYARZÚN. 1995. Nuevos registros de *Trachipterus trachipterus* (Gmelin, 1789) para el Pacífico suroccidental, con una revisión de ejemplares congéneros de Chile (Osteichthyes, Trachipteridae). Rev. Biol. Mar., Valparaíso, 30(2): 265-273.
- COUSSEAU, M. B. 1982. Revisión taxonómica y análisis de los caracteres morfológicos y merísticos de la sardina fueguina, *Sprattus fuegensis* (Jenyns, 1842) (Pisces, Clupeidae). Rev. Inv. Des. Pesq., INIDEP, Mar del Plata, 3: 77-94.
- COUSSEAU, M. B. & C. P. COTRINA. 1980. Observaciones sobre diferencias morfológicas entre la merluza común (*Merluccius hubbsi*) y la merluza austral (*Merluccius polylepis*). Rev. Inv. Des. Pesq., INIDEP, Mar del Plata, 2: 47-56.
- CRABTREE, C. B. 1987. Allozyme evidence for the phylogenetic relationships within the silverside subfamily Atherinopsinae. Copeia, 1987(4): 860-867.
- CRADDOCK, J. E. & G. W. MEAD. 1970. Midwater fishes from the Eastern South Pacific Ocean. Anton Bruun Rept. 3, Sci. Res. Southeast Pac. Exped., U.S.A.
- CRAMER, F. 1895. On the cranial character of the Genus *Sebastodes*. Proc. Calif. Acad. Sci. (Ser 2), 5: 573-610.
- CRANE, J. 1966. Late Tertiary radiation of viperfishes (Chauliodontidae) based on a comparison of Recent and Miocene species. Los Angeles Co. Mus. Nat. Sci., Contr. Sci., 115: 1-29.
- CRESSEY, R. F. 1981. Revision of Indo-West Pacific lizardfishes of the genus *Synodus* (Pisces: Synodontidae). Smithsonian Contrib. Zool. 342: i-iii + 1-53.
- CRESSEY, R. F. & J. E. RANDALL. 1978. *Synodus capricornis*, a new lizardfish from Easter and Pitcairn Islands. Proc. Biol. Soc. Washington, 91(3): 767-774.
- CRISP, T. P. & S. M. GARRICK. 1975. Some observations on the growth and length-weight relationship of the South Georgia cod *Notothenia rossi marmorata* Fischer, during the first four years of life. J. Fish Biol., 7: 407-409.
- CUNNINGHAM, R. O. 1871. Notes on the natural history of the Strait of Magellan and west coast of Patagonia made during the voyage of H.M.S. "Nassau" in the years 1866-1869, 8: 16+517 pp., Edinburgh.
- CUNNINGHAM, R. O. 1871. Notes on the reptiles, amphibians, fishes, mollusca and crustacea obtained during the voyage of H.M.S. "Nassau" in the years 1866-1869. Trans. Linn. Soc. Lond. (Zool.) 27: 465-502, 12 pls.
- CUVIER, G. & A. VALENCIENNES. 1828-1849. Histoire Naturelle des Poissons, Paris. 22 vol., 11030 p., 621 pl.; 1-2(1828); 3-4(1829); 5-6(1830); 7-8(1831); 9(1833); 10(1835); 11(1836); 12(1837); 13-14(1839); 15(1840); 16(1842); 17(1844); 18-19(1846); 20(1847); 21(1848); 22(1849).
- CHABANAUD, P. 1930. Sur la taxonomie des Soléïdes du Nouveau Monde. Bull. Mus. Hist. Nat. Paris, 2(3): 260-268.
- CHABANAUD, P. 1949. Le problème de la phylogénèse des Heterosomata. Bull. Inst. Oceanogr., Monaco, 950: 1-24.
- CHANG, A., G. ARRATIA & V. ALEGRÍA. 1971. Sistema óseo en *Merluccius gayi*

- (Guichenot, 1848). Bol. Mus. Nac. Hist. Nat., Chile, 32: 299-347.
- CHAO, N. L. 2001. Two new species of *Stellifer* from inshore waters of the eastern Pacific, with a redescription of *S. ephelis* (Perciformes: Sciaenidae). Rev. Biol. Trop. 49 (Suppl. 1): 67-80.
- CHAO, N. L. 2002. Taxonomy of the seatrout, genus *Cynoscion* (Pisces, Sciaenidae), with artificial keys to the species. Pp. 5-15 In: S. A. Bortone (ed.), Biology of the spotted seatrout. CRC Marine Biology Series. Biol. Spot. Seatrout, p. [i-xii] + 1-312.
- CHAPLEAU, F. 1988. Comparative osteology and intergeneric relationships of the tongue soles (Pisces; Pleuronectiformes; Cynoglossidae). Can. J. Zool., 66: 1214-1232.
- CHAPLEAU, F. 1993. Pleuronectiform relationships: a cladistic reassessment. Bull. Mar. Sci., 52(1): 516-540.
- CHAPLEAU, F. & A. KEAST. 1988. A phylogenetic reassessment of the monophyletic status of the family Soleidae, with comments on the suborder Soleoidei (Pisces: Pleuronectiformes). Can. J. Zool., 66: 2727-2810.
- CHERNOVA, N. V. 1991. Snailfishes (Liparidae) from the Eurasian Arctic. Murmansk Institute of Marine Biology. Kola Scientific Centre. USSR Academy of Sciences. Snailfishes Eurasian Arctic, 1-112 p.
- CHERNOVA, N. V. 1998. Catalogue of the type specimens of snailfish (Liparidae, Scorpaeniformes) in the Zoological Institute of the Russian Academy of Sciences. J. Ichthyol., 38(9): 730-746.
- CHERNOVA, N. V. & G. DUHAMEL. 2003. A new species and additional records of *Paraliparis* (Scorpaeniformes: Liparidae) from the Southern Ocean with a provisional field key to juveniles. Cybium, 27(2): 137-151.
- CHERNOVA, N. V. & J. T. EASTMAN. 2001. Two new species of snailfish genus *Paraliparis* (Pisces, Liparidae) from the Ross Sea, Antarctica. J. Fish Biol., 59: 92-104.
- CHERNOVA, N. V. & P. GEISTDOERFER. 2003. Redescription of snailfish *Careproctus hialeius* (Scorpaeniformes, Liparidae) from the area of hydrothermal vents in the equatorial part of the East Pacific rise. J. Ichthyol., 43(2): 139-145.
- CHERNOVA, N. V., D. L. STEIN & A. P. ANDRIASHEV. 2004. Family Liparidae Scopoli 1777 -- snailfishes. Calif. Acad. Sci. Annotated Checklists of Fishes, 31: 1-72.
- CHESHEVA, Z. A. 1998. Age and growth of American macruronus, *Macrouronus magellanicus*, with different otolith structures from the Southern Atlantic. J. Ichthyol., 38(3): 275-278.
- CHIRICHIGNO, N. 1963. Algunos peces nuevos y poco conocidos de la fauna marina del Perú. Serv. Divulg. Cient. Direc. Pesq. Lima 17:29.
- CHIRICHIGNO, N. 1968. Nuevos registros para la ictiofauna marina del Perú. Inst. Invest. del Mar Bol., 1(8): 377-504.
- CHIRICHIGNO, N. 1969. Lista sistemática de los peces marinos comunes para Ecuador-Perú-Chile. En: Conferencia sobre explotación y conservación de las riquezas marítimas del Pacífico Sur. Comisión Permanente del Pacífico Sur. Secretaría General, Lima.
- CHIRICHIGNO, N. 1974. Clave para identificar los peces marinos del Perú. Inf. Inst. Mar Perú-Callao, 44: 1-387.
- CHIRICHIGNO, N. 1978. Nuevas adiciones a la ictiofauna marina del Perú. Inf. Inst. Mar Perú-Callao, 46: 3-109.
- CHIRICHIGNO, N., W. FISCHER & C. NAUEN. 1982. Catálogos de especies marinas de interés económico actual o potencial para América Latina. Parte 2, Pacífico Centro y Sur Oriental, INFOPESCA, FAO/PNUD SIC/82/2, Roma, 588 pp.

- CHIRICHIGNO, N. & T. IWAMOTO. 1977. *Coryphaenoides delsolari*, a new species of macrourid fish from the Pacific coast of South America. Proc. Biol. Soc. Washington, 89(45): 519-528.
- CHIRICHIGNO, N. & J. VÉLEZ. 1998. Clave para identificar los peces marinos del Perú. (Segunda Edición, revisada y comentada). Inst. del Mar del Perú, Publ. Esp., 1-496, 4 láms.
- CHIU, T. S., D. F. MARKLE & R. MELÉNDEZ. 1990. Moridae (pp. 183-187). En: O. Gon and P. C. Heemstra (eds.). Fishes of the Southern Ocean, J.L.B. Smith Institute of Ichthyology. CTP Book Printers, Cape Town, 462 p.
- CHONG, J. 1984. Contribución a la taxonomía de *Genypterus blacodes* (Schneider 1801) (Osteichthyes, Ophidiiformes). Cienc. Tecnol. Mar, 8: 27-39.
- CHONG, J. & E. ALVEAL. 1980. Nuevo registro de *Xenomystax atrarius* Gilbert 1891, frente a las costas de Chile (Pisces, Anguilliformes). Not. Mens., Mus. Nac. Hist. Nat., Chile, 24(283-284): 5-9.
- CHONG, J. & E. ALVEAL. 1990. Análisis morfológico y merístico del congrio negro, *Genypterus maculatus* (Tschudi, 1845) del Golfo de Arauco, (Chile). Estud. Oceanol., 9: 1-11.
- DAWSON, C. E. 1977. Studies on Eastern Pacific sand stargazers (Pisces, Dactyloscopidae). *Gillellus*, *Sindoscopus* new genus and *Heteristius* with description of new species. Proc. Cal. Acad. Sci., 41(2): 125-160.
- DAWSON, C. E. 1980. Notes on some Siboga Expedition pipefishes previously referred to the genus *Syngnathus*. Bijdr. Dierkd., 50(1): 221-226.
- DAWSON, C. E. 1985. Indo-Pacific pipefishes. (Red Sea to the Americas). Gulf, Coast Research Lab., Ocean Springs, Mississippi. Indo-Pac. Pipefishes, i-vi + 1-230.
- DAZAROLA, G. 1972. Contribution a l' étude de la faune ichthyologique de la région Valparaíso, Aconcagua (Chili). Ann. Limnol., 8(21): 87-100.
- DE BUEN, F. 1953. Contribución a la ictiología. VII. Sobre la presencia del atún (*Thunnus thynnus*) en la costa de Chile Central. Invest. Zool. Chil., 1(10): 3-4.
- DE BUEN, F. 1953. Los pejerreyes (familia Atherinidae) en la fauna Uruguaya, con descripción de nuevas especies. Bol. Inst. Oceanogr., U. Sao Paulo, 4(1-2): 3-80.
- DE BUEN, F. 1955. Contribución a la ictiología. VIII. El *Odontesthes regia latyclavia* y ensayo sobre la distribución genérica de las especies chilenas. Inv. Zool. Chilenas, 2(7): 115-118.
- DE BUEN, F. 1955. Notas sobre un viaje de estudios de oceanografía aplicada en el extremo norte de la costa chilena. Bol. Cient. Comp. Adm. Guano, Lima, 2: 25-39, 5 figs.
- DE BUEN, F. 1957. Suborden Luvaroidei, nuevo para la fauna chilena. Inv. Zool. Chil., 4: 83-88.
- DE BUEN, F. 1957. El gran *Luvarus* del Museo Nacional de Historia Natural, Chile. Not. Mens., Mus. Nac. Hist. Nat. Mus., 2(17): 3.
- DE BUEN, F. 1957. Los peces de la Familia Molidae. Inv. Zool. Chil., 4: 66-76.
- DE BUEN, F. 1958. La Familia Lepidotidae en Chile (Peces). Inv. Zool. Chil., 4: 132-134.
- DE BUEN, F. 1958. Peces de la Superfamilia Clupeoidea en aguas de Chile. Rev. Biol. Mar., Valparaíso, 8 (1, 2 y 3): 83-110.
- DE BUEN, F. 1958. Peces del Suborden Scombroidei en aguas de Chile. Rev. Biol. Mar., Valparaíso, 7(1,2 y 3): 3-38.
- DE BUEN, F. 1958. Investigaciones sistemáticas y biológicas sobre la merluza. Bol. Soc. Biol. Concepción, Chile, 33: 107-120, 5 graf.

- DE BUEN, F. 1958. Ictiología. La familia Ictaluridae, nueva para la fauna aclimatada de Chile y algunas consideraciones sobre los Siluroidei indígenas. Invest. Zool. Chil., 4: 146-158, 1 fig.
- DE BUEN, F. 1959. Lampreas, tiburones, rayas y peces de la Estación de Biología Marina de Montemar, Chile. Rev. Biol. Mar., Valparaíso, 9(1-3): 1-200.
- DE BUEN, F. 1959. Notas preliminares sobre la fauna marina preabismal de Chile, con descripción de una familia de rayas, dos géneros y siete especies nuevas. Bol. Mus. Nac. Hist. Nat., Chile, 27(3): 173-201.
- DE BUEN, F. 1959. Presencia en aguas de Chile de una rara especie de rémora Eche-neis (Remilegia) australis. Invest. Zool. Chil., 4: 55-64.
- DE BUEN, F. 1959. El pez luna (*Mola ramsayi*) en aguas de la Isla de Pascua. Invest. Zool. Chil., 5: 89-92, 1 fig.
- DE BUEN, F. 1959. Notas sobre ictiología chilena, con descripción de dos nuevas especies. Rev. Biol. Mar., Valparaíso, 9(1-3): 257-270, 3 figs.
- DE BUEN, F. 1960. Peces de la Superfamilia Clupeoidae en aguas de Chile. Rev. Biol. Mar., Valparaíso, 8(1, 2 y 3): 83-100.
- DE BUEN, F. 1960. Los peces de la Isla de Pascua. Bol. Soc. Biol. Concepción, 35-36: 81-101.
- DE BUEN, F. 1960. Los peje-sapos (Familia Gobiesocidae) en Chile. Rev. Biol. Mar., Valparaíso, 10(1, 2 y 3): 69-83.
- DE BUEN, F. 1960. Nota preliminar sobre los peces del género *Sebastodes* en la fauna chilena. Rev. Chil. Hist. Nat., 55(1): 3-26.
- DE BUEN, F. 1960-61. Peces chilenos Beloni-formes, Sygnathiformes y Gobiidae. Bol. Soc. Biol. Concepción, 35-36: 81-101.
- DE BUEN, F. 1961. Peces chilenos: Familias Alepocephalidae, Muraenidae, Sciaenidae, Scorpaenidae, Liparidae y Bothidae. Montemar, 1(1): 1-52.
- DE BUEN, F. 1961. Resultados de una campaña ictiológica en las provincias del norte. Zonárida, Boletín 4: 1-8.
- DE BUEN, F. 1962. Fauna chilena. Peces de la Familia Clinidae. Montemar, 2: 53-90.
- DE BUEN, F. 1963. Los peces de la Isla de Pascua. Bol. Soc. Biol. Concepción, 35-36: 3-80.
- DE CIECHOMSKI, J. D. & G. WEISS. 1976. Desarrollo y distribución de postlarvas del róbalo *Eleginops maclovinus* (Valenciennes 1830), de la merluza negra *Dissostichus eleginoides* Smitt 1899 y de las Notothenias, *Nothotenia* spp. (Pisces, Nototheniidae). Physis, sección A, 35(91): 115-125.
- DE LA HOZ, E. & E. TOSTI-CROCE. 1981. Osteología de *Basilichthys australis* Eigenmann (Teleostei-Atherinidae). An. Mus. Hist. Nat., Valparaíso, 14: 229-245.
- DELFIN, F. T. 1898. Catálogo de los peces de Chile. Rev. Chil. Hist. Nat., 2: 92-93, 144-150, 161-163.
- DELFIN, F. T. 1899. Catálogo de los peces de Chile. Rev. Chil. Hist. Nat., 4(3): 29-31.
- DELFIN, F. T. 1899. Catálogo de los peces de Chile. Rev. Chil. Hist. Nat., 3: 15-24, 57-62, 79-85, 95-99, 110-113, 121-124, 131-134, 151-161.
- DELFIN, F. T. 1899. Nuevo pez para la fauna de Chile (*Centriscus fernandezianus*). Rev. Chil. Hist. Nat., 3: 75-78.
- DELFIN, F. T. 1899. Descripción de un nuevo traquínido chileno (*Nothotenia porteri*). Rev. Chil. Hist. Nat., 3: 117-120.
- DELFIN, F. T. 1899. Lista metódica de los peces de la Bahía de Concepción y sus alrededores. Rev. Chil. Hist. Nat., 7: 176-178.

- DELFIN, F. T. 1900. El nuevo género *Cilus*. Actas Sociedad Científica de Chile, 10: 53-60.
- DELFIN, F. T. 1900. La corvina de Chile. Rev. Mar., 29 (173): 488-493.
- DELFIN, F. T. 1900. Catálogo de los peces de Chile. Rev. Chil. Hist. Nat., 4: 4-6, 21-25, 29-31, 55-58, 69-71, 82-84, 110-113, 129-131, 166-167, 185-186.
- DELFIN, F. T. 1900. Nota de ictiología. El Nuevo género *Cilus*. Acta Soc. Sci. Chile, 10: 53-60.
- DELFIN, F. T. 1901. Catálogo de peces de Chile. Chil. Hist. Nat., Valparaíso, 3. Rev. Chil. Hist. Nat. 3-4 (1899-1900).
- DELFIN, F. T. 1901. Ictiología chilena. Catálogo de los peces de Chile. Valparaíso, Rev. Chil. Hist. Nat., 3: 7-133.
- DELFIN, F. T. 1901. The corvina of Chile. (*Cilus monti* Delfin, Fam. Pristipomatidae). The Fisheries in Chile. The Chilean Comm. of Buffalo Exposition, pp. 35-50.
- DELFIN, F. T. 1901. Existencia del *Latris hecatehia* en aguas chilenas. Rev. Chil. Hist. Nat., 5: 241.
- DELFIN, F. T. 1903. Adición al "Catálogo de los Peces de Chile" con descripción de una nueva especie. Rev. Chil. Hist. Nat., 7: 220-225.
- DELFIN, F. T. 1903. Contribución a la ictiología chilena. Rev. Chil. Hist. Nat., 7: 268-273, fig. 7.
- DELFIN, F. T. 1904. Contribución a la ictiología chilena. Rev. Chil. Hist. Nat., 8: 11-13, fig. 1.
- DELFIN, F. T. 1907. Los congrios de Chile. Rev. Chil. Hist. Nat., 3(12): 176-178.
- DEROME, N., W. J. CHEN, A. DETTAI, C. BONILLO & G. LECOINTRE. 2002. Phylogeny of Antarctic dragonfishes (Bathydraconidae, Notothenioidei, Telesotei) and related families based on their anatomy and two mitochondrial genes. Mol. Phylogenet. Evol., 24(1): 139-152.
- DESOUTTER, M., F. CHAPLEAU, T. A. MUNROE, B. CHANET & M. BEAUNIER. 2001. Catalogue critique des types de poissons du Muséum national d'Histoire naturelle. Ordre des Pleuronectiformes. Cybium, 25(4): 299-368.
- DE SYLVA, D. P. 1984. Mugiloidei: development and relationships. En: H. G. Moser et al. (eds.). Ontogeny and systematics of fishes. Am. Soc. Ichthyol. Herpetol. Spec. Publ., 1: 530-533.
- DE WITT, H. H. 1962. On the probable identity of *Macrias amissus*, a deep-water notothenioid fish from the Chilean coast. Copeia, 1962(3): 657-659.
- DE WITT, H. H. 1964. A redescription of *Pagothenia antarctica*, with remarks on the genus *Trematomus* (Pisces, Nototheniidae). Copeia, 1964(4): 683-686.
- DE WITT, H. H. 1967. A Revision of the Antarctic and southern genus *Notothenia* (Pisces). Diss. Abstr., 27 b: 2541-2542.
- DE WITT, H. H. 1970. A revision of the genus *Notothenia* from the New Zealand region, including Macquarie Island. Proc. Cal. Acad. Sci., 38(16): 299-340.
- DE WITT, H. H. 1985. Reports on fishes of the University of Southern California Antarctic Research Program, 1962-1968. 1. A review of the genus *Bathydraco* Günther (Family Bathydraconidae). Cybium, 9(3): 295-314.
- DEWITT, H. H. 1985. A review of the genus *Bathydraco* Günther (Family Bathydraconidae). Cybium, 9(3): 295-314.
- DE WITT, H. H., P. C. HEEMSTRA & O. GON. 1990. Nototheniidae, p. 279-331. En: O. Gon and P. C. Heemstra (eds.). Fishes of the Southern Ocean, J.L.B. Smith Institute of Ichthyology. CTP Book Printers, Cape Town, 462 p.

- DE WITT, H. H. & J. C. HUREAU. 1979. Fishes collected during "Hero" Cruise 72-2 in the Palmer Archipelago, Antarctica, with description of two new genera and three new species. Bull. Mus. Nac. d'Hist. Nat., París 4 ser., section A(3): 775-820.
- DÍAZ DE ASTARLOA, J. M. 1996. *Paralichthys patagonicus* Jordan, in Jordan & Goss, 1889, a senior synonym of *P. bicycphorus* Miranda Ribeiro, 1915 (Paralichthyidae: Pleuronectiformes). Copeia, 1996(4): 1035-1037.
- DOELLO, J. M. 1918. Nota preliminar sobre la presencia de la fauna magallánica frente a Mar del Plata. Physis, 4: 119.
- DOLLO, L. 1900. *Cryodraco antarcticus* poisson abyssal nouveau, recueilli par cette expédition. Communication Préliminaire. Bull. Acad. R. Belg. (Cl. Sci), 1900(2): 128-137 (También como separata, pp. 1-12).
- DOLLO, L. 1900. *Gerlachea australis*, poisson abyssal nouveau, recueilli par cette expédition. Antarctique Belge. Communication Préliminaire. Bull. Acad. R. Belg. (Cl. Sci), 1900(3): 194-206 (También como separata, pp. 1-14).
- DOLLO, L. 1900. *Racovitzia glacialis*, poisson abyssal nouveau, recueilli par cette expédition. Expédition Antarctique Belge. Communication Préliminaire. Bull. Acad. R. Belg. (Cl. Sci), 1900(4): 316-327 (También como separata, pp. 3-14).
- DOLLO, L. 1904. Poissons. Rapp. Scientifiques, Res. Voy. S.Y. "Belgica" 1897-1899, Zoologie.
- DOLLO, L. 1906. *Bathhydraco scotiae*, poisson abyssal nouveau, recueilli par l'expédition Antarctique National Ecosaise. Proc. R. Soc. Edinb., 26(pt. 2): 65-75.
- DOOLEY, J. K. 1978. Systematic revision and comparative biology of the Tilefishes (Perciformes: Branchiostegidae and Malacanthidae). NOAA Tech. Rep. NMFS Circ., 411:1-78.
- DONOSO, R., T. CEKALOVIC & A. ANGULO. 1970. Hallazgo de *Luvarus imperialis* Rafinesque, en el Golfo de Arauco, Chile. Bol. Soc. Biol. Concepción, 42: 33-40.
- DUARTE, W., R. FEITO, C. JARA, C. MORENO & E. ORELLANA. 1971. Ictiofauna del sistema hidrográfico del río Maipo. Bol. Mus. Nac. Hist. Nat., Chile, 32: 227-268.
- DUHAMEL, G. 1992. Description d'espèces nouvelles de *Careproctus* et *Paraliparis* et données nouvelles sur ces genres et le genre *Edentoliparis* de l'océan Austral (Cyclopteridae, Liparinae). Cybium, 16(3): 183-207.
- DUNN, J. R. 1989. A provisional phylogeny of gadid fishes based on adult and early life history characters. En: D. M. Cohen (ed.). Papers on the systematics of Gadiform Fishes. Sci. Ser. Nat. Hist. Mus., L.A. Co., 32, 204-236 pp.
- DUNN, J. R. & A. C. MATARESE. 1984. Gadidae: Development and relationships. En: H. G. Moser et al. (eds.). Ontogeny and Systematics of Fishes. Spec. Publ. N° 1, Am. Soc. Ichthyol. and Herp., pp. 283-299.
- DYER, B. S. 1994. A phylogenetic study of atheriniform fishes with a systematic revision of the South American silversides (Atherinimorpha, Atherinopsinae, Sorgentinini). Diss. Abst. Int., 54(11B): 55-60.
- DYER, B. 1997. Phylogenetic revision of Atherinopsinae (Teleostei, Atherinopsidae), with comments on the systematics of the South American freshwater fish genus *Basilichthys* Girard. Misc. Publ. Mus. Zool., Univ. Mich., 185: 1-64.
- DYER, B. 2000. Revisión sistemática de los pejerreyes de Chile (Teleostei, Atheriniformes). Estud. Oceanol., 19: 99-127.
- DYER, B. S. & A. E. GOSZTONYI. 1999. Phylogenetic revision of the South American subgenus *Austromeniidia* Hubbs, 1918 (Teleostei, Atherinopsidae, *Odontesthes*) and a study of meristic variation. Rev. Biol. Mar. Oceanogr., 34(2): 211-232.

- EAKIN, R. R. 1976. The osteology and relationships of the fishes of the Antarctic family Harpagiferidae (Pisces, Notothenioidei) Ph.D. Dissertation. Inuv. Me. 252p. 1976, from: Diss. Abst. Int. B. Sci.eng. 37(6) SFA 22(3): 21.
- EAKIN, R. R. 1978. Morphology and distribution of species in the genus *Pogonophryne* (Pisces, Harpagiferidae). Biology of Antarctic Seas, Am. Geoph. Un., Ant. Res. Ser., 28: 1-20.
- EAKIN, R. A. 1987. Two new species of *Pogonophryne* (Pisces, Harpagiferidae) from the Weddell Sea, Antarctica. Arch. Fischereiwiss., 38(1-2): 57-74.
- EASTMAN, J. T. 1985. The evolution of neutrally buoyant Notothenoid fishes: their specializations and potential interactions in the Antarctic marine food web. En: W.R. Siegfried, P.R. Condy and R.M. Lawa (eds.). Antarctic nutrient cycles and Food webs. Springer-Verlag, Berlin and Heidelberg, pp 430-436.
- EASTMAN, J. T. 1991. Evolution and diversification of Antarctic Notothenioid fishes. Amer. Zool., 31: 93-109.
- EASTMAN, J. T. & R. R. EAKIN. 2000. An updated species list for notothenioid fish (Perciformes; Notothenioidei), with comments on Antarctic species. Arch. Fish. Mar. Res., 48(1): 11-20.
- EBELING, A. 1957. The dentition of Eastern Pacific mullets, with special reference to adaptation and taxonomy. Copeia, 1957(3): 173-185.
- EBELING, A. 1961. *Mugil galapagensis*, a new mullet from the Galapagos islands, with notes on related species and a key to the Mugilidae of the Eastern Pacific. Copeia, 1961(3): 295-305.
- EBELING, A. W. 1962. Melamphaidae I. Systematic and zoogeography of the species in the bathypelagic fish genus *Melamphaes* Gunther. Dana Rep., 58: 1-64.
- EBELING, A. W. & W. H. WEED. 1963. Melamphaidae III. Systematics and distribution of the species in the bathypelagic fish genus *Scopelogadus* Vaillant. Dana Rep., 60: 58 p.
- EGE, W. 1918. Stomiidae. Rep. Dan. Oceanogr. Exped. Medlen. 1908-10, 2 (Biol.) (A 4): 28 p., 11 figs., 2 mapas.
- EGE, V. 1934. The genus *Stomias* Cuvier, taxonomy and biogeography. En: Dana Rep., 5: 58 pp.
- EGE, V. 1948. *Chauliodus* Schn., bathypelagic genus of fishes. A systematic, phylogenetic and geographic study. Dana Rep., 31: 148 pp.
- EGE, V. 1953. Paralepididae I (*Paralepis* and *Lestidium*). Taxonomy, ontogeny, phylogeny and distribution. Dana Rep., 40: 1-184.
- EGE, V. 1957. Paralepididae II (*Macroparalepis*). Taxonomy, ontogeny, phylogeny and distribution. Dana Rep., 43: 1-101.
- EIGENMANN, C. H. 1891. A catalogue of the fresh water fishes of South America. Proc. U.S. Nat. Mus., 14:1-81.
- EIGENMANN, C. H. 1903. New genera of South American fresh-water fishes, and new names for old genera. Smithson. Misc. Collect. (Quarterly), 45: 144-148.
- EIGENMANN, C. H. 1905. Divergence and convergence in fishes. Biol. Bull. Woods Hole, 8(2): 59-66. [As Contr. Zool. Lab. Indiana Univ. No. 64.]
- EIGENMANN, C. H. 1914. Some results from studies of South American fishes. IV. New genera and species of South American fishes. (Contrib. Zool. Lab. Ind. Univ. No. 135). Ind. Univ. Studies, 20: 44-48.
- EIGENMANN, C. H. 1916. New and rare fishes from South American rivers. Ann. Carnegie Mus., 10(1-2): 77-86.
- EIGENMANN, C. H. 1921. Nature and origin of the fishes of the Pacific slope of Ecua-

- dor, Peru and Chile. Proc. Amer. Phil. Soc., 60: 503-523.
- EIGENMANN, C. H. & W. R. ALLEN. 1942. Fishes of Western South America. Univ. Kentucky. XV + 494 p., 48 figs., 22 lám., 1 mapa.
- ELIZANOV, A. A., A. S. GRECHINA, B. N. KOTENEV & A. N. KUZELSOV. 1993. Peruvian jack mackerel, *Trachurus symmetricus murphyi*, in the open waters of the South Pacific. J. Ichthyol., 33(3): 86-104.
- EMERY, A. R. 1972. A new species of damselfish (Pisces: Pomacentridae) from the eastern coast of South America. Copeia, 1972(2): 330-335.
- EMERY, A. R. 1975. *Chromis* Cuvier, 1814: the correct gender. Copeia, 1975(3): 579-582.
- EMERY, A. R. & G. R. ALLEN. 1980. *Stegastes* a senior synonym for the damselfish genus *Eupomacentrus*; osteological and other evidence, with comments on other genera. Rec. West. Aust. Mus., 8(2): 199-206.
- ENDO, H. & O. OKAMURA. 1992. New records of the abyssal grenadiers *Coryphaenoides armatus* and *C. yaquinae* from the western North Pacific. J. Jpn. Ichthyol., 38(4): 433-437.
- ESCHMEYER, W. N. 1965. Western Atlantic scorpionfishes of the genus *Scorpaena*, including four new species. Bull. Mar. Sci., 15(1): 84-164.
- ESCHMEYER, W. N. 1969. A systematic review of the scorpion-fishes of the Atlantic Ocean (Pisces, Scorpaenidae). Occ. Pap. Cal. Acad. Sci., 79: 1-30.
- ESCHMEYER, W. 1990. Catalog of the Genera of Recent Fishes. Cal. Acad. Sci., San Francisco, 697 pp.
- ESCHMEYER, W. N. & G. R. ALLEN. 1971. Three new species of scorpionfishes (Family Scorpaenidae) from Eastern Island. Proc. Cal. Acad. Sci., 4th series, 37(19): 515-527.
- ESCHMEYER, W. N. & J. C. HUREAU. 1971. *Sebastes mouchezi*, a senior synonym of *Helicolenus tristanensis*, with comments of *Sebastes capensis* and zoogeographical considerations. Copeia, 1971(3): 576-579.
- ESCHMEYER, W. N., E. S. HARALD & H. HAMMANN. 1983. A field guide to Pacific coast fishes of North America. Houghton Mifflin Company, Boston, 336 pp.
- EUPHRASEN, B. A. 1788. Beskrifning pa trenne fiskar. Vetensk. Akad. Nya Handl. Stockholm., 9: 51-55.
- EUPHRASEN, B. A. 1791. *Scomber atun* och *Echeneis tropica* beskräfven. Handlingar Königs Vetensk Akademie, 12: 315-318.
- EVERMANN, B. W. & W. C. KENDALL. 1906. Notes on a collection of fishes from Argentina, South America, with descriptions of three new species. Proc. U. S. Nat. Mus., 31(1482): 67-108.
- EVERMANN, B. & L. RADCLIFFE. 1917. The fishes of the west Coast of Perú and Titicaca Basin. Bull. U. S. Nat. Mus., 95:i-xi + 1-166, pls. 1-14.
- EVSEENKO, S. A. 1984. A new genus and species of "armless" flatfishes *Pseudomancopsetta andriashevi* gen. et sp. n. (Pleuronectiformes) and their position in the flatfish suborder. Vop. Ikhtiolog., 24(5): 709-717 (en ruso).
- EVSEENKO, S. A. 1985. A new genus and species of lefteye flounder *Pseudomancopsetta andriashevi* and their position in the flatfish suborder Pleuronectoidei. J. Ichthyol., 25(1): 1-10.
- EVSEENKO, S. A. 1987. A review of "armless" flounders of the genus *Achiropsetta* (Pleuronectoidei) with description of a new species, *Achiropsetta heterolepis* sp nov. Vop. Ikhtiolog., 27(5): 771-783.
- EVSEENKO, S. A. 1989. New data on the "armless" flatfishes *Pseudomancopsetta andriashevi* from the Southern Ocean. J. Ichthyol., 29: 141-144.

- EVSEENKO, S. A. 1996. Early development stages of the Southern Ocean flounders (family Achiropsettidae). *Voprosy Ikhtiolog.*, 36(3): 411-415 (En ruso, traducido al inglés en *J. Ichthyol.*, 36(3): 345-349).
- EVSEENKO, S. A. 1996. Ontogeny and relationships of the flatfishes of the Southern Ocean (Achiropsettidae, Pleuronectoidei). *Voprosy Ikhtiolog.*, 36(6): 725-752 (En ruso, traducido al inglés en *J. Ichthyol.*, 36(9): 687-712).
- EVSEENKO, S. A. 1996. Early developmental stages of flounders of the Southern Ocean (Family Achiropsettidae). *J. Ichthyol.*, 36(4): 411-415.
- EVSEENKO, S. A. 1997. Revision of the flounder genus *Mancopsetta* Gill, 1881 (Achiropsettidae, Pleuronectoidei). *J. Ichthyol.*, 37(6): 411-430.
- EVSEENKO, S. A. 1998. Morphology and identification of two closely related flatfishes of genus *Paralichthys* (Paralichthyidae, Pleuronectiformes) from Chilean waters. *J. Ichthyol.*, 38(9): 804-808.
- EVSEENKO, S. A. 1998. The family Achiropsettidae and its position in taxonomical and ecological classifications of the order Pleuronectiformes. *Russian Academy of Science. Family Achiropsettidae*, p. 1-62.
- EVSEENKO, S. A. 1998. Morphology and identification of two closely related flatfishes of the genus *Paralichthys* (Paralichthyidae, Pleuronectiformes) from Chilean waters. *Voprosy Ikhtiolog.*, 38(6): 834-838.
- EVSEENKO, S. A. 2000. Family Achiropsettidae and its position in the taxonomic and ecological classification of the Pleuronectiformes. *J. Ichthyol.*, 40(Suppl. 1): S110-S138.
- EVSEENKO, S. A. 2004. Family *Pleuronectidae* Cuvier 1816 -- righteye flounders. *Calif. Acad. Sci. Annotated Checklists of Fishes No. 37*: 1-37.
- EVSEENKO, S. A. & I. A. TRUNOV. 2004. Pelagic Fry of the Codling *Guttigadus kongi* (Gadiformes, Moridae) from the Southwestern Atlantic. *J. Ichthyol.*, 44(7): 495.
- EYDOUX, J. F. & F. L. P. GERVAIS. 1837. Voyage autour du monde pendant les années 1830 et 1832, exécuté par "La Favorite". *Poissons, Mag. Zool.*, 7: 1-4, Paris.
- FAHAY, M. P. & D. F. MARKLE. 1984. Gadiformes: development and relationships. En: H. G. Moser *et al.*, (eds.). *Ontogeny and Systematics of Fishes. Spec. Publ. N° 1. Am. Soc. Ichthyol. Herp.*, 265-283.
- FALABELLA, F.; R. MELÉNDEZ & M. L. VARGAS. 1995. Claves osteológicas para peces de Chile central. *Artegrama Ltda. Santiago de Chile*, 208 pp.
- FEDORYAKO, B. I. 1980. Fishes of the family Monacanthidae (Balistitoidea, Tetraodontiformes) from the high seas of the Pacific and Indian Oceans, pp. 99-102. En: N. V. Parín (ed.). *Fishes of the Open Ocean. Institute of Oceanology, Acad. Sci. U.S.S.R., Moscow*, 120 pp.
- FEENY, R. F. 2006. Two records of *Acanthochaenus luetkenii* (Gill, 1884) from southern Chile (Pisces: Stephanoberyciformes: Stephanoberycidae). *Inv. Mar., Valparaíso*, 34(2): 227-230.
- FIERSTINE, H. L. 1968. Swollen dorsal fin elements in living and fossil *Caranx* (Teleostei: Carangidae). *Contr. Sci., Nat. Hist. Mus., Los Angeles Co.*, 137: 1-10.
- FIERSTINE, H. L. 1974. The paleontology of billfish, the state of the art. *Nat. Oc. Atm. Adm., Tech. Rep., Nat. Mar. Fish. Serv.*, 675: 34-44.
- FINK, W. L. & H. W. STANLEY. 1982. Relationships of the Stomiiform Fishes (Teleostei) with a description of *Diplophos*. *Bull. Mus. Comp. Zool.*, 150(2): 31-93.
- FINK, W. L. & S. H. WEITZMAN. 1982. Relationships of the stomiiform fishes (Teleos-

- tei), with a description of *Diplophos*. Bull. Mus. Comp. Zool., 150: 31-93.
- FISCHER, W. K. 1958. Primera fase del desarrollo del blanquillo (*Prolatilus jugularis*) Cuv. et Val. (Pisces). Rev. Biol. Mar., Valparaíso, 8: 3-24, 4 láms.
- FISCHER, W. K. 1958. Huevos, crías y primeras prelarvas de la anchoveta (*Engraulis ringens*) Jenyns. Rev. Biol. Mar., Valparaíso, 8: 111-124, 4 láms.
- FISCHER, W. K. 1963. Die Fische des Brackwassergebietes Lengua bei, Concepción (Chile). Int. Rev. Gess. Hydrobiol., 48(3): 419-511.
- FISCHER, W. 1978. Branchiostegidae. FAO Species identification sheets for fishery purposes. Western Atlantic (Fishing Area 31).
- FISCHER, W. & J. C. HUREAU (Eds.). 1985. FAO species identification sheets for fishery purposes. Southern Ocean (Fishing areas 48, 58 y 88) (CCAMLR Convention Area). Prepared and Published with the support of the Commission for the Conservation of the Antarctic Marine Living Resources, Rome FAO, 2: 471 pp.
- FITCH, J. E. 1964. The Ribbonfishes (Family Trachipteridae) of the Eastern Pacific Ocean, with a description of a new species. Calif. Fish Game, 50(4): 228-240.
- FITCH, J. E. 1967. The tappatail ribbonfish (*Trachipterus fukusakii* Fitch) added to marine fauna of California. Calif. Fish Game, 53(4): 298-299.
- FITCH, J. E. 1969. A second record of the slender *Mola ranzania laevis* (Pennant), from California. Bull. Southern Cal. Acad. Sci., 68(2): 115-118.
- FITCH, J. E. 1973. The longnose puffer, *Sphoeroides lobatus* (Steindachner) added to the marine fauna of California. Bull. Southern Cal. Acad. Sci., 72(3): 163.
- FITCH, J. E. & S. J. CROOKE. 1984. Revision of eastern Pacific catalufas (Pisces: Priacanthidae) with description of a new genus and discussion of the fossil record. Proc. Calif. Acad. Sci., (Ser. 4) 43(19): 301-315.
- FITCH, J. E. & D. W. GOTSHALL. 1972. First record of the black scabbardfish, *Aphanopus carbo*, from the Pacific Ocean with notes on other Californian trichiurid fishes. Bull. So. Calif. Acad. Sci., 72(71): 12-18.
- FITCH, J. E. & P. M. ROEDEL. 1963. A review of the frigate mackerels (Genus *Auxis*) of the world. Proc. World. Sci. Meet. Biol. Tunas FAO, Fish Rep. 6(3): 1329-1342.
- FORSTER, J. R. 1844. Descriptiones animalium quae in itinere ad maris Australis terras per annos 1772-1773 et 1774 suscepto collegit observavit et delineavit Ioannes Reinoldus Forster...nunc demum editae... Henrico Lichtenstein. Berlin. Descr. Animalium Forster, i-xiii + 1-424.
- FOWLER, H. W. 1901. Description of a new hemiramphid. Proc. Acad. Nat. Sci. Philadelphia, 53: 293-294.
- FOWLER, H. W. 1906. New, rare or little known scombroids, No. 3. Proc. Acad. Nat. Sci. Philadelphia, 58: 114-122.
- FOWLER, H. W. 1907. Notes on Serranidae. Proc. Acad. Nat. Sci. Philadelphia, 59: 249-269.
- FOWLER, H. W. 1911. Notes on clupeoid fishes. Proc. Acad. Nat. Sci. Philadelphia, 63: 204-221.
- FOWLER, H. W. 1926. Fishes from Florida, Brazil, Bolivia, Argentina and Chile. Proc. Acad. Nat. Sci. Philadelphia, 78: 249-258, 1 fig.
- FOWLER, H. W. 1933. The fishes of the families Banjosidae, Lethrinidae, Sparidae, Girellidae, Kyphosidae, Oplegnathidae, Gerriidae, Mullidae, Emmelichthyidae, Scianidae, Sillaginidae, Arripidae and Enoplosidae collected by the United States Bureau of Fisheries steamer "Albatross", chiefly in Philippine seas and adjacent waters. Bull. U.S. Nat. Mus., 100(12): 1-465, 31 figs.

- FOWLER, H. W. 1938. The fishes of the George Vanderbilt South Pacific Expedition, 1937 Acad. Nat. Sci., Philadelphia Monogr., 2: I-VII + 1-349.
- FOWLER, H. W. 1940. The fishes obtained by the Wilkens Expedition. Proc. Am. Philos. Soc., 82(5): 733-800.
- FOWLER, H. W. 1940. Fishes obtained in Chile by Mr. D. S. Bullock. Proc. Acad. Nat. Sci. Philadelphia, 92: 171-190.
- FOWLER, H. W. 1942. Fishes of Chile, Systematic Catalog. Part 2. Rev. Chil. Hist. Nat., 46-47: 15-116.
- FOWLER, H. W. 1943. Fishes of Chile. Systematic Catalog. Rev. Chil. Hist. Nat., 45: 22-57.
- FOWLER, H. W. 1944. Fishes of Chile. Systematic Catalog. Part 2. Rev. Chil. Hist. Nat., 54(46-47): 275-343.
- FOWLER, H. W. 1945. Fishes of Chile. Systematic Catalog. Rev. Chil. Hist. Nat., Parts I and II, 36 + 171 pp., Santiago. Apartado de la Revista Chilena de Historia Natural, Años XLV-XLVI-XLVIII (1941-1942-1943).
- FOWLER, H. W. 1945. Description of a new genus of parapercid fishes from Chile. Rev. Chil. Hist. Nat. 48: 25-27, 1 fig.
- FOWLER, H. W. 1945. Los peces del Perú. Catálogo Sistemático. Mus. Hist. Nat. "Javier Prado" Univ. Nac. Mayor de San Marcos, Lima, 298 p.
- FOWLER, H. W. 1951. Analysis of the fishes of Chile. Rev. Chil. Hist. Nat. (1947-49), 51-53: 263-326.
- FOWLER, H. W. 1955. The pinecone fish, *Monocentris japonicus* (Houttuyn) at Juan Fernandez, Southeast Pacific. The Fish Culturist, 34(9): 65.
- FOWLER, H. W. 1901. Description of a new hemiramphid. Proc. Acad. Nat. Sci. Philadelphia, 53: 293-294.
- FOWLER, H. W. 1903. Descriptions of new, little known, and typical Atherinidae. Proc. Acad. Nat. Sci. Philadelphia, 55: 727-742, Pls. 41-44.
- FOWLER, H. W. 1904. Description of a new lantern fish. Proc. Acad. Nat. Sci. Philadelphia, 55 (for 1903): 754-755.
- FOWLER, H. W. 1905. New, rare or little known scombroids. No. II. Proc. Acad. Nat. Sci. Philadelphia, 57: 56-88.
- FOWLER, H. W. 1906. New, rare or little known scombroids, No. 3. Proc. Acad. Nat. Sci. Philadelphia, 58: 114-122.
- FOWLER, H. W. 1911. Notes on clupeoid fishes. Proc. Acad. Nat. Sci. Philadelphia, 63: 204-221.
- FOWLER, H. W. 1912. Notes on salmonoid and related fishes. Proc. Acad. Nat. Sci. Philadelphia, 63 (for 1911): 551-571.
- FOWLER, H. W. 1964. A catalog of World fishes [Part I]. Q. J. Taiwan Mus. (Taipei) 17(3/4): 1-62.
- FOWLER, H. W. 1965. A catalog of World fishes [Part II]. Q. J. Taiwan Mus. (Taipei) 18 (1/2): 137-202 [catalog pp. 63-128].
- FOWLER, H. W. 1965. A catalog of World fishes (III). Q. J. Taiwan Mus. (Taipei) 18(3/4): 341-397 [catalog pp. 129-185].
- FOWLER, H. W. 1966. A catalog of World fishes (IV). Q. J. Taiwan Mus. (Taipei) 19(1/2): 75-139 [catalog pp. 186-250].
- FOWLER, H. W. 1966. A catalog of World fishes (V). Q. J. Taiwan Mus. (Taipei) 9(3/4): 303-371 [catalog pp. 251-319].
- FOWLER, H. W. 1967. A catalog of World fishes (VI). Q. J. Taiwan Mus. (Taipei) 20(1/2): 79-148 [catalog pp. 320-389].
- FOWLER, H. W. 1967. A catalog of World fishes (VII). Q. J. Taiwan Mus. (Taipei) 20(3/4): 341-366 [catalog pp. 390-415].

- FOWLER, H. W. 1968. A catalog of World fishes (VIII). Q. J. Taiwan Mus. (Taipei) 21(1/2): 53-78 [catalog pp. 416-441].
- FOWLER, H. W. 1968. A catalog of World fishes (IX). Q. J. Taiwan Mus. (Taipei) 21(3/4): 181-211 [catalog pp. 442-472].
- FOWLER, H. W. 1969. A catalog of World fishes (X). Q. J. Taiwan Mus. (Taipei) 22(1/2): 57-84 [catalog pp. 473-500].
- FOWLER, H. W. 1969. A catalog of World fishes (XI). Q. J. Taiwan Mus. (Taipei) 22(3/4): 125-190 [catalog pp. 501-566].
- FOWLER, H. W. 1970. A catalog of World fishes (XII). Q. J. Taiwan Mus. (Taipei) 23(1/2): 39-126 [catalog pp. 567-654].
- FOWLER, H. W. 1970. A catalog of World fishes (XIII). Q. J. Taiwan Mus. (Taipei) 23(3/4): 151-199 [catalog pp. 655-703].
- FOWLER, H. W. 1971. A catalog of World fishes (XV). Q. J. Taiwan Mus. (Taipei) 24(3/4): 365-409 [catalog v. 2, pp. 110-154].
- FOWLER, H. W. 1971. A catalog of World fishes. Volume II. Q. J. Taiwan Mus. (Taipei) 23 (3/4): 201-251 [catalog v. 2, pp. 1-51].
- FOWLER, H. W. 1971. A catalog of World fishes (XIV). Q. J. Taiwan Mus. (Taipei) 24(1/2): 1-58 [catalog v. 2, pp. 52-109].
- FOWLER, H. W. 1972. A catalog of World fishes (XVI). Q. J. Taiwan Mus. (Taipei) 25(1/2): 1-40 [catalog v. 2, pp. 155-194].
- FOWLER, H. W. 1972. A catalog of World fishes (XVII). Q. J. Taiwan Mus. (Taipei) 25(3/4): 157-198 [catalog v. 2, pp. 195-236].
- FOWLER, H. W. 1973. A catalog of World fishes (XIX). Q. J. Taiwan Mus. (Taipei) 26(3/4): 217-346 [catalog v. 2, pp. 349-478].
- FOWLER, H. W. 1973. A catalog of World fishes (XVIII). Q. J. Taiwan Mus. (Taipei) 26(1/2): 1-111 [catalog v. 2, pp. 237-347].
- FOWLER, H. W. 1974. A catalog of World fishes (XX). Q. J. Taiwan Mus. (Taipei) 27(1/2): 1-132 [catalog v. 2, pp. 479-610].
- FOWLER, H. W. 1974. A catalog of World fishes (XXI). Q. J. Taiwan Mus. (Taipei) 27(3/4): 239-388 [catalog v. 2, pp. 611-760].
- FOWLER, H. W. 1975. A catalog of World fishes (XXII). Volume III. Q. J. Taiwan Mus. (Taipei) 28(1/2): 1-124 [catalog v. 3, pp. 1-124].
- FOWLER, H. W. 1975. A catalog of World fishes (XXIII). Q. J. Taiwan Mus. (Taipei) 28(3/4): 277-401 [catalog v. 3, pp. 125-249].
- FOWLER, H. W. 1976. A catalog of World fishes (XXIV). Q. J. Taiwan Mus. (Taipei) 29(1/2): 1-110 [catalog v. 3, pp. 250-359].
- FOWLER, H. W. 1976. A catalog of World fishes (XXV). Q. J. Taiwan Mus. (Taipei) 29(3/4): 277-396 [catalog v. 3, pp. 360-479].
- FOWLER, H. W. 1977. A catalog of World fishes (XXVI). Q. J. Taiwan Mus. (Taipei) 30(1/2): 1-88 [catalog v. 3, pp. 480-566].
- FOWLER, H. W. & B. BEAN. 1928. The fishes of the families Pomacentridae, Labridae and Callyodontidae, collected by the United States Bureau of Fisheries steamer "Albatross" chiefly in Philippine seas and adjacent water. Bull. U.S. Nat. Mus., 100(7): 1-525, 49 láms.
- FOWLER, H. W. & B. BEAN. 1930. The fishes of the families Amiidae, Chandidae, Duleidae and Serranidae, obtained by the United States Bureau of Fisheries steamer "Albatross" in 1907 to 1910, chiefly in Philippine islands and adjacent seas. Bull. U.S. Nat. Mus., 100(10): 1-334, 27 figs.
- FRASER-BRUNNER, A. 1933. A revision of the *Chaetodon* fishes of the Subfamily Pomacanthinae. Proc. Zool. Soc. London, Part 3, 543-599.

- FRASER-BRUNNER, A. 1941. Notes on the plectognath fishes VI. A synopsis of the genera of the family Aluteridae and descriptions of seven new species. *Ann. Mag. Nat. Hist.*, 11(8): 176-199.
- FRASER-BRUNNER, A. 1943. Notes on the Plectognath Fishes. VIII. The classification of the Suborder Tetraodontoidea, with a synopsis of the genera. *Ann. Mag. Nat. Hist.*, 11(10): 1-18, 4 figs.
- FRASER-BRUNNER, A. 1949. On the fishes of the genus *Euthynnus*. *Ann. Mag. Nat. Hist.*, Ser. 12, 2(20): 622-627, 2 figs.
- FRASER-BRUNNER, A. 1949. A classification of the fishes of the family Myctophidae. *Proc. Zool. Soc. London*, 118 (4): 1019-1106.
- FRASER-BRUNNER, A. 1950. The fishes of the family Scombridae. *Ann. Mag. Nat. Hist.*, Ser. 12, 3(25): 131-163, 35 figs.
- FRASER-BRUNNER, A. 1951. The Ocean sunfishes (Family Molidae). *Bull. Mus. Nat. Hist. (Zool.)*, 1(6): 89-121, 18 figs.
- FRASER, T. H. 1972. Comparative osteology of the shallow water cardinal fishes (Perciformes: Apogonidae) with reference to the systematics and evolution of the family. *Ichthyol. Bull. J.L.B. Smith Inst. Ichthyol.*, 34: i-v + 1-105.
- FRASER, T. H. & E. A. LACHNER. 1984. An unusual Indo-West Pacific cardinalfish of the genus *Apogon* (Teleostei: Apogonidae) *Proc. Biol. Soc. Washington*, 97(3): 632-636.
- FRASER, T. H. & J. E. RANDALL. 1976. Two new Indo-West Pacific cardinalfishes of the genus *Apogon*. *Proc. Biol. Soc. Wash.*, 88(47): 503-508.
- FRASER, T. H. & J. E. RANDALL. 1986. A new species of cardinalfish genus *Apogon* from Easter Island. *Copeia*, (3): 641-645.
- FRASER, T. H. & P. J. STRUHSAKER. 1991. A new genus and species of cardinalfish (Apogonidae) from Indo-West Pacific, with a key to apogonine genera. *Copeia*, 1991(3): 718-722.
- FRAYCINET, L. de. 1827. Voyage autour du monde exécuté sur la corvette de S. N. L' Uranie et le Physienne pendant les années 1817-20. Paris. *Bibl. Medina, Viajes*, 8: 115.
- FREIHOFER, W. C. 1963. Patterns of the ramus lateralis accessorius and their systematic significance in teleostean fishes. *Stanford Ichthyol. Bull.*, 8(2): 81-189.
- FRICKE, R. 2002. Annotated checklist of the dragonet families Callionymidae and Draconettidae (Teleostei: Callionymoidei), with comments on callionymid fish classification. *Stuttg. Beitr. Naturk., Ser. A (Biol.)* 645: 1-103.
- FRITZSCHE, R. A. 1976. A review of the cornetfishes genus *Fistularia* (Fistulariidae), with a discussion on intrageneric relationships and zoogeography. *Bull. Mar. Sci.*, 26(2): 196-204.
- FRITZSCHE, R. A. 1978. The first eastern Pacific records of bulleye, *Cookeolus boops* (Bloch and Schneider, 1801), (Pisces, Priacanthidae). *Calif. Fish Game*, 64(3): 219-221.
- FRITZSCHE, R. A. 1980. Revision of the Eastern Pacific Syngnathidae (Pisces, Syngnathiformes), including both recent and fossil forms. *Proc. Cal. Acad. Sci.*, 42(6): 181-227.
- FRITZSCHE, R. A. 1984. Gasterosteiformes: development and relationships. En: H. G. Moser *et al.* (eds). *Ontogeny and systematics of fishes*. *Am. Soc. Ichthyol. Herpetol. Spec. Publ.* 1: 398-405.
- FRITZSCHE, R. A. & G. D. JOHNSON. 1981. *Pseudopriacanthus* Bleeker, a synonym of the priacanthid genus *Pristigenys* Agassiz. *Copeia*, 1981(2): 490-492.
- FUENTES, F. 1914. Contribución al estudio de la fauna de la Isla de Pascua. *Bol. Mus. Nac. Hist. Nat., Chile*, 5(2): 285-319.

- FUENTES, H. 1981. Un pez poco conocido en Chile: *Galeichthys peruvianus* Lutken, 1874 (Pisces: Ariidae). Bol. Soc. Biol. Concepción, 51: 119-122.
- FUENTES, H. & L. E. NÚÑEZ. 1986. Primer registro de *Lophiodes spilurus* (Garman 1899) en aguas chilenas (Pisces, Lophiidae). Bol. Biol. Concepción, 57: 171-176.
- GAGO, F. J. 1998. Osteology and phylogeny of the cutlassfishes (Scombridae: Trichiuridae). Contrib. Sci. (Los Ang.), 476: 1-11.
- GAGO, F. J. & R. C. RICORD. 2005. *Symbolophorus reversus*: a new species of lanternfish from the eastern Pacific (Myctophiformes: Myctophidae). Copeia, 2005 (1): 138-145.
- GAJARDO, G. M. 1983. Morphological and genetic study of the Chilean species of the genus *Basilichthys* (Pisces, Atherinidae). Arch. Biol. Med. Exp., 16(2): 216.
- GAJARDO, G. M. 1987. *Basilichthys microlepidotus* (Jenyns, 1842) and *Basilichthys australis* Eigenmann, 1927 (Pisces: Teleostei, Atherinidae): comments on their morphological differentiation. Stud. Neotr. Fauna Environ., 22(4): 223-236.
- GAJARDO, G. M. 1988. Genetic divergence and speciation in *Basilichthys microlepidotus* (Jenyns, 1842) and *Basilichthys australis* Eigenmann, 1927 (Pisces, Atherinidae). Genetica, 76: 121-126.
- GAJARDO, G. M. 1992. Karyotypes of *Basilichthys microlepidotus* and *B. australis* (Pisces: Atherinidae). Copeia, 1: 256-258.
- GAJARDO, G. M. & G. ARRATIA. 1981. Analysis of the morphological and chromosomal differentiation of Chilean fish (Pisces: Atherinidae). Arch. Biol. Med. Exp., 14(1): 57.
- GALLEGUILLOS, R., L. TRONCOSO & C. OYARZÚN. 1999. Parentezco evolutivo en las merluzas del Pacífico Sur *Merluccius gayi*, *Merluccius australis* y *Merluccius hubbsi* (Pisces: Merlucciidae). Rev. Chil. Hist. Nat., 72(3): 315-324.
- GALLEGUILLOS, R. & R. D. WARD. 1981. Variability and genetic relations in marine flatfish (Pleuronectidae). Arch. Biol. Med. Exp., 14(1): 57.
- GALLI-GALLARDO, S. M., E. T. MARUSIC & P. K. T. PANG. 1977. Studies on the stannous corpuscles of the Chilean clingfish, *Sicyases sanguineus*. Gen. Comp. Endocr., 32: 316-320.
- GARMAN, S. 1899. Reports on an exploration of the west Coast of Mexico, Central and South America, and of the Galapagos Islands in charge of A. Agassiz, by the U.S. Fish Commission Steamer "Albatross", during 1891. The Fishes. Mem. Mus. Comp. Zool., Harvard, 24: 1-431 + 97 pls.
- GAYARDO, G. & G. ARRATIA. 1980. Systematic aspects of *Basilichthys* from Chile (Pisces, Atherinidae). Arch. Biol. Med. Exp., 13(1): 140.
- GAY, C. 1848. Historia física y política de Chile. Zoología, 2: 137-370 (Peces de Alphonse Guichenot).
- GAY, C. 1854. Atlas de la Historia Física y Política de Chile. 2 (Ictiología: 17 láms.) (Peces de Alphonse Guichenot).
- GEORGE, A. & V. SPRINGER. 1980. Revision of the clinid fish Tribe Ophielinini, including five new species and definition of the Family Clinidae. Smith. Contr. Zool., 307: 1-31.
- GERY, J. 1969. The freshwater fishes of South America. Monographiae Biologicae, 19.
- GIBBS, R. H. JR. 1957. A taxonomic analysis of *Myctophus* affine and *M. nitidulum*, two lantern fishes previously synonymized, in the Western North Atlantic. Deep Sea Res., 4(4): 230-237.
- GIBBS, R. H., JR. 1960. The stomiatoid fish genera *Eustomias* and *Melanostomias* in the

- Pacific, with descriptions of two new species. *Copeia*, 1960(3): 200-203.
- GIBBS, R. H., JR. 1971. Notes on fishes of the genus *Eustomias* (Stomiatoidei, Melanostomiidae) in Bermuda waters, with the description of a new species. *Proc. Biol. Soc. Wash.*, 84(29): 235-244.
- GIBBS, R. H., JR. & B. A. HURWITZ. 1967. Systematics and zoogeography of the stomiatoid fishes, *Chauliodus pammelas* and *C. sloani*, of the Indian Ocean. *Copeia*, 1967(4): 798-805.
- GIBBS, R. H., JR. & B. B. COLLETTE. 1959. On the identification, distribution, and biology of the dolphins, *Coryphaena hippurus* and *equiselis*. *Bull. Mar., Sci.* 9(2): 117-152.
- GIBBS, R. H., JR. & B. B. COLLETTE. 1967. Comparative anatomy and systematics of the tunas, genus *Thunnus*. *Fish. Bull.*, 66(1): 65-130.
- GIBBS, R. H., JR. & J. E. CRADDOCK. 1973. *Eustomias crucis* (Stomiatoidei, Melanostomiidae), a new species of deepsea fish from the eastern South Pacific, and contributions to the knowledge of *Eustomias trewasae* Norman. *Proc. Biol. Soc. Washington*, 86(13): 153-161.
- GIBBS, R. H., JR., T. A. CLARKE & J. R. GOMON. 1983. Taxonomy and distribution of the stomioid fish genus *Eustomias* (Melanostomiidae), I: subgenus *Nominostomias*. *Smithson. Contrib. Zool.*, No. 380: i-iv + 1-139.
- GIBBS, R. H. 1968. *Photonectes munificus*, a new species of melanostomiid fish from the South Pacific subtropical convergence, with remarks on the convergence fauna. *Contr. Sci. (Los Angeles)*, 149: 1-6.
- GIBBS, R. H., JR. 1960. *Alepisaurus brevirostris*, a new species of lancetfish from the western North Atlantic. *Breviora*, 123: 1-14.
- GIBBS, R. H., JR. 1964. Family Idiakanthidae (pp. 512-522). En: *Fishes of the Western North Atlantic*. Mem. Sears Found. Mar. Res. Mem. 1 (pt 4).
- GIBBS, R. H., JR. 1964. Family Astronesthidae (pp. 311-350). En: *Fishes of the Western North Atlantic*. Mem. Sears Found. Mar. Res. Mem. 1 (pt 4).
- GIBBS, R. H. 1969. Taxonomy, sexual dimorphism, vertical distribution and evolutionary zoogeography of the bathypelagic fish genus *Stomias* (Stomiidae). *Smith. Contr. Zool.*, 31: 1-25.
- GIBBS, R. 1984. Astronesthidae. En: P. Whitehead, M. Bauchot, J. Hureau, J. Nielsen, E. Tortonese (eds.). *Fishes of the North-eastern Atlantic and Mediterranean*. UNESCO, 1: 325-335.
- GIBBS, R. H. & B. B. COLLETTE. 1959. On the identification, distribution and biology of the dolphins, *Coryphaena hippurus* and *C. equiseis*. *Bull. Mar. Sci. Gulf. and Caribb.*, 9(2): 117-152, 18 figs.
- GIBBS, R. H. & J. E. CRADDOCK. 1973. *Eustomias crucis* (Stomiatoidei, Melanostomiidae), a new species of deepsea fish from the Eastern South Pacific, and contributions to the knowledge of *Eustomias trewasae* Norman. *Proc. Biol. Soc. Washington*. 86(13): 153-162.
- GIGOUX, E. E. 1939. Noticias ictiológicas. *Rev. Univ. Chile*, 24(1): 49-52.
- GILBERT, C. H. 1895. The ichthyological collections of the steamer "Albatross" during the years 1890 and 1891. *U.S. Comm. Fish Fisheries* 1893, 19: 393-476.
- GILBERT, C. H. 1905. The deep-sea fishes of the Hawaiian islands. *Bull. U. S. Fish. Comm.*, 23: 575-713.
- GILBERT, C. R. 1966. Western Atlantic sciaenid fishes of the genus *Umbrina*. *Bull. Mar. Sci.*, 16(2): 230-258.
- GILBERT, C. H. & F. CRAMER. 1897. Report on the fishes dredged in deep water near the Hawaiian Islands, with descriptions and figures of twenty-three new species. *Proc. U.S. Nat. Mus.*, 19: 403-435.

- GILBERT, C. H. & W. F. THOMPSON. 1916. Family Macrouridae. Pp. 471-476, pls. 5, 6. En: W. F. Thompson (ed.). Fishes collected by the United States Bureau of Fisheries Steamer "Albatross" during 1888, between Montevideo, Uruguay, and Tome, Chile, on the voyage through the Straits of Magellan. Proc. U. S. Nat. Mus., 50: 401-476, pls. 2-6.
- GILL, T. 1860. Monograph of the genus *Labrosomus* Sav. Proc. Acad. Nat. Sci. Philadelphia, 1861: 102-108.
- GILL, T. 1860. Description of *Hyporhamphus*, a new genus of fishes allied to *Hemirhamphus* Cuv. Proc. Acad. Nat. Sci. Phila. 1858: 132-134.
- GILL, T. N. 1861. On the genus *Anisotremus* Gill. Proc. Acad. Nat. Sci. Philadelphia, 13: 105-108.
- GILL, T. 1861. Synopsis of the subfamily Clupeinae, with descriptions of new genera. Proc. Acad. Nat. Sci., Philadelphia, 1862: 33-38.
- GILL, T. 1861. Synopsis of the Chaenichtyoids. Proc. Acad. Nat. Sci., Philadelphia, 1861: 507-510.
- GILL, T. 1861. Synopsis of the Harpagiferoids. Proc. Acad. Nat. Sci., Philadelphia, 1861: 510-512.
- GILL, T. 1861. Synopsis of the Notothenioids. Proc. Acad. Nat. Sci., Philadelphia, 1861: 512-522.
- GILL, T. N. 1861. On several new generic types of fishes contained in the museum of the Smithsonian Institution. Proc. Acad. Nat. Sci. Philadelphia, 13: 77-78.
- GILL, T. 1861. Synopsis of the subfamily Percinae. Proc. Acad. Nat. Sci., Philadelphia, 1862: 44-52.
- GILL, T. N. 1861. Revision of the genera of North American Sciaeninae. Proc. Acad. Nat. Sci. Philadelphia, 13: 79-89.
- GILL, T. N. 1861. Monograph of the tridigitate uranoscopoids. Proc. Acad. Nat. Sci. Philadelphia, 13: 263-271.
- GILL, T. 1862. On the limits and arrangements of the family of scombroids. Proc. Acad. Nat. Sci. Philadelphia, 14: 124-127.
- GILL, T. 1862. Synopsis of the Family of Cirrhitoids. Proc. Acad. Nat. Sci. Philadelphia, 1863: 102-122.
- GILL, T. N. 1862. Descriptions of new species of Alepidosauroidae. Proc. Acad. Nat. Sci. Philadelphia, 14: 127-132.
- GILL, T. 1863. Note on the genera Hemirhamphinae. Proc. Acad. Nat. Sci. Philadelphia, 1863: 272-273.
- GILL, T. N. 1864. Notes on the nomenclature of genera and species of the family Eche-neidoidea. Proc. Acad. Nat. Sci. Philadelphia, 16(2): 59-61.
- GILL, T. N. 1865. On a new genus of Serraninae. Proc. Acad. Nat. Sci. Philadelphia, (1865): 17: 104-106.
- GILL, T. 1884. Notes on the Stromateidae. Proc. Amer. Philadelphia Soc., 21(116): 664-672.
- GILL, T. 1884. Note on the Sternoptychidae. Proc. U.S. Nat. Mus., 7: 349-351.
- GILL, T. 1889. The Halosauroid fishes typical of a special order. Amer. Nat., 23: 1015-1016.
- GILL, T. 1893. Families and Subfamilies of fishes. Mem. Nat. Acad., Sci., 6: 1-138.
- GILL, T. 1895. The ichthyological collections of the steamer "Albatross" during the years 1890 and 1891. Rep. U.S. Fish Comm., 1893. Washington.
- GILL, T. 1909. Angler fishes: their kinds and ways. An. Rep. Smith. Inst., 1908: 565-615, 49 figs.

- GILL, T. 1911. Notes on the lantern fishes from southern seas, collected by J.T. NICHOLS in 1906. Bull. Amer. Mus. Nat. Hist., 30(2).
- GILL, T. N. & J. A. RYDER. 1883. On the anatomy and relations of the Eurypharyngidae. Proc. U. S. Nat. Mus., 6(382): 262-273.
- GILL, T. & C. M. TOWNSEND. 1901. The largest deep-sea fish. Science, 14(363): 937-938.
- GINSBURG, I. 1933. Descriptions of a new and imperfectly known species and genera of Gobioid and Pleuronectid fishes in the U.S National Museum. Proc. U.S. Nat. Mus., 82(2961): 1-23, figs. 1-3.
- GINSBURG, I. 1933. A revision of the genus *Gobiosoma* (Family Gobiidae) with an account of the genus *Garmania*. Bull. Bingham Oceanogr. Coll., 4(5): 1-59.
- GINSBURG, I., 1936. Description of a new flatfish, with notes on related species. J. Wash. Acad. Sci., 26(3): 128-133.*
- GINSBURG, I. 1937. Review of the seahorses (*Hippocampus*) found on the coasts of the American continents and of Europe. Proc. U. S. Nat. Mus., 83(2997): 497-594.
- GINSBURG, I. 1945. Contribution to a methodology in the caudal fin ray count of fishes and its use in classification. Copeia, 1945(3): 133-142.
- GINSBURG, I. 1952. Flounders of the genus *Paralichthys* and related genera in American waters. Fish. Bull., 52(71): 267-351.
- GINSBURG, I. 1953. The taxonomic status and nomenclature of some Atlantic and Pacific populations of yellowfin and bluefin tunas. Copeia, 1953(1): 1-10.
- GINSBURG, I. 1954. Whittings of the coasts of the American continent. Fish. Bull., 56(96): 187-208.
- GIRARD, CH. 1854. Abstract of a report to Lieut. Jas. M. Gillis. U.S.N., upon the fishes collected during the U.S.N. Astronomical Expedition to Chile. Proc. Acad. Nat. Sci., Philadelphia, 7: 197-199.
- GIRARD, C. 1854. Fishes in Gillis, J. M., U. S. Naval Astronomical Expedition to the southern hemisphere (1849-52), 230-253, pl. 29-33, Washington.
- GIRARD, C. 1855. Fishes. U.S Naval Astronomical Expedition to the Southern Hemisphere. 2: 230-253, láms. 29-33.
- GIRARD, C. 1859. Fishes family Percidae, Atherinidae, Siluridae, Clupeidae, Characidae et Myxinidae. En: Gillis, The U.S. Naval Astron. Exped. In the years 1849-1859, 2.
- GIRARD, A. A. 1893. Description d'un Echeenis nouveau des côtes du Portugal. Boll. Soc. Geogr. Lisbon ,11: 603-610.*
- GMELIN, J. F. 1789. Systema Naturae. 1-3, 13th Ed. Lipsiae.
- GODKIN, C. M. & R. WINTERBOTTOM. 1985. Phylogeny of the family Congrogadidae (Pisces, Perciformes) and its placement as a subfamily of the Pseudochromidae. Bull. Mar. Sci., 36(3): 633-671.
- GODSIL, H. C. 1955. A description of two species of bonito, *Sarda orientalis* and *S. chilensis*, and a consideration of realtionships within the genus. Fish. Bull. Sacramento, 99, 43 pp.
- GODSIL, H. C. & R. D. BYERS. 1944. A systematic study of the Pacific tunas. Fish. Bull. Sacramento, 60, 131 pp.
- GOLOVAN, G. A. 1976. Rare and firstly recorded chondrosteian and teleostean fishes of the continental slope of west Africa. Biology and distribution of the tropical deepsea fishes. Trans. P.P. Shirshov Inst. Oceanol., Acad. Sci. U.S.S.R., 104: 277-317 (En ruso).
- GOMON, J. R. & R. H., JR. GIBBS. 1985. Taxonomy and distribution of the stomioid fish genus *Eustomias* (Melanostomiidae),

- II: Biradiostomias, new subgenus. Smithsonian. Contrib. Zool., 409: 1-58.
- GOMON, M. F. 1979. A revision of the labrid fish genus *Bodianus*, with and analysis of the relationships of other members of the tribe Hypsigenyini. Diss. Abstr. Int., 40(4).
- GOMON, M. F. & J. E. RANDALL. 1978. Review of the Hawaiian fishes of the labrid tribe Bodianini. Bull. Mar. Sci., 28(1): 32-48.
- GON, O. 1990. Microstomatidae. En: O. Gon and P. C Heemstra (eds.). Fishes of the Southern Ocean South Africa, J. L. B. Smith Institute of Ichthyology, Grahamstown., pp. 105-106.
- GON, O. 1990. Bathydraconidae. En: O. Gon and P.C Heemstra (eds.). Fishes of the Southern Ocean J. L. B. Smith Institute of Ichthyology, Grahamstown, South Africa, p. 364-380.
- GON, O. & P. C. HEEMSTRA. 1987. *Mendosoma lineatum* Guichenot 1848, first record in the Atlantic Ocean, with a re-evaluation of the taxonomic status of other species of the genus *Mendosoma* (Pisces, Latridae). Cybium, 11: 183-193.
- GON, O. & P. C. HEEMSTRA. 1990. Fishes of the Southern Ocean. J. L. B. Smith Institute of Ichthyology, Grahamstown, South Africa, XVII+461 pp.
- GOODE, G. B. & T. H. BEAN. 1882. *Benhodesmus*, a new genus of deep-sea fishes allied to "Lepidopus". Proc. U. S. Nat. Mus., 4(241): 379-383.
- GOODE, G. B. & T. H. BEAN. 1895. Oceanic Ichthyology. A treatise on the deepsea and pelagic fishes of the world. U.S. Nat. Mus. Spec. Bull. XXXV + 26 + 553 p., figs. intercal. Atlas XXIII + 26 pp., 123 láms.
- GOODE, G. B. & T. H. BEAN. 1896. Oceanic Ichthyology. U.S. Nat. Mus., Spec. Bull., 2 vol., 553 pp., atlas 123 pls.
- GOSLINE, W. A. 1868. The Suborders of perciform fishes. Proc. U.S. Nat. Mus., 124: 1-77.
- GOSLINE, W. A. 1945. Catálogo dos nematognatos de aqua-doce da America do Sul a Central. Bol. Mus. Nac. Río Janeiro. Zool., 33: 1-138.
- GOSLINE, W. A. 1952. Notes on the Systematic status of four eel families. Rep. J. Wash. Acad. Sci., 42(4): 130-135.
- GOSLINE, W. A. 1960. Contributions towards a classification of modern isospondylous fishes. Bull. Bristish Mus. Nat. Hist. Zool., 6(6): 327-365.
- GOSLINE, W. A. 1961. Some osteological features of modern lower teleostean fishes. Smith. Mis. Coll., 142(3): 1-42, 6 figs.
- GOSLINE, W. A. 1961. The perciform caudal skeleton. Copeia, 1961(3): 265-270, 3 figs.
- GOSLINE, W. A. 1963. Considerations regarding the relationship of the percopsiform, Cyprinodontiform and Gadiform fishes. Occ. Pap. Mus. Zool. Univ. Mich., 629: 38.
- GOSLINE, W. A. 1963. Osteology and systematics of elongate perciform fishes. Pacif. Sci., 18(1): 90-101.
- GOSLINE, W. A. 1966. The limits of the fish family Serranidae, with notes on other lower percoids. Proc. Cal. Acad. Sci., 33(6): 91-112.
- GOSLINE, W. A. 1968. The suborder of Perciform fishes. Proc. U.S. Nat. Mus., 124(3647).
- GOSLINE, W. A. 1969. The morphology and systematic position of the Alepocephaloid fishes. Bull. British Mus. (Nat. Hist.) Zool., 18(6).
- GOSLINE, W. A. 1970. A reinterpretation of the teleostean fish order Gobiesociformes. Proc. Calif. Acad. Sci., Ser. 4, 37(19): 363-382.
- GOSLINE, W. A. & V. E. BROCK. 1965. Handbook of Hawaiian fishes. University of Hawaii Press, Hawaii, 372 pp.

- GOSZTONYI, A. E. 1972. *Notocheirus hubbsi* Clark 1937 (Pisces, Isonidae) adición a la fauna argentina de peces marinos. *Physis*, 31(83): 579-583.
- GOSZTONYI, A. E. 1977. Results of the research cruises of FRV "Walther Herwig" to South America, XLVIII. Revision of the Southamerican Zoarcidae (Osteichthyes, Blennioidei) with the description of three new genera and five new species. *Arch. Fischwiss.*, 27(3): 191-249.
- GOSZTONYI, A. E. 1988. The intercalary bone in the eel-pout family Zoarcidae (Osteichthyes). *Zool. Anz.*, 221(3-4): 134-144.
- GOSZTONYI, A. E. & A. LÓPEZ-ARBARELLO. 2000. Sexual dimorphism in Patagonotothen sima (Richardson, 1844). *Antarctic Science*, 12(4): 427-428.
- GOTSCHLICH, B. 1913. Lista de peces de Llanquihue y Valdivia. *Bol. Mus. Nac. Hist. Nat.*, Chile, 4(1): 7-626.
- GOVONI, J. J., M. A. WEST, D. ZIVOTOFSKY, A. Z. ZIVOTOFSKY, P. R. BOWSER & B. B. COLLETTE. 2004. Ontogeny of Squamation in Swordfish, *Xiphias gladius*. *Copeia*, 2004(2): 391-396.
- GRANT, W. S. & R. W. LESLIE. 2001. Inter-ocean dispersal is an important mechanism in the zoogeography of hakes (Pisces: Merluccius spp.) *J. Biogeogr.*, 28: 699-721.
- GRECHINA, A. S. & D. E. ARCOS. 1995. Distribution and migration of the horse mackerel, *Trachurus symmetricus murphyi* (Nichols), within the southeastern Pacific Ocean. *Gayana Oceanol.*, 3(1): 3-27.
- GREENFIELD, D. W. 1965. Systematics and zoogeography of *Myripristis* in the eastern tropical Pacific. *Calif. Fish and Game*, 52(4): 229-247.
- GREENFIELD, D. W. 1968. The zoogeography of *Myripristis* (Pisces: Holocentridae). *Syst. Zool.*, 17(1): 75-87.
- GREENFIELD, D. W. 1974. A revision of the squirrelfish genus *Myripristis* Cuvier (Pisces, Holocentridae). *Nat. Hist. Mus., Los Angeles Co., Sci. Bull.*, 19: 1-54.
- GREENFIELD, D. W. & D. A. HENSLEY. 1970. Damsel-fishes (Pomacentridae) of Easter Island, with descriptions of two new species. *Copeia*, 1970(4): 689-695.
- GREENFIELD, D. W. & L. P. WOODS. 1980. Review of the deep-bodied species of *Chromis* (Pisces; Pomacentridae) from the Eastern Pacific, with descriptions of three new species. *Copeia*, 1980(4): 626-641.
- GREENWOOD, P. H., D. E. ROSEN, S. H. WEITZMAN & G. S. MYERS. 1966. Phyletic studies of teleostean fishes, with a provisional classification of living forms. *Bull. Am. Mus. Nat. Hist.*, 131(4): 341-455.
- GREGORY, W. K. 1907. The orders of teleostome fishes. A preliminary review of the broader features of their evolution and taxonomy. *Ann. New York Acad. Sci.*, 17(3): 437-508.
- GREGORY, W. K. & M. CONRAD. 1938. The phylogeny of characin fishes. *Zoologica*. N.Y., 23: 319-360, figs. 1-37.
- GREY, M. 1953. Fishes of the family Gempylidae, with records of *Nesiarchus* and *Epinnula* from the Western Atlantic and descriptions of two new subspecies of *Epinnula orientalis*. *Copeia*, 1953(3): 135-141.
- GREY, M. 1959. Three new genera and one new species of the family Gonostomatidae. *Bull. Mus. Comp. Zool.*, 121(4): 167-184.
- GREY, M. 1965. The distribution of fishes found below a depth of 2000 meters. *Fieldiana: Zool.*, 36(2): 77-337.
- GREY, M. 1960. A preliminary review of the Family Gonostomatidae with a key to the genera and description of a new species from the tropical Pacific. *Bull. Mus. Comp. Zool., Harvard*, 122(2): 57-125.

- GRINOLS, R. & H. HEYAMOTO. 1965. Description, distribution and taxonomic status of two species of Alepocephalidae from the Northeastern Pacific Ocean. *J. Fish. Res. Bd. Canada*, 22(5): 1151-1164.
- GRUCHY, C. G. 1970. A second *Prionotus birostratus*, with notes on the distribution of *Prionotus* in the Southeastern Pacific Ocean (Pisces, Triglidae). *Pac. Sci.*, 24: 523-527.
- GUIASU, R. C. & R. WINTERBOTTOM. 1993. Osteological evidence for the phylogeny of Recent genera of surgeonfishes (Percomorpha, Acanthuridae). *Copeia*, 1993: 300-312.
- GUICHENOT, A. 1848. Peces. En: C. Gay. *Historia Física y Política de Chile, Zoología*, 2: 372 pp., París.
- GÜNTER, G. 1948. Notes on fishes of the genus *Scorpaena* from the South Atlantic and Gulf coasts of the United States, with descriptions of two new species. *Copeia*, 1948(3): 157-166.
- GÜNTER, A. 1859. Catalogue of the fishes in the British Museum. Catalogue of the acanthopterygian fishes in the collection of the British Museum. Gasteroteidae, Berycidae, Percidae, Aphredoderidae, Pristipomatidae, Mullidae, Sparidae. *Cat. Fishes*, 1: i-xxxii + 1-524.
- GÜNTER, A. 1860. On the history of *Eche-neis*. *Ann. Mag. Nat. Hist.*, (Ser. 3) 5(29): 386-402.*
- GÜNTER, A. 1861. A preliminary synopsis of the labroid genera. *Ann. Mag. Nat. Hist.*, (Ser. 3) 8(47): 382-389 (También como separata pp. 1-8).
- GÜNTER, A. 1861. Systematic synopsis of the families of acanthopterygian fishes. *Catalogue of the fishes in the British Museum*, 3: 1-586.
- GÜNTER, A. 1867. On the identity of *Alepisaurus* (Lowe) with *Plagyodus* (Steller). *Ann. Mag. Nat. Hist.*, (Ser. 3) 19(111): 185-187.
- GÜNTER, A. 1870. Catalogue of the fishes of the British Museum. 8: 1-XXV + 1-549.
- GÜNTER, A. 1872. On some new species of reptiles and fishes collected by J. Brenchley, esq. *Ann. Mag. Nat. Hist.*, 10(4): 418-426.
- GÜNTER, A. 1876. Remarks on fishes, with descriptions of new species in the British Museum, chiefly from southern seas. *Ann. Mag. Nat. Hist.*, ser. 4, 17: 389-402.
- GÜNTER, A. 1878. Preliminary notices of deep-sea fishes collected during the voyage of H.M.S. "Challenger". *Ann. Mag. Nat. Hist.*, Serie 5, 2: 248-251.
- GÜNTER, A. 1880. Report on the shore fishes procured during the voyage of the H.M.S. "Challenger" in the years 1873-1880. *Challenger Repts.*, 1: 1-82, láms. 1-32.
- GÜNTER, A. 1881. Account on the zoological collection made during the survey of H.M.S. "Albert" in the Straits of Magellan and on the coast of Patagonia. III Reptiles, Batrachians and Fishes. *Proc. Zool. Soc. London*: 18-22, láms. 1-2.
- GÜNTER, A. 1887. Report on the deep-sea fishes collected by H.M.S. "Challenger" during years 1873-1876. *Challenger Repts.*, 22(57): 1-268 + 66 pls.
- GÜNTER, A. 1889. Report on the pelagic fishes collected by H.M.S. "Challenger" during the years 1873-1876. *Challenger Repts.*, 31(78): 1-47 + 6pls.
- GUSHIKEN, S. 1988. Phylogenetic relationships of the perciform genera of the family Carangidae. *Jap. J. Ichthyol.*, 34(4): 443-461.
- GUZMÁN, L. & I. CAMPODÓNICO. 1973. Algunos aspectos de la biología de *Eleginops maclovinus* (Cuv. y Val) 1830, con especial referencia a su morfometría, caracteres merísticos y alimentación. *An. Inst. Patagonia, Punta Arenas*, 4(1-3): 343-371.
- HAEDRICH, R. L. 1966. The stromateoid fish genus *Ichthyos*: notes and a new species.

- Vidensk. Medd. Dan. Naturhist. Foren. 129: 199-213.
- HAEDRICH, R. L. 1967. The Stromateoid fishes: systematics and a classification. Bull. Mus. Comp. Zool., Harvard, 135(2): 31-139.
- HAEDRICH, R. L. 1972. Ergebnisse der Forschungsreisen des FF3 "Walther Herwig" nach Sudamerika. XXIII Fishes of Family Nomeidae (Perciformes, Stromateoidei). Arch. fur Fischereiwiss., 23(2): 73-88.
- HAEDRICH, R. L. & H. M. HORN. 1972. A key to the Stromateoid fishes. Woods Hole Oceanographic Institution, Technical Report: 1-47 (Unpublished manuscript.)
- HARDY, G. S. 1982. Two new generic names for some Australian pufferfishes (Tetraodontiformes: Tetraodontidae), with species redescriptions and osteological comparisons. Aust. Zool., 21(pt 1): 1-26.
- HARDY, G. S. 1982. A new species of *Pterygotrigla* (Pisces: Triglidae) from New Zealand. N. Z. J. Zool., 9(2): 207-210.
- HARDY, G. S. 1983. A revision of the fishes of the family Pentacerotidae (Perciformes). N. Z. J. Zool., 10: 177-220.
- HARDY, G. 1988. A revision of *Bovichtus* Cuvier, 1831 (Pisces: Bovichthyidae) from Australia, with description of a new deep water species from the New Zealand sub-Antarctic. J. Nat. Hist., 22: 1639-1655.
- HAROLD, A. S. 1993. Phylogenetic relationships of the sternoptychid *Argyropelecus* (Teleostei: Stomiiformes). Copeia, 1993(1): 123-133.
- HAROLD, A. S. 1994. A taxonomic revision of the sternoptychid genus *Polyipnus* (Teleostei: Stomiiformes) with an analysis of phylogenetic relationships. Bull. Mar. Sci., 54(2): 428-534.
- HARRISON, C. M. H. 1972. Halosauridae of the North Eastern Atlantic (Pisces, Teleostei, Notacanthiformes). Bull. Mus. Nat. Hist. Nat., Paris, 3e Ser. (Zool.), 40: 553-560.
- HARRISON, I. J. 1993. Comment on the proposed conservation of the specific names of *Mugil curema* and *M. liza* Valenciennes in Cuvier & Valenciennes, 1836 (Osteichthyes, Perciformes). Bull. Zool. Nomencl., 50(2): 144-147.
- HARRISON, I. J. & G. J. HOWES. 1991. The pharyngobranchial organ of mugilid fishes; its structure, variability, ontogeny, possible function and taxonomic utility. Bulletin of British Museum Natural History (Zoology) 57: 111-132.
- HARRY, R. R. 1953. Studies on the bathypelagic fishes of the Family Paralepididae, 1. Survey of the genera. Pac. Sci., 7(2): 219-249.
- HASTINGS, P. A. 1993. Relationships of the fishes of the perciform suborder Notothenoidei. En: R. G. Miller (ed.). A history and atlas of the fishes of the Antarctic Ocean. Foresta Inst. Ocean and Mountain Studies. Carson City, Nevada., 99-107 pp.
- HEEMSTRA, P. C. 1974. On the identity of certain eastern Pacific and caribbean post-larval fishes (Perciformes) described by Henry W. Fowler. Proc. Acad. Nat. Sci. Philadelphia, 126(3): 21-26.
- HEEMSTRA, P. C. 1980. A revision of the Zeid fishes (Zeiformes, Zeidae) of South Africa. Ichthyol. Bull. J.L.B. Smith Inst. Ichthyol., Grahamstown, 41: 1-17.
- HEEMSTRA, P. C. & W. D. Anderson, Jr. 1983. A new species of the serranid fish genus *Plectranthias* (Pisces, Perciformes) from the Southeastern Pacific Ocean, with comments on the genus *Ellerkeldia*. Proc. Biol. Soc. Wash., 96(4): 632-637.
- HEEMSTRA, P. & W. ANDERSON. 1993. FAO species catalogue. Vol. 16. Groupers of the world (Family Serranidae, Subfamily Epinephelinae). An annotated and illustrated catalogue of the grouper, rockcod, hin-

- coral grouper and lyretail species known to date. FAO Fish. Syn., 125 Vol., 16, Rome, 382 pp.
- HEEMSTRA, P. C. & S. X. KANNEMEYER. 1984. The families Trachipteridae and Radiicephalidae (Pisces, Lampriformes) and a new species of *Zu* from South Africa. Ann. S. Afr. Mus., 94(2): 13-39.
- HEEMSTRA, P. C. & J. E. RANDALL. 1977. A revision of the Emmelichthyidae (Pisces, Perciformes). Aust. J. Mar. Fresh. Res., 28: 361-396.
- HEEMSTRA, P. C. & J. E. RANDALL. 1993. FAO species catalogue, vol. 16. Groupers of the world (family Serranidae, subfamily epinephelinae). An annotated and illustrated catalogue of the grouper, rockcod, hind, coral grouper and lyretail species known to date. FAO Fish. Synopsis, 125(16): i-viii + 1-382.
- HENEDA, Y. 1951. The luminiscence of some deep-sea fishes of the families Gadidae and Macrouridae. Pac. Sci., 5: 372-378.
- HENRÍQUEZ, G., L. RODRÍGUEZ & I. KONG. 1981. Exploración y prospección de recursos pesqueros del talud continental. Corporación de Fomento de la Producción, Instituto de Fomento Pesquero, AP 81/5, 14 + 48 pp., Santiago.
- HENSLEY, D. A. & E. AHLSTROM. 1984. Pleuronectiformes: relationships. En: H.G. Moser, W.J. Richards, D.M. Cohen, M.P. Fahay, A.W. Kendall & S.L. Richardson (eds.). Ontogeny and systematics of fishes. Amer. Soc. Ichthyol. Herp., Spec. Publ. 1: 670-687.
- HENSLEY, D. A. & A. Y. SUZUMOTO. 1990. Bothids of Easter Island, with the description of a new species. Copeia, 1990: 494-497.
- HERALD, E. S. 1940. A key to the pipe fishes of the pacific american coast with description of a new genera and species. Allan Hancock Pac. Exped., 9(3): 51-64.
- HERALD, E. S. & J. E. RANDALL. 1972. Five new Indo-Pacific pipefishes. Proc. Cal. Acad. Sci., 39(11): 121-140.
- HERNÁNDEZ, C., R. GALLEGUILLOS & C. OYARZÚN. 2000. Diferenciación genética de *Merluccius gayi gayi* y *Merluccius gayi peruanus* (Pisces, Merlucciidae) y antecedentes paleogeográficos de su área de distribución. Rev. Chil. Hist. Nat., 73(1): 23-29.
- HILDEBRAND, S. F. 1943. A review of the american anchovies (Family Engraulidae). Bull. Bingham Oceanogr. Coll., 8(2): 1-165.
- HILDEBRAND, S. F. 1946. A descriptive catalog of the shore fishes of Perú. Bull. U.S. Nat. Mus., 189. i-xi+1-530.
- HILDEBRAND, S. F. 1948. A review of the american Menhaden, genus *Brevoortia*, with a description of a new species. Smith. Miscell. Coll., 107(18) (publ. 3.913): 39, 9 figs.
- HOARAU, G. J. & P. BORSA. 2000. Extensive gene flow within sibling species in the deep-sea fish *Beryx splendens*. C. R. Acad. Sci. III, 323(3): 315-325.
- HOESE, D. E. 1975. A revision of the gobiid fish genus *Kelloggella*. Rec. Aust. Mus., 29(17): 473-484.
- HOESE, D. F. 1976. Variation, synonymy and a redescription of the gobiid fish *Aruma hirtio* and a discussion of the related genus *Ophiogobius*. Copeia, 1970(2): 295-305.
- HOESE, D. F. & E. B. BROTHERS. 1976. *Paratrimma*, a new genus of gobiid fishes and two new species. Copeia, 1976: 494-497.
- HO, J. S. 1990. Phylogeny and Biogeography of hakes (*Merluccius*; Teleostei): A Cladistic Analysis. Fish. Bull., 88(1): 95-104.
- HORN, M. H. 1973. Systematic comparison of the Stromateid fishes *Stromateus brasiliensis* Fowler and *Stromateus stellatus* Cuvier from coastal South America, with a review

- of the genus. Bull. Br. Mus. Nat. Hist., Zool., 24(7): 317-339.
- HORN, M. H. 1984. Stromateoidei: development and relationships. En: H. G. Moser *et al.* (eds.) Ontogeny and systematics of fishes. Am. Soc. Ichthyol. Herpetol. Spec. Publ., (1): 620-628.
- HOWES, G. J. 1988. The cranial muscles and ligaments of macrouroid and gadoid fishes; functional and phylogenetic inferences. Bull. Brit. Mus. Nat. Hist., Zool., Ser. 54(1): 1-62.
- HOWES, G. J. 1989. Phylogenetic relationships of Macrouroid and Gadoid fishes based on cranial myology and arthrology. En: D. M. Cohen (ed.). Papers on the systematics of Gadiform Fishes. Sci. Ser. Nat. Hist. Mus., L.A. Co., 32: 113-128.
- HOWES, G. J. 1991. Anatomy, phylogeny and taxonomy of the gadoid fish genus *Macruronus* Günther, 1873, with a revised hypothesis of gadoid phylogeny. Bull. Brit. Mus. (Nat. Hist.) Zool., 57(1): 77-110.
- HOWES, G. J. 1991. Biogeography of gadoid fishes. J. Biogeogr., 18: 595.
- HUBBS, C. L. 1918. Colpichthys, Thyrinops and Austromeniida. New genera of athrioid fishes from the New World. Proc. Acad. Nat. Sci. Philadelphia, 67: 305-308.
- HUBBS, C. L. 1952. Antitropical distribution of fishes and other organisms. Proc. Seventh Pac. Sci. Congr., Wellington, 3: 324-329.
- HUBBS, C. L. 1952. A contribution to the classification of the blennioid fishes of the Family Clinidae, with a partial revision of the Eastern Pacific forms. Stanford Ichthyol. Bull., 4(2): 41-158.
- HUBBS, C. L. 1953. Revision of the Eastern Pacific Fishes of the clinid genus *Labrisomus*. Zoologica, N. Y., 38(3): 113-136.
- HUBBS, C. L. & T. IWAMOTO. 1977. A new genus (*Mesobius*) and three new bathypelagic species of Macrouridae (Pisces, Gadiformes) from the Pacific Ocean. Proc. Calif. Acad. Sci., (Ser. 4), 4(7): 233-251.
- HUBBS, C. L., G. W. MEAD & N. J. WILLMOVSKY. 1953. The widespread, probably antitropical distribution and the relationship of the bathypelagic iniomous fish *Anotopterus pharao*. Bull. Scripps Inst. Oceanogr., 6(5): 173-198.
- HUBBS, C. L., W. L. FOLLET & L. J. DEMPSTER. 1979. List of the fishes of California. Cal. Acad. Sci., Occ. Pap., 133: 1-5.
- HUBBS, C. & R. WISNER. 1980. Revision of the sauries (Pisces, Scomberesocidae) with descriptions of two new genera and one new species. Fish. Bull., 77(3): 521-566.
- HUBOLD, G. 1984. Spatial distribution of *Pleuragramma antarcticum* (Pisces, Nototheniidae) near the Filchner and Larsen ice shelves. (Weddell Sea, Antarctica). Polar Biol., 3: 231-236.
- HUGHES, D. R. 1981. Development and organization of the posterior field of ctenoid scales in the Platycephalidae. Copeia, 1981: 596-606.
- HULLEY, P. A. 1981. Results of the research cruises of FRV "Walther Herwig" to South America. LVIII. Family Myctophidae (Osteichthyes, Myctophiformes). Arch. Fischwiss., 31(Beih. 1): 1-303.
- HULLEY, P. 1984. Neoscopelidae. En: P. Whitehead, M. Bauchot, J. Hureau, J. Nielsen, E. Tortonese (eds.). Fishes of the North-eastern Atlantic and Mediterranean. UNESCO, 1: 426-428.
- HÜNE, M., P. REYES & V. H. RUIZ. 2007. Primer registro de *Nessorhamphus ingolfianus* (Schmidt, 1912) en aguas chilenas (Anguilliformes: Derichthyidae). Gayana, 71(2): 208-211.
- HUREAU, J. C. 1967. Taxonomie numerique des Nototheniidae (Poissons, Percifor-

- mes). Bull. Mus. Nat. Hist. Nat., Paris, 39(3): 488-500.
- HUREAU, J. C. 1968. Présence d'un *Alepisaurus* aux Iles Crozet poisson jamais signalé dans l'hémisphère sud (*A. brirostris* Gibbs *crozentensis* n. subsp.). Bull. Mus. Natl. Hist. Nat., (Sér. 2) 39(5) (1967): 833-837.
- HUREAU, J. C. 1970. Biologie comparée de quelques poissons antarctiques (Nototheniidae). Bull. Inst. Oceanogr., Monaco, 68(1391): 1-244.
- HUREAU, J. C. 1973. La distribution géographique des poissons de l'Antarctique. Compt. Rend. Soc. Biogeogr., 434: 4-16.
- HUREAU, J. C. 1986. Relations phylogénétiques au sein des Notothenioidei. Oceanis, 12(5): 367-376.
- HUREAU, J. C. & A. TOMO. 1977. *Bovichthys elongatus* n. sp., poisson Bovichthyidae, famille nouvelle pour l'Antarctique. Cybium, (Serie 3), 1: 67-74 (resumen en inglés).
- HUREAU, J. C. & C. OZOUF-COSTAZ. 1980. Age determination and growth of *Disostichus eleginoides* Smitt, 1898 from Kerguelen and Crozet Islands. Cybium, 3 3^{ème} Serie, 8: 23-32.
- HUSSAKOF, L. 1914. Notes on a small collection of fishes from Patagonia and Tierra del Fuego. Bull. Amer. Mus. Nat. Hist., 33: 85-94, 2 text-figs.
- IBÁÑEZ-AGUIRRE, A. L. & J. LLEONART. 1996. Relative growth and comparative morphometrics of *Mugil cephalus* L. and *M. curema* V. in the Gulf of Mexico. Sci. Mar., 60: 361-368.
- IDILL, C.P. & DE D. SILVA. 1962. Synopsis of biological data on albacore *Th. alalunga* (Gmelin) 1778. (Western Atlantic), FAO, Fish. Rep. 2(6).
- IMAMURA, H. 1996. Phylogeny of the family Platycephalidae and related taxa (Pisces: Scorpaeniformes). Species Diversity, 1(2): 123-233.
- INADA, I. 1981. Studies on the merlucciid fishes. Far Seas Fish. Res. Lab. Bull., 18: 1-172.
- INADA, I. 1981. Two nominal species of *Merluccius* from New Zealand and South America. Jap. J. Ichthyol., 28(1): 31-36.
- INADA, T. 1989. Current status of the systematics of Merlucciidae. En: D. M. Cohen (ed.). Papers on the systematics of gadiform fishes. Nat. Hist. Mus. L. A. Co., Sci. Ser. 32: 197-207.
- INADA, I. & I. NAKAMURA. 1975. A comparative study of two populations of the gadoid fish *Micromesistius australis* from the New Zealand and Patagonian Falkland regions. Far Seas Fish. Res. Lab. Bull., 13: 1-26.
- INZUNZA, J. & G. PEQUEÑO. 1988. Aspectos trófico-adaptativos y reafirmación de dos especies en el género *Calliclinus* Gill 1860 (Osteichthyes, Clinidae). Bol. Soc. Biol. Concepción, 59: 69-93.
- IWAMI, T. 1985. Osteology and relationships of the family Channichthyidae. Mem. Nat. Inst. Polar Res. (Ser. E), 36: 1-69.
- IWAMI, T. 2000. Comparative morphology of the head muscles of the Suborder Notothenioidei (Perciformes). J. Fish Biol., 57: 176.
- IWAMI, T. & T. ABE. 1984. Gill arches of fishes of the suborder Notothenioidei (Pisces, Perciformes). Mem. Nat. Inst. Polar Res., Jap. Spec. Issue, 32: 93-102.
- IWAMI, T., A. MATSUO & H. NUMANAMI. 1999. Topography of the cephalic sensory canal system of the family Channichthyidae (Perciformes, Notothenioidei). Polar Biosci., 12: 26-35.
- IWAMOTO, T. 1975. The abyssal fish *Antimora rostrata* (Günther). Comp. Biochem. Physiol., 52 B: 7-11.

- IWAMOTO, T. 1978. Eastern Pacific macrourids of the genus *Coelorhynchus* Giorna (Pisces, Gadiformes). with description of a new species from Chile. Proc. Cal. Acad. Sci., (Ser. 4) 41(12): 307-337, 20 figs.
- IWAMOTO, T. 1979. Eastern Pacific macrourine grenadiers with seven branchiostegal rays (Pisces: Macrouridae). Proc. Cal. Acad. Sci. (Ser. 4), 42(5): 135-179.
- IWAMOTO, T. 1979. Eastern Pacific macrourine grenadiers with seven branchiostegal rays (Pisces: Macrouridae). Proc. Calif. Acad. Sci. (Ser. 4), 42(5): 135-179.
- IWAMOTO, T. 1982. *Ventrifossa johnboborum*, a new grenadier from the western Pacific (Macrouridae: Pisces). Aust. Zool., 21(pt. 1): 55-61.
- IWAMOTO, T. 1989. Phylogeny of grenadiers (Suborder Macrouroidei): another interpretation. En. Papers on the systematics of gadiform fishes. Nat. Hist. Mus. L. A. Co., Sci. Ser., 32: 159-173.
- IWAMOTO, T. 1990. Macrouridae (pp. 192-206). En: O. Gon and P. C. Heemstra (eds.). Fishes of the Southern Ocean, J.L.B. Smith Institute of Ichthyology. CTP Book Printers, Cape Town, 462 p.
- IWAMOTO, T. & J. C. STAIGER. 1976. Percophid fishes of the genus *Chrionema* Gilbert. Bull. Mar. Sci., 26(4): 488-498.
- IWAMOTO, T. & J. MCCOSKER. 2001. Notes on Galápagos grenadiers (Pisces, Gadiformes, Macrouridae), with the description of a new species of *Coryphaenoides*. Rev. Biol. Trop., 49 (Suppl. 1): 21-27.
- IWAMOTO, T. & M. E. ANDERSON. 1999. New species of *Caelorinchus* (Macrouiridae, Gadiformes, Teleostei) from the Indian Ocean. Copeia, 1999(4): 1079-1083.
- IWAMOTO, T. & P. MCMILLAN. 1997. A new grenadier, genus *Trachonurus*, from New Zealand and Australia (Pisces: Gadiformes: Macrouridae). Mem. Mus. Victoria, 56(1): 255-259.
- IWAMOTO, T., P. MCMILLAN & Y. N. SHCHERBACHEV. 1999. A new grenadier, genus *Caelorinchus*, from Australia and New Zealand (Pisces, Gadiformes, Macrouridae). New Zeal. J. Mar. Fresh. Res., 33: 49-54.
- IWAMOTO, T. & YU. I. SAZONOV. 1988. A review of the southeastern Pacific *Coryphaenoides* (sensu lato) (Pisces, Gadiformes, Macrouiridae). Proc. Calif. Acad. Sci., 48(11): 221-237.
- IWAMOTO, T. & Y. N. SHCHERBACHEV. 1991. Macrourid fishes of the subgenus *Chalinura*, genus *Coryphaenoides*, from the Indian Ocean. Proc. Calif. Acad. Sci., 47(7): 207-233.
- JAKUBOWSKI, M. 1971. Morphological features of the lateral line organs in members of the genus *Notothenia* Rich. and other genera of the family Nototheniidae (Pisces). J. Ichthyol., 11(4): 493-499.
- JAMES, P. S. 1961. Comparative osteology of the ribbon-fishes of the family Trichiuridae from Indian waters with remarks on their phylogeny. J. Mar. Biol. Ass. India, 3: 215-248.
- JAMES, G., T. INADA & I. NAKAMURA. 1988. Revision of the oreosomatid fishes (Family Oreosomatidae) from the southern oceans, with a description of a new species. New Zeal. J. Zool., 15: 291-326.
- JANG-LAW, N.H., K.L. TANG, C.F. HUI & K.T. SHAW. 2002. Molecular phylogeny of 48 species of damselfishes (Perciformes: Pomacentridae) using 12S mtDNA sequences. Mol. Phylogenet. Evol., 25(3): 445-454.
- JENYNS, L. 1842. Fish. En: H.M.S. "Beagle" during the years 1832-1836 (Ch. Darwin, Ed.), Part 4: I-XV + 1-172 pp., 29 pl., London.
- JERRY, D. R., M. S. ELPHINSTONE & P. R. BAVERSTOCK. 2001. Phylogenetic rela-

- tionships of Australian members of the family Percichthyidae inferred from mitochondrial 12S rRNA sequence data. *Mol. Phylogenet. Evol.*, 18(3): 335-347.
- JESPERSEN, P. 1915. Sternoptychidae (*Argyropelecus* and *Sternoptyx*). Rep. Dan. Oceanogr. Exped. Mediterr. 1908-10, (Biol. A) 2: 41 p., 1 fig., 6 cartas.
- JOHNSON, S. 1918. Notes on *Luvarus imperialis* Raf. a fish new to the fauna of Norway. *Bergens Mus. Aarbok*, 2: 1-34.
- JOHNSON, A. G. 1972. Electrophoretic investigations of the family Scorpaenidae. *Fish. Bull.*, 70(2): 403-413.
- JOHNSON, R. K. 1974. A revision of the alepisauroid family Scopelarchidae (Pisces: Myctophiformes). *Fieldiana Zool.*, 66, 249 pp.
- JOHNSON, R. K. 1974. Five new species and a new genus of alepisauroid fishes of the Scopelarchidae (Pisces: Myctophiformes). *Copeia*, 1974(2): 449-457.
- JOHNSON, G. D. 1975. The procurrent spur: an undescribed perciform caudal character and its phylogenetic implications. *Occ. Pap. Cal. Acad. Sci.*, 121: 1-23.
- JOHNSON, G. D. 1980. The limits and relationships of the Lutjanidae and associated families. *Bull. Scripps Inst. Oceanogr.*, 24: 1-114-37 Abb, 7 tabl.
- JOHNSON, R. K. 1982. Fishes of the families Evermannellidae and Scopelarchidae: systematics, morphology, interrelationships, and zoogeography. *Fieldiana Zool. (N. S.)*, 12: i-xiii + 1-252.
- JOHNSON, G. 1983. *Niphon spinosus*: a primitive epinepheline serranid, with comments on the monophyly and interrelationships of the Serranidae. *Copeia*, 1983(3): 777-787.
- JOHNSON, G. 1986. Scombroid phylogeny: An alternative hypothesis. *Bull. Mar. Sci.*, 39(1): 1-41.
- JOHNSON, J. Y. 1862. Descriptions of some new genera and species of fishes obtained at Madeira. *Proc. Zool. Soc. Lond.*, 1862(2):167-180.
- JOHNSON, R. K. 1982. Fishes of the families Evermannellidae and Scopelarchidae: Systematics, Morphology interrelationships, and Zoogeography. *Fieldiana Zool. (N. S.)*, 12: i-xiii + 1-252.
- JOHNSON, G. D. & R. A. FRITZSCHE. 1989. *Graus nigra*, an omnivorous girellid, with a comparative osteology and comments on relationships of the Girellidae (Pisces: Perciformes). *Proc. Acad. Nat. Sci. Philadelphia*, 141: 1-27.
- JOHNSON, R. K. & G. S. GLODEK. 1975. Two new species *Evermannella* from the Pacific Ocean, with notes on other midwater species endemic to the Pacific Central or the Pacific Equatorial water masses. *Copeia*, 1975(4): 715-730.
- JONES, S. 1960. Notes on eggs, larvae and juveniles of fishes from Indian waters. III *Katsuwonus pelamis* (Linnaeus) IV *Neothunnus macropterus* (Teminck and Schlegel). *Indian J. Fish.*, 6(2).
- JORDAN, D. 1891. En. Jordan, D. and C. Eigenmann (eds.). A review of the genera and species of Serranidae found in the waters of America and Europe. *Bull. U. S. Fish. Comm.*, 8: 329-441.
- JORDAN, D. 1891. A classification of fishes, including families and generas as far as known. *Standford Univ. Publ. Univ. Series Biol.*, 3(2): 79-243.
- JORDAN, D. S. 1917. The genera of fishes, from Linnaeus to Cuvier, 1758-1833, seventy-five years, with the accepted type of each. A contribution to the stability of scientific nomenclature. (Assisted by Barton Warren Evermann.) *Leland Stanford Jr. Univ. Publ., Univ. Ser. (27)*: 1-161.
- JORDAN, D. S. 1926. Review of the Engraulidae, with descriptions of new and rare spe-

- cies. Bull. Mus. Comp. Zool. Harv., 67(11): 353-418.*
- JORDAN, R. 1963. Un analisis del número de vertebras de la anchoveta peruana (*Engraulis ringens* J.). Bol. Inst. Invest. Rec. Mar., Callao, 1(2): 25-43
- JORDAN, D. S. & C. H. EIGENMANN. 1889. A review of the Sciaenidae of America and Europe. Rep. U. S. Fish. Comm., 14(1886): 343-451.
- JORDAN, D. & C. EIGENMANN. 1890. A review of the genera and species of Serranidae found in the waters of America and Europe. Bull. U. S. Fish. Comm., 8: 329-441.
- JORDAN, D. & B. W. EVERMANN. 1896. A check list of the fishes and fish-like vertebrates of North and middle America. Rept. U.S. Comm. Fish and Fisher, part XXI, docum. 104: 209-584.
- JORDAN, D. & B. W. EVERMANN. 1896-1900. The fishes of North and Middle America; a descriptive catalogue. Part II (1898), XXX + 1241-2183; Part III (1898), XXIV + 2183-3136; Part IV (1900), CI + 3137-3316, 392 pls.
- JORDAN, D. & B. W. EVERMANN. 1826. A review of the giant mackerel-like fishes, tunnies, spearfishes and swordfishes. Occ. Pap. Calif. Acad. Sci., 12: 5-113, 20pls.
- JORDAN, D. & D. S. EVERMANN. 1889. A review of the flounders and soles (Pleuronectidae) of America and Europa. An. Rep. U.S. Comm. Fish and Fish., (1886), 14: 225-342.
- JORDAN, D. S. & C. L. HUBBS. 1919. Studies in ichthyology. A monographic review of the family of Atherinidae or silversides. Leland Stanford Jr. Univ. Pub., Univ. Series, 40: 1-87, 12 pls.
- JORDAN, D. S. & S. E. MEEK. 1885. A review of the American species of flying fishes (Exocoetus). Proc. U. S. Nat. Mus., 8(483): 44-67.
- JORDAN, D. S. & A. SCALE. 1925. Analysis of the genera of anchovies or Engraulidae. Copeia, 1925(41): 27-32.
- JORDAN, D. S. & A. SCALE. 1926. Review of the Engraulidae, with descriptions of new and rare species. Bull. Mus. Comp. Zool., 67(11): 355-418.
- KAMI, H. T. 1973. A new subgenus and species of *Pristipomoides* (Family Lutjanidae) from Easter Island and Rapa. Copeia, 1973(3): 557-559.
- KANAYAMA, T. 1991. Taxonomy and phylogeny of the family Agonidae (Pisces: Scorpaeniformes). Mem. Fac. Fish. Hokkaido Univ., 38(1-2): 1-199.
- KARMOVSKAYA, E. S. 1982. Systematics and some aspects of ecology of the family Nemichthyidae. Proc. P. P. Shirshov Inst. Oceanol., 118: 151-161.
- KARMOVSKAYA, E. S. 1985. Mesopelagic eels of family Derichthyidae (Anguilliformes) Voprosy Ikhtiol., 25(6): 883-898.*
- KARMOVSKAYA, E. S. 1990. New species of conger eels from southeastern Pacific seamounts. J. Ichthyol., 30: 1-10.
- KATAYAMA, M. 1960. Serranidae (Pisces), Fauna Japonica. Biogeogr. Soc. Jap., Tokyo Electr. Engin. Coll. Press, Tokyo, 197 pp.
- KAWAGUCHI, K. & J. L. BUTLER. 1984. Fishes of the genus *Nansenia* (Microstomatidae) with descriptions of seven new species. Los Angeles Co. Mus. Nat. Sci. Contr. Sci., 352: 1-22.
- KELLERMAN, A. 1986. Zur biologie der jugenstadien der Notothenioidei (Pisces) an der Antarktischen Halbinsel. Ber. zur Polarforsch., 31: 1-155.
- KENDALL, A. W., JR. 1984. Serranidae: development and relationships. En: H. G. Moser *et al.*, eds. Ontogeny and systematics of fishes. Am. Soc. Ichthyol. Herpetol. Spec. Publ., 1: 499-510.

- KENDALL, A. W. 2000. An historical review of *Sebastes* taxonomy and systematic. Mar. Fish. Rev., 62(2): 1-23.
- KENDALL, W. C. & L. RADCLIFFE. 1912. The shore fishes. En: Reports on the scientific results of the expedition to the eastern tropical Pacific by the U.S. Fish Commission steamer "Albatross", from October, 1904 to March 1905. Mem. Mus. Comp. Zool., 35(3): 75-171, pls. 1-8.
- KHARIN, V. & V. DUDAREV. 1983. A new species of the Genus *Caprodon* Temmick and Schlegel, 1843 (Serranidae) and some remarks on the composition of the genus. J. Ichthyol., 23(1): 20-25.
- KIMURA, S. & K. SUZUKI. 1990. First record of an evermannellid fish, *Coccorella atrata*, from Japan. J. Jpn. Ichthyol., 37(2): 187-190.
- KISHINOUE, K. 1923. Contributions to the comparative study of the so-called scombroid fishes. J. Coll. Agric. Imp. Univ. Tokyo, 8: 293-475.
- KLAWE, W. L. 1961. Notes on larvae, juveniles and spawning of bonito (*Sarda*) from eastern Pacific Ocean. Pac. Sci., 15: 407-493.
- KLAWE, W. L. 1980. Classification of the tunas, mackerels, billfishes, and related species, and their geographical distribution. Spec. Rep., I-ATTC, 2: 5-16.
- KNER, R. 1859. Ueber *Trachypterus altivelis* und *Chaetodon truncatus*, n. sp. Sitzungsber. Akad. Wiss. Wien, 34: 437-445.
- KNER, R. F. 1867. Neue fische aue dem Museum der Herren Joh. Cäs. Godeffroy and Sons in Hamburg, Sitab. Akad. Wiss. 56.
- KOBILYANSKY, S. G. 1985. Materials for revision of the genus *Bathylagus* Günther (Bathylagidae), the group of "light" *Bathylagus* species. J. Ichthyol., 25(2): 1-17.
- KOBILYANSKY, S. G. 1986. Materials for a revision of the family Bathylagidae (Teleostei: Salmoniformes). Trudy Inst. Okeanol, Akad. Nauk. SSSR, 121: 6-50.
- KOBILYANSKY, S. G. 1990. Two new species of the genus *Bathylagichthys* Kobilyansky (Bathylagidae, Salmoniformes) from the Southern hemisphere Subpolar Water. J. Ichthyol., 30(5): 21-27.
- KOBILYANSKY, S. G. 1998. Four new Indo-Pacific species and a new key to species of the genus *Glossanodon* (Argentinidae). J. Ichthyol., 38(9): 697-707.
- KOCK, K. H. 1976. Untersuchungen über mögliche Nutz fischbestände imatlantischen sektor der Antarktis: *Dissostichus eleginoides* und *D. mawsoni*. Inform. Fischwirt., 23: 160-165.
- KOCK, K. H. 1981. Fischereibiologische Untersuchungen an drei antarktischen Fischarten: *Champsocephalus gunnari* Lönnberg 1905, *Chaenocephalus aceratus* (Lönnberg 1906) und *Pseudochaenichthys georgianus* Norman 1937 (Notothenioidei. Channichthyidae). Mitt. Inst. für Seefischerei, 32: 1-226.
- KOEPCKE, H. W. 1951. Clave para identificar los peces comunes de la costa peruana. Direcc. Gral. Pesq. y Caza, 68 p, figs. intercal.
- KOEPCKE, H. W. 1955. Peces comunes de la costa peruana. Dir. Gral. Pesq. y Caza. 121 pp, figs. intercal.
- KOEPCKE, H. W. 1963. Lista de los peces marinos conocidos del Perú, con datos de su distribución goeográfica. Biota, 4: 145-154.
- KOHNO, H. 1984. Osteology and systematic position of the butterfly mackerel, *Gasterochisma melampus*. Jap. J. Ichthyol. 31(3): 268-286.
- KONCHINA, YU.V. 1980. The Peruvian Jack Mackerel, *Trachurus symmetricus murphyi*, a facultative predator in the coastal upwelling ecosystem. J. Ichthyol., 20(5): 46-59.

- KONG, I. 1978. *Scomberomorus maculatus* (Mitchill) 1815 en Antofagasta, Chile. Not. Mens. Mus. Nac. Hist. Nat., Chile, 22(262): 6-9.
- KONG, I. 1985. Revisión de las especies chilenas de *Sebastes* (Osteichthyes. Scorpaeniformes, Scorpaenidae). Estud. Oceanol., 4: 21-75.
- KONG, I. 1988. Los peces Ophidiiformes de aguas profundas entre Arica (18° 19' S) e Isla Mocha (38° 30' S). Estud. Oceanol., 7: 1-15.
- KONG, I. & A. BOLADOS. 1987. Sinopsis de peces asociados al fenómeno "El Niño" 1982-83 en el norte de Chile. Estud. Oceanol., 6: 25-58.
- KONG, I. & I. P. IRATCHET. 1995. Osteología comparativa del cráneo de ocho especies de peces Sciaenidae de Chile. Estud. Oceanol. Fac. recurs. Mar. Univ. Antofagasta, 14: 5-16.
- KONG, I. & P. IRATCHET. 1998. Análisis osteológico comparado del neurocráneo de *Trachurus murphyi* Nichols, 1920, *Caranx caballus* Günther, 1868, *Seriola lalandi* Valenciennes, 1833, *Trachinotus paitensis* Cuvier, 1832, *Selene peruviana* (Guichenot, 1866) y *Selene brevoorti* (Gill, 1863), Pisces: Carangidae. Rev. Biol. Mar., Valparaíso, 33(1): 3-23.
- KONG, I. & R. MELÉNDEZ. 1991. Estudio taxonómico y sistemático de la ictiofauna de aguas profundas capturada entre Arica e Isla Mocha (18° 30'-38° 30' Lat. S). Estud. Oceanol., 10: 1-81.
- KONG, I. & R. PEÑA. 1978. Anomalías en cabinzas (*Isacia conceptionis* Cuvier & Valenciennes) (Perciformes, Pomadasyidae). Not. Mens. Mus. Nac. Hist. Nat., Chile, 22(261): 4-7.
- KONG, I., R. MELÉNDEZ & G. HENRÍQUEZ. 1988. Los peces Ophidiformes de aguas profundas entre Arica e isla Mocha. Estud. Oceanol., 7: 1-15.
- KONG, I.; J. TOMICIC & C. GUERRA. 1981. *Pristigeyns serrula* (Gilbert), 1880 en la Bahía de San Jorge (Antofagasta. Chile).). Not. Mens. Mus. Nac. Hist. Nat., Chile, 26(298): 9-14.
- KONG, I. & H. CASTRO. 2002. Guía de biodiversidad N° 3 Peces. Vol.1. Macrofauna y algas marinas. Centro regional de estudios y educación ambiental (CREA). 44 pp.
- KONG, I. & J. VALDÉS. 1990. Sciaénidos de Chile: análisis taxonómico y morfológico. Estud. Oceanol., 9: 13-56.
- KONOVARENKO, I. I. & N. V. PARIN. 1985. First discovery of *Nesiarchus nasutus* Johnson 1862 (Gempylidae) in the Southeastern Pacific. J. Ichthyol., 25(4): 151-153.
- KOTLYAR, A. N. 1978. A contribution to the systematics of "armless" flounders (Pisces: Bothidae) from the South Western Atlantic. J. Ichthyol., 18: 708-721.
- KOTLYAR, A. N. 1982. Systematics and the distribution of the fishes of the Family Polymixidae (Polymixioidei, Perciformes). Vop. Ikhtiolog., 24: 691-708 (en ruso).
- KOTLYAR, A. N. 1982. A new species of the genus *Emmelichthys* (Emmelichthyidae, Osteichthyes) from the south-western [sic, south-eastern] part of the Pacific Ocean. Byull. Mosk. Obsh. Ispyt. Prir. Otd. Biol., 87(1): 48-52 (en ruso).
- KOTLYAR, A. N. 1984. A new genus and species of fishes (Beryciformes, Trachichthyidae) from the Pacific. Zool. Zh., 63(10): 1591-1594. (En ruso, resumen en inglés).
- KOTLYAR, A. N. 1985. Taxonomy and distribution of Monocentridae (Beryciformes). J. Ichthyol., 25(4): 91-104.
- KOTLYAR, A. N. 1985. Taxonomy and distribution range of the family Monocentridae (Beryciformes). Vop. Ikhtiolog., 25(4): 531-545 (en ruso).
- KOTLYAR, A. N. 1987. A new species of the family Diretmidae (Osteichthyes, Beryciformes).

- formes) from the Indo-Pacific. Zool. Zh., 66(4): 628-630.
- KOTLYAR, A. N. 1986. Classification and distribution of fishes of the family Anoplogasteridae (Beryciformes). Vop. Ikhtiol., 26(4): 531-551 (En ruso traducido al inglés en J. Ichthyol., 1987, 27(1): 133-153).
- KOTLYAR, A. N. 1987. Classification and distribution of fishes of the family Diretmidae (Beryciformes). Vop. Ikhtiol., 27(6): 883-897 (En ruso traducido al inglés en J. Ichthyol., 1988, 28(2): 1-15).
- KOTLYAR, A. N. 1988. Material on the systematics and biology of the beryciform fishes *Monocentris reedi* and *Polymixia yuri* from the Naska submarine ridge. J. Ichthyol., 28: 146-150.
- KOTLYAR, A. N. 1988. Data on morphometry and colouration pattern of *Helicolenus lengerichi* Norman (Scorpaenidae). J. Ichthyol., 28(2): 325-329.
- KOTLYAR, A. N. 1988. Data on taxonomy and biology of *Monocentris reedi* and *Polymixia yuri* from the Nazca Ridge. J. Ichthyol., 28(5): 853-856.
- KOTLYAR, A. N. 1990. Osteology of the suborder Stephanoberycoidei. Communication I. The Stephanoberycidae and Gibberichthyidae. Vopr. Ikhtiol., 30(5): 805-816.
- KOTLYAR, A. N. 1990. Diretmichthys, a new genus of Diretmidae (Beryciformes). Voprosy Ikhtiol. 30(1): 144-151 (En ruso traducido al inglés en J. Ichthyol., 30(2):153-162).
- KOTLYAR, A. N. 1991. A new species of the genus Polymixia from the submarine ridge of Salas y Gómez (Polymixidae, Beryciformes). J. Ichthyol., 31: 150-154.
- KOTLYAR, A. N. 1991. New species of genus *Polymixia* from the Salas y Gómez Ridge (Polymixiidae, Beryciformes). Zool. Zh., 70(7): 83-86 (en ruso, resumen en inglés).
- KOTLYAR, A. N. 1996. Beryciform fishes of the world ocean. VNIRO Publishing. Beryciform fishes world, p. 1-368.
- KOTLYAR, A. N. 1998. Species composition and distribution of Holocentrids in the Oceans of the World (Holocentridae, Beryciformes). J. Ichthyol., 38(2): 170-189.
- KOTLYAR, A. N. 1999. *Melamphes suborbitalis* (Melamphaidae): Osteology, intraspecific structure, distribution and description of a new species, *Melamphaes parini* sp. nova. J. Ichthyol., 39(6): 421-432.
- KOTLYAR, A. N. 2001. A rare zeid species - *Parazen pacificus*: osteology, systematics and distribution (Parazenidae, Zeiformes). J. Ichthyol., 41(9): 687-697.
- KOTLYAR, A. N. 2002. First record of *Diretmichthys parini* (Diretmidae) in the south-eastern part of the Pacific Ocean. Vop. Ikhtiol., 42(1): 136-137 (En ruso traducido al inglés en J. Ichthyol.).
- KOTLYAR, A. N. 2002. *Sio nordenskjoldii* (Melamphaidae): morphological characters and distribution. J. Ichthyol., 42(9): 28-36.
- KOTLYAR, A. N. 2003. Family Anoplogasteridae Gill 1893 -- fangtooths. Calif. Acad. Sci. Annotated Checklists of Fishes No. 20: 1-3.
- KOTLYAR, A. N. 2004. Revision of the genus *Scopeloberyx* (Melamphaidae): Part 1. Multirakered species of the group S. robustus. J. Ichthyol., 44(8): 537-554.
- KOTLYAR, A. N. 2004. Revision of the genus *Scopeloberyx* (Melamphaidae). Part 2. Oligorakered Species of the group S. robustus. J. Ichthyol., 44(9): 677-689.
- KOTLYAR, A. N. 2005. Revision of the genus *Scopeloberyx* (Melamphaidae). Part 3. Species of the group S. opisthopterus. J. Ichthyol., 45(1): 16-27.
- KOTLYAR, A. N. 2005. Morphological characteristics of fry of the slender *Beryx*,

- Beryx splendens* (Berycidae). J. Ichthyol., 45(8): 607-614.
- KOTLYAR, A. N. & N. V. PARIN. 1986. Two new species of *Chlorophthalmus* (Osteichthyes, Myctophiformes, Chlorophthalmidae) from submarine mountain ridges in the South-Eastern part of the Pacific Ocean. Zool. Zh., 65(3): 369-377.
- KOUMANS, F. P. 1931. A preliminary revision of the genera of the gobioid fishes with united ventral fins. 174 p, Lisse.
- KOZLOV, A. N. 1982. Seasonal dynamics of the morphophysiological indices of *Notothenia rossi marmorata* (Nototheniidae). J. Ichthyol., 22(5): 52-58.
- KREFFT, G. & N. V. PARIN. 1972. Ergebnisse der Forschungsreisen des FFS "Walther Herwig" nach Sudamerika XXV *Diplophos rebainsi* n. sp. (Osteichthyes, Stomiatoidei, Gonostomatidae), a new gonostomatid fish from Southern seas. Arch. Fischereiwiss., 23(2): 94-100.
- KUKUEV, E. I. 1998. Systematics and distribution in the world ocean of daggertooth fishes of the genus *Anotopterus* (Anotopteridae, Aulopiformes). J. Ichthyol., 38(9): 716-729.
- KULIKOVA, E. B. 1961. On the lantern fishes of the genus *Diaphus* (Scopelidae) from the western Pacific. Trudy Inst. Okeanol. Akad. Nauk SSSR, 43: 5-39.*
- KYLE, H. M. 1921. The asymmetry, metamorphosis and origin of flat-fishes. Phil. Trans. Roy. Soc. London (B), 211:75-128.
- LACEPEDE, B. G. 1800. Histoire Naturelle des poissons. 2: lxiv + 632 p, 20 pls.
- LACEPEDE, B. G. 1801. Histoire Naturelle des poissons. 3: 558 p, 34 pls.
- LACEPEDE, B. G. 1802. Histoire Naturelle des poissons. 4: xlv + 728 p, 16 pls.
- LACHNER, E. A. 1951. Studies of certain apogonid fishes from the Indo Pacific, with descriptions of three new species. Proc. U.S. Nat. Mus., 101(3290): 581-610.
- LADIGES, W. 1958. Typen von Kner und Steindachner aus dem Museum Godoffroy in Hamburg. Mitteil. Hamburg. Zool. Mus., 56: 169-171.
- LADIGES, W., G. VON WAHLERT & E. MOHR. 1958. Die Typen und typoiden der Fische der Hamburgischen Zoologischen Staatensammlung und Zoologischen Museum. Mitteil. Hamburg. Zool. Mus., 56: 155-167.
- LAHILLE, F. 1913. Notas sobre un pez de Arica (*Agonus chiloensis*). Rev. Chil. Hist. Nat. (27: 179-191, fig. 22, gráfico, láms. 15-16.
- LAHILLE, F. 1915. Apuntes sobre unos peces chilenos. Rev. Chil. Hist. Nat., 19: 6-11.
- LAHILLE, F. 1929. El pejerrey. Bol. Min. Agric. Nac., Buenos Aires, 28(3): 261-395.
- LAHILLE, F. 1929. Las formas chileno-peruanas de pejerreyes y la evolución de la aleta caudal. Rev. Chil. Hist. Nat., 33: 81-93.
- LAMONTE, F. R. 1955. A review and revision of the marlins, genus *Makaira*. Bull. Amer. Mus. Nat. Hist., 107(3): 319-358, 4-12 pls.
- LANDAETA, M. & L. CASTRO. 2006. Larval distribution and growth of the rockfish, *Sebastes capensis* (Sebastidae, Pisces), in fjords of southern Chile. ICES J. Mar. Sci., 63: 714-724.
- LANNON, M. J. & J. T. EASTMAN. 2000. Nervous and sensory system correlates of an epibenthic evolutionary radiation in antarctic notothenioid fishes, genus *Trematomus* (Perciformes; Nototheniidae). J. Morphol., 245(1): 67-79.
- LA PEROUSE, J. 1797. Voyage autour du monde. 4 vols. Paris.
- LAROCHE, W. A., W. F. SMITH VANIZ & S. L. RICHARDSON. 1984. Carangidae. Development. Pp. 510-522. En: Ontogeny and

- systematics of Fishes. Am. Soc. Ichthyol. Herpetol. Spec. Publ. N° 1.
- LAST, P. R. 2001. Families Nomeidae, Ariomatidae, Tetragonuridae, Stromateidae. En: Carpenter & Niem 2001. FAO Spec. Ident. Guide 6: 3771-3791.
- LAVENBERG, R. 1965. *Normanichthys yahganorum*, a new searsiid fish from antarctic waters. Contr. Sci., 90: 1-7.
- LAVENBERG, R. 1992. A new moray eel (Muraenidae: *Gymnothorax*) from Oceanic Islands of the South Pacific. Pac. Sc., 46(1): 58-67.
- LAVENBERG, R. J. & L. A. YAÑEZ. 1972. A new species of *Cirrhitus* from Easter Island (Pisces, Cirrhitidae). Gayana, 21: 3-11.
- LEA, R. N. 1980. Systematics and zoogeography of cusk-eels of the Family Ophidiidae, Subfamily Ophidiinae, from the Eastern Pacific Ocean. Diss. Abs. Int., 41(4): 1 p.
- LE DANOIS, Y. 1962. Catalogue des types de poissons orbiculés du muséum National d'Histoire naturelle. II. Familles des Tetraodontidae, Lagocephalidae, Colomesidae, Diodontidae et Triodontidae. Bull. Mus. Hist. Nat. (Sér. 2), 33(5): 462-478.
- LEA, R. N., C. C. SWIFT & R. J. LAVENBERG. 1988. Records of *Mugil curema* Valenciennes, the white mullet, from southern California. Bull. So. Calif. Acad. Sci., 87(1): 31-34.
- LEE, R. S. 1974. *Thalassobatia nelsoni*, a new species of bathypelagic ophidioid fish from Chilean waters. Copeia, 1974(3): 629-632.
- LEIBLE, M. 1979. Análisis taxonómico de las subespecies de *Merluccius gayi* (Teleostomi, Gadiformes). Acta Zoológica Lilloana, 35: 667-677.
- LEIBLE, M. & E. MARTÍNEZ. 1974. Taxonomía de muestra compuesta de *Merluccius gayi* (Pisces, Merlucciidae). Inv. Oceanol. Chil., 1(1): 3-13.
- LEIBLE, M., G. E. MARTÍNEZ & A. D. CABEZAS. 1981. A contribution to the taxonomic status of *Micromesistius australis* (Pisces, Gadidae). Bol. Soc. Biol. Concepción, 52: 67-93.
- LEICOINTRE, G., C. BORNILLO, C. O. ZOUF-COSTAZ & J. C. HUREAU. 1997. Molecular evidence for the origins of Antarctic fishes: paraphyly of the Bovichtidae and no indication for the monophyly of the Notothenioidei. Polar Biol., 18: 193-208.
- LEIPERTZ, S. L. & T. W. PIETSCH. 1987. A new species of ceratioid anglerfish of the genus *Dolopichthys* (Pisces: Lophiiformes) from the western North Atlantic Ocean. Copeia, 1987(2): 406-409.
- LEIS, J. M. 1978. Systematics and zoogeography of the porcupinefishes (*Diodon*, Diodontidae, Tetraodontiformes), with comments on egg and larval development. Fish. Bull., 76(3): 535-567.
- LEIS, J. M. 1984. Tetraodontiformes: Relationships. En: H. G. Moser *et al.* (eds.). Ontogeny and Systematics of Fishes. Spec. Publ. N° 1. Amer. Soc. Ichthyol. Herp., 459-463.
- LEIS, J. M. & M. L. BAUCHOT. 1984. Catalogue critique des types de Poissons du Muséum national d'Histoire naturelle. (Suite) (Famille des Diodontidae). Bull. Mus. Natl. Hist. Nat. Sect. A Zool. Biol. Ecol. Anim., 6(3): 83-101.
- LEIS, J. M. & W. J. RICHARDS. 1984. Acanthuroidei: development and relationships. In: H. G. Moser *et al.*, eds. Ontogeny and systematics of fishes. Am. Soc. Ichthyol. Herpetol. Spec. Publ., 1: 547-551.
- LESSON R. P. 1830. Poissons, 2(1): 66-238. En: Duperrey, L.Y. Voyage aoutour du monde ... sur la corvette de sa Majesté "La Coquille", pendant les années 1822-25, 2 Zoologie.
- LE SUEUR, C. A. 1817. A short description of five (supposed) new species of the genus *Muraena*, discovered by Mr. Le Sueur, in

- the year 1816. J. Acad. Nat. Sci. Philaelpia, 1(pt. 1, No. 5): 81-83.
- LE SUEUR, C. A. 1817. Description of two new species of the genus *Gadus*. J. Acad. Nat. Sci. Phila., 1(pt. 1, No. 5): 83-85.
- LE SUEUR, C. A. 1821. Description of three new species of the genus *Sciaena*. J. Acad. Nat. Sci. Phila., 2: 251-256.
- LE SUEUR, C. A. 1821. Description of two new species of *Exocetus*. J. Acad. Nat. Sci. Philadelphia, 2(pt 1): 8-11.
- LEYBOLD, F. 1859. Descripción de una nueva especie de pez. An. U. de Chile, 16: 1083.
- LIMA, A. T. & M. M. MINCARONE. 2004. Occurrence of *Cottunculus granulatus* Barrer, 1968 (Scorpaeniformes: Psychrolutidae) in Southern Brazil. Comun. Mus. Cienc. Tecnol. PUCRS, Sér. Zool. Porto Alegre, 17(1): 39-43.
- LI, S. Z. 1981. On the origin, phylogeny and geographical distribution of the flatfishes (Pleuronectiformes). Trans. Chin. Ichthyol. Soc., 1981(1): 11-20.
- LI, S. Z. & Y. WU. 1981. Observations on the osteology of some holocentrid fishes. Trans. Chin. Ichthyol. Soc., 1981(2): 73-80.
- LINNAEUS, C. 1758. Systema Nature. Editio Decima Reformatata. Holmiae. 1: 824 p. (Reprod. Fotost. British Mus. Nat. Hist.).
- LOMBARTE, A. & A. CASTELLÓN. 1991. Interspecific and intraspecific otolith variability in the genus *Merluccius* as determined by image analysis. Can. J. Zool., 69: 2442-2449.
- LOMBARTE, A. J. RUCABADO, J. MATA-LLANAS & D. LLORIS. 1991. Taxonomía numérica de Nototheniidae en base a la forma de los otolitos. Sci. Mar., 55(2): 413-418.
- LÖNNBERG, E. 1905. The fishes of the Swedish South Polar Expedition. Wiss. Ergeb. Swedische Sudpolar-Exped., 5(6): 1-69.
- LÖNNBERG, E. 1907. Fische. Ergebnisse der Hamburger Magalhaensischen Sammelreise, 1892-93(1): 1-16.
- LÓPEZ, R. B. 1963. Pejerrey. Claves para su identificación. 2da nota. Aire y Sol, 10: 19-21.
- LÓPEZ, R. 1963. Problemas de la distribución geográfica de los peces marinos suramericanos. Bol. Inst. Biol. Mar., Mar del Plata, 7: 57-62.
- LÓPEZ, H. L., M. L. GARCÍA & N. SAN ROMÁN. 1996. Lista comentada de la ictiofauna del Canal Beagle, Tierra del Fuego, Argentina. Centro Austral de Investigaciones Científicas, Contribución Científica, Publ. Esp., 23: 1-85.
- LOVEJOY, N. & B. B. COLLETE. 2001. Phylogenetic relationships of new world needlefishes (Teleostei: Belonidae) and the biogeography of transitions between marine and freshwaters habits. Copeia, 2001(2): 324-338.
- LOVEJOY, N., M. IRANPOUR & B. B. COLLETTE. 2004. Phylogeny and jaw ontogeny of beloniform fishes. Integr. Comp. Biol., 44: 366-377.
- LOWE, R. T. 1833. Description of *Alepisaurus*, a new genus of fishes. Proc. Zool. Soc. Lond., 1833 (pt 1), p. 104.
- LUCENA, Z. M. S. & C. A. S. LUCENA. 1990. Sobre a localidade-tipo das espécies de peixes descritas por Steindachner (1907). Comun. Mus. Ciênc. PUCRS, Sér. Zool. Porto Alegre, 3(3): 99-101.
- LUTJEHARMS, J. R. E. 1990. The oceanography and fish distribution of the Southern Ocean. En: Fishes of the Southern Ocean. O. Gon and P. C. Heemstra (eds.). J. L. B. Smith Institute of Ichthyology. CTP Book Printers, Cape, pp. 6-27.
- LÜTKEN, CH. F. 1872. *Malacocephalus laevis* (Lowe), Veh.. Dansk Kyst. Afryk of Vidensk Medd. Fraden naturhist. Foreningi Kjebenhaon.

- LLORIS, D. 1988. *Haushia marinae* gen.n., sp. n. (Osteichthyes, Zoarcidae), capturada en las cercanías de cabo San Juan, isla de los Estados (Argentina). *Miscell. Zool.*, 12: 245-250.
- LLORIS, D. & J. MATAILLANAS. 2003. Description of a new species of hake: *Merluccius patagonicus* sp. nov. (Gradiformes: Merlucciidae) from the water of Argentina. *Sci. Mar.*, 67(3): 323-326.
- LLORIS, D., J. MATAILLANAS & P. OLIVER. 2003. Merluzas del mundo (Familia Merlucciidae). Catálogo comentado e ilustrado de las merluzas conocidas. FAO catálogo de especies para los fines de la pesca N° 2. Roma, FAO, 57 pp., 12 láms.
- LLORIS, D., G. PEQUEÑO, J. RUCABADO & J. LAMILLA. 1996. El género *Harpagifer* Richardson, 1844, en el extremo sur de América (Pisces, Harpagiferidae). *INACH Ser. Cient.*, 46: 41-58.
- LLORIS, D. & J. RUCABADO. 1987. *Crossostomus sobrali* sp. n. (Osteichthyes, Zoarcidae), capturada en aguas del canal de Beagle, Tierra del Fuego (Argentina), con algunos comentarios acerca del género *Maynea*. *Miscell. Zool.*, 11: 263-275.
- LLORIS, D. & J. RUCABADO. 1987. *Ilucoetes facali* sp. n. (Osteichthyes, Zoarcidae), una nueva especie para la ictiofauna argentina. *Thalassas*, 5: 53-56.
- LLORIS, D. & J. RUCABADO. 1991. Ictiofauna del canal Beagle (Tierra del Fuego), aspectos ecológicos y análisis biogeográfico. *Inst. Español Oceanogr., Public. Esp.*, 8: 1-182.
- MABUCHI, K., T. NAKABO & M. NISHIDA. 2004. Molecular phylogeny of the antitropical genus *Pseudolabrus* (Perciformes: Labridae): evidence for a Southern Hemisphere origin. *Mol. Phylogenet. Evol.*, 32(1): 375-82.
- MAKUSHOK, V. M. 1976. New species of rattails *Coryphaenoides subserrulatus* n. sp. (Macrouridae, Osteichthyes) collected to the south of New Zealand. *Trans. P. P. Shirshov Inst. Oceanol.*, 104: 144-155.
- MALABARBA, L. R. & S. H. WEITZMAN. 1999. A new genus and species of South American fishes (Teleostei: Characidae: Cheirodontinae) with a derived caudal fin, including comments about inseminating cheirodontines. *Proc. Biol. Soc. Washington*, 112: 410-431.
- MANDRYTSA, S. A. 1990. Morphological characteristics of lateral sensory system of the family Congiopodidae. *Trudy Zool. Inst. Akad. Nauk SSSR*, 213: 16-28.
- MARINI, T. L., J. T. NICHOLS & F. R. LA MONTE. 1933. Six new eastern South American fishes examined in the American Museum of Natural History. *Am. Mus. Novit.*, 618: 1-7.
- MAC DONAGE, E. J. 1931. Nota preliminar sobre *Bovichthys argentinus* y *Notothenia patagonica* n. spp. *Univ. Nac. Plata*, 1: 99-100.
- MAC DONAGE, E. J. & M. COVAS. 1944. Peces patagónicos y fueguinos, coleccionados por el Doctor Federico G. Lynch. *Notas Mus. La Plata, Zool.*, 9: 229-241, 1 fig., 2 láms.
- MANN, G. 1950. Peces de Chile. Clave de determinación. Ministerio de Agricultura, Santiago, 48 pp.
- MANN, F. G. 1950. Peces de Chile. Clave de determinación de las especies importantes. *Inst. Invest. Veterin. Santiago*, 1-48, figs. 1-89.
- MANN, F. G. 1953. Sobre la identidad de la Cojinoba del norte y centro de Chile. *Inv. Zool. Chil.*, 2(1): 3.
- MANN, F. G. 1954. La vida de los peces en aguas chilenas. *Inst. Invest. Vet. y Univ. de Chile*, 343 pp., Santiago.
- MANN, F. G. 1954. El mar chileno y sus regiones Biogeográficas. *Inv. Zool. Chil.*, 2(5): 75-86, mapa, 1 gráfico.

- MANN, F. G. & L. CAPURRO. 1951. *Arbacia petersii* (Garman) (Gobiesocidae). Nuevo pez para Chile. Inv. Zool. Chil., (4): 4-5.
- MARKLE, D. F. 1978. Taxonomy and distribution of *Rouleina atrita* and *Rouleina maderensis* (Pisces, Alepocephalidae). Fish. Bull., 76(1): 79-87.
- MARKLE, D. F. 1989. Aspects of character homology and phylogeny of Gadiformes. En: Cohen, D. M. (ed.). Papers on the systematics of gadiform fishes. Nat. Hist. Mus. Los Angeles Co. Sci. Ser., 32: 59-88.
- MARKLE, D. F. 1999. Family Carapidae. En: Nielsen, J.G., Cohen, D.M., Markle, D.F. & Robins, C. R. (eds.). FAO Species Catalogue, Volume 18, Ophidiiform Fishes of the World (Order Ophidiiformes), FAO, Rome, pp. 10-21.
- MARKLE, D. F. & G. KREFFT. 1985. A new species and review of *Bajacalifornia* (Pisces, Alepocephalidae) with comments on the hook jaw of *Narctes stomias*. Copeia, 1985(2): 345-356.
- MARKLE, D. & R. MELÉNDEZ. 1988. A new species of *Laemonema* from off Chile, with a redescription of *L. globiceps* Gilchrist (Pisces: Moridae). Copeia, 1988(4): 871-876.
- MARKLE, D. F. & J. E. OLNEY. 1990. Systematics of the pearlfishes (Pisces: Carapidae). Bull. Mar. Sci., 47, 269-410.
- MARKLE, D. F., J. T. WILLIAMS & J. E. OLNEY. 1983. DESCRIPTION OF A NEW SPECIES OF *Echiodon* (Teleostei, Carapidae) from Antarctic and adjacent seas. Proc. Biol. Soc. Washington, 96(4): 645-657.
- MARSHALL, N. B. 1955. Studies of Alepisauroid fishes. Discovery Rep., 27: 303-336, pl. XIX.
- MARSHALL, N. B. 1962. Observations on the Heteromi, an order of teleost fishes. Bull. Br. Mus. Nat. Hist. Zool., 9(6): 251-270.
- MARSHALL, N. B. 1964. Bathypelagic macrourid fishes. Copeia, 1964(1): 86-93.
- MARSHALL, N. B. 1965. Systematic and biological studies of the macrourid fishes, (Anacanthini-Teleostii). Deep Sea Res., 12(3): 299-322.
- MARSHALL, N. B. 1966. The relationships of the anacanthine fishes, *Macruronus*, *Lyconus* and *Steindachneria*. Copeia, 1966: 275-280.
- MARSHALL, N. B. 1973. Family Macrouridae. En: D. M. Cohen (ed.). Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Res., 1: 496-665, pt 6.
- MARSHALL, N. B. & T. IWAMOTO. 1973. Family Macrouridae. En: Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Res. Mem., 1(pt 6): 496-537.
- MARSHALL, N. B. & T. IWAMOTO. 1973. Genus *Caelorinchus* (pp. 538-563), Genus *Coryphaenoides* (pp. 565-580), Genus *Hymenocephalus* (pp. 601-612), Genus *Nezumia* (pp. 624-649). In: Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Res. Mem. 1 (pt 6).
- MARTÍNEZ, C. 1975. Análisis biológico del "Bacalao de profundidad" *Dissostichus amissus* (Gill & Townsend). Instituto de Fomento Pesquero, Inf. Pesq., 59: 1-16.
- MARTÍNEZ, E. 1976. Variabilidad de los caracteres merísticos en *Merluccius gayi* (Guichenot 1848) en la costa de Chile. Rev. Biol. Mar., Valparaíso, 16(1): 71-93.
- MARTÍNEZ, F. C. 1980. Investigaciones de los recursos atunes y especies afines realizadas por Chile. Rev. Com. Perm. Pac. Sur, 11(3-4): 409-422.
- MARTÍNEZ, F. C. & F. C. INOSTROZA. 1980. Sinopsis biológica del atún aleta amarilla (*Thunnus albacares*) (Teleostomi, Perciformes, Scombridae), con referencia especial al Pacífico Oriental. Rev. Com. Perm. Pac. Sur, 11(3-4): 435-448.

- MARTÍNEZ, E. & M. LEIBLE. 1974. Taxonomía de muestras compuestas de *Merluccius gayi* (Pisces: Merluccidae). *Inv. Oceanol. Chil.*, 1(1): 3-13.
- MARTÍNEZ, V., G. & MONASTERIO DE GONZO. 1991. Key of identification of certain siluriforms based on otoliths. *Rev. Asoc. Cienc. Nat. Litor St. Tome*, 22(2): 95-118.
- MASAKI, M. & M. NISHIDAB. 2000. Molecular Systematics of the Deep-Sea Fish Genus *Gonostoma* (Stomiiformes: Gonostomatidae): Two Paraphyletic Clades and Resurrection of *Sigmops*. *Copeia*, (2): 378-389.
- MATALLANAS, J. 1986. Descripción de algunas estructuras de interés taxonómico en *Nansenia* (Pisces, Microstomatidae). *Misc. Zool.*, 10: 233-238.
- MATALLANAS, J. 1986. Notes ostéologiques Sur *Nansenia* problemática Lloris et Rucabadao, 1985., avec discussion de son statut générique. *Cybiurn*, 10(4): 389-394.
- MATALLANAS, J. & G. PEQUEÑO. 2000. Description of *Careproctus patagonicus* sp. nov. and *C. magellanicus* sp. nov. (Pisces: Scorpaeniformes) from the lower slope of Drake Passage. *J. Fish. Biol.*, 56: 519-527.
- MATALLANAS, J. & G. PEQUEÑO. 2000. A new snailfish species, *Paraliparis orcadensis* sp. nov. (Pisces: Scorpaeniformes) from Scotia Sea (Southern Ocean). *Polar Biol.*, 23: 298-300.
- MATALLANAS, J., J. RUCABADO, D. LLORIS & M. PILAR OLIVAR. 1990. Early stages of development and reproductive biology of the South- American eelpout *Austrolycus depressiceps* Regan, 1913 (Teleostei: Zoarcidae). *Sci. Mar.*, 54(3): 257-261.
- MATARESE, A. W., W. WATSON & E. STEVENS. 1993. Blenniodeia: Development and Relationships. *Am. Soc. Ichthyol. and Herpetol., Spec. Publ.*, 1: 565-577.
- MATSUI, T. 1967. Review of the mackerel genera *Scomber* and *Rastrelliger* with description of a new species of *Rastrelliger*. *Copeia*, 1967(1): 71-82.
- MATSUI, T. & R. H. ROSENBLATT. 1979. Two searsid fishes of the genera *Maulisia* and *Searsia* (Pisces, Salmoniformes). *Bull. Mar. Sci.*, 29(1): 62-78.
- MATSUI, T. & R. H. ROSENBLATT. 1987. Review of the deep-sea fish family Platytroctidae (Pisces, Salmoniformes). *Bull. Scripps Inst. Oceanogr.*, 26: 7 + 127 pp., 28 figs.
- MATSUMOTO, W. M., F. H. TALBOT, B. B. COLLETTE & R. S. SHOMURA. 1969. Pacific bonito (*Sarda chilensis*) and skipjack tuna (*Katsuwonus pelamis*) without stripes. *Copeia*, 1969(2): 397-398.
- MATSUURA, K. 1979. Phylogeny of the superfamily Balistoidae (Pisces, Tetraodontiformes). *Mem. Fac. Fish. Hokkaido Univ.*, 26(1-2): 49-169.
- MATSUURA, K. 1980. A revision of Japanese Balistoid Fishes, I. Family Balistidae. *Bull. Nat. Sci. Mus., Japan, Series A (Zool.)*, 6 (1): 27-69.
- MAUL, G. E. 1956. Additions to the previously revised orders or families of fishes of the Museu Municipal do Funchal (Stomiidae, Astronesthidae, Paralepididae). *Bol. Mus. Munic. Funchal.*, 9(art. 24): 75-96.
- MAUL, G. E. 1969. A new subspecies of *Lampadena urophaos* Paxton 1963 from the Atlantic Ocean. *Bocagiana (Funchal)*, 22: 1-8.*
- MAUL, G. E. 1969. On the genus *Cetomimus* (Cetomimidae) with the description of a new species. *Bocagiana (Funchal)*, 18: 1-11.*
- MAYER, G. F. 1974. A revision of the cardinal fish genus, *Epigonus* (Perciformes, Apogonidae) with descriptions of two new species. *Bull. Mus. Comp. Zool., Harvard*, 146(3): 147-203.
- MAYER, R. F. & T. T. NALBANT. 1972. Additional species of fishes in the fauna of

- Peru Trench. Results of the 11 th Cruise of R/V "Anton Bruun", 1965. Rev. Roumaine Biol. (Zool.), 17(3): 159-165.
- MCALLISTER, D. E. 1963. A revision of the smelt family, Osmeridae. Nat. Mus. Canada Bull., 191: 1-53.*
- MCALLISTER, D. E. 1968. The evolution of branchiostegals and associated opercular, gular and hyoid bones and the classification of teleostome fishes living and fossil. Nat. Mus. Canada Bull., 22, biol.ser., 77: 1-239.
- MCALLISTER, D. E. & J. E. RANDALL. 1975. A new species of centrolophid fish from Easter Island and Rapa Iti Island in the South Pacific. Nat. Mus. Canada Biol. Oceanogr., 8: 1-17.
- MCALLISTER, D. E. & E. I. S. REES. 1964. A revision of the eelpout genus *Melanostigma*, with a new genus and with comments on Maynea. Nat. Mus. Canada Bull., 199: 85-109.
- MCCANN, C. & D. G. MCKNIGHT. 1980. The marine fauna of New Zealand: Macrourid fishes (Pisces: Gadidae), N. Z. Oceanogr. Inst. Mem., 61: 1-91.
- MCCOSKER, J. E. 1970. A review of the eel genera *Leptenchelys* and *Muraenichthys* with the description of a new genus, *Schismorhynchus*, and a new species, *Muraenichthys chilensis*. Pac. Sci., 24(4): 506-516.
- MCCOSKER, J. E. 1971. A new species of *Parapercis* (Pisces, Mugiloididae) from the Juan Fernandez Islands. Copeia, 1971(4): 682-686.
- MCCOSKER, J. E. & N. V. PARÍN. 1995. A new species of deepwater wormeel, *Muraenichthys profundorum* (Anguilliformes: Ophichthyidae), from the Nazca ridge. Jpn. J. Ichthyol., 42(3/4): 231-235.
- MCCOY, F. 1873. On a new Australian species of *Thyrsites*. Ann. Mag. Nat. Hist., (Ser. 4)11(65): 338-339.
- MCDOWALL, R. M. 1964. The affinities and derivation of the New Zealand freshwater fish fauna. Tuatara, 12: 59-67.
- MCDOWALL, R. M. 1968. The application of the terms Anadromus and Catadromus to the Southern Hemisphere Salmonoid Fishes. Copeia, 1968(1): 176-178.
- MCDOWALL, R. M. 1980. *Seriolella caerulea* Guichenot, 1848 in New Zealand waters (Stromateoidei: Centrolophidae). J. Roy. Soc. New Zeal., 10(1): 65-74.
- MCDOWALL, R. M. 1982. The centrolophid fishes of New Zealand (Pisces: Stromateoidei). J. Roy. Soc. New Zeal., 12: 103-142.
- MC PHAIL, J. D. 1958. Key to the croakers (Scianidae) of the Eastern Pacific. Mus. Contr. 2. Inst. Fish. Vancouver, 1-20.
- MEAD, G. W. 1959. *Bathypterois pectinatus*, a new bathyal iniomous fishes from the eastern Pacific. J. Wash. Acad. Sci., 49(8): 290-292.
- MEAD, G. W. 1970. A history of South Pacific fishes. En: Wooster, W.S. (ed.). Symposium of the Scientific exploration of the South Pacific, Washington D.C., National Academy of Sciences, pp. 236-251. U.S.A.
- MEAD, G. W. 1965. The larval forms of the Heteromi (Pisces). Breviora, Harvard, 226: 1-5.
- MEAD, G. W. 1972. Bramidae. Dana Rep., 81: 5-166.
- MEDINA, W. 1965. Los peces marinos conocidos del Callao con referencia de su distribución geográfica. Biota, 5(42): 245-287, 4 láms.
- MEEK, S. E. 1884. A review of the American species of the genus *Synodus*. Proc. Acad. Nat. Sci. Philadelphia, 36: 130-136.
- MEEK, S. E. & R. NEWLAND. 1885. A review of the american species of the genus *Scorpaena*. Proc. Acad. Nat. Sci. Philadelphia, 394-403.

- MEEK, S. E. & D. K. GOSS. 1885. A review of the american species of the genus *Hemiramphus*. Proc. Acad. Nat. Sci. Philadelphia, 1884: 221-226.
- MEES, G. F. 1962. A preliminary revision of the Belonidae, Zool. Verhand. Leiden, 54: 1-96.
- MELÉNDEZ, R. 1982. Estudio preliminar de la alimentación de *Xenomystax atrarius* Gilbert 1891 (Pisces, Congridae). Bol. Mus. Nac. Hist. Nat. Chile, 39: 45-48.
- MELÉNDEZ, R. 1987. Nuevos antecedentes de *Prionotus stephanophrys* Lockington, 1880 (Pisces, Triglidae). Not. Mens. Mus. Nac. Hist. Nat., Chile, 314: 1-3.
- MELÉNDEZ, R. 1988. Diretmidae y Scombrobracidae, nuevas adiciones a la ictiofauna chilena y antecedentes sobre Carapidae (Pisces, Teleostomi). Bol. Mus. Nac. Hist. Nat., Chile, 41: 71-86.
- MELÉNDEZ, R. 1990. Chironemid fishes from Juan Fernández Archipelago and Desventuradas Islands, Chile (Perciformes: Chironemidae). Rev. Biol. Mar., Valparaíso, 25: 83-92.
- MELÉNDEZ, R. 1999. Nuevas adiciones a la ictiofauna mesopelágica y demersal entre isla Mocha y la península de Taitao (38° 04' - 46° 13' S), Chile. Rev. Biol. Mar. Oceanogr., 34(2): 139-143.
- MELÉNDEZ, R. 2002. Morfometría y merística de *Aplodactylus punctatus* Valenciennes 1832 (Pisces: Aplodactylidae) provenientes de la zona entre Iquique (20° 13' S) y Concepción (36° 47' S), Chile. Gayana, 66(2): 207-212.
- MELÉNDEZ, R. & J. L. BRITO. 2002. Sobre ejemplares juveniles de *Beryx splendens* Lowe, 1834 (Osteichthyes: Beryciformes) capturados frente a San Antonio (ca. 33° 35' S), Chile. Mus. Nac. Hist. Nat., Chile, Not. Mens., 346: 14-15.
- MELÉNDEZ, R. & C. CANCINO. 2000. *Pseudoscopelus altipinnis* Parr, 1933. Raro representate de la ictiofauna chilena (Osteichthyes, Perciformes; Chiasmodontidae). Mus. Nac. Hist. Nat. Not. Mens., 341: 3-5.
- MELÉNDEZ, R., R. CÉSPEDES & A. CORNEJO. 1991. *Barbourisia rufa* Parr, 1945 en aguas del Sur de Chile (Teleostei, Beryciformes, Barbourisiidae). Invest. Pesq. (Chile), 36: 97-100.
- MELÉNDEZ, R. & A. CLÉMENT. 1991-1992. *Trachipterus trachipterus* (Gmelin, 1789) en el Sur de Chile (Pisces: Lampriformes: Trachipteridae). Cienc. Tecnol. Mar, 15: 43-47.
- MELÉNDEZ, C. R. & A. C. CORNEJO. 2001. Catálogo de los peces litorales de las Islas Desventuradas (ca. 26° S) recolectados durante febrero de 1997, y depositadas en la colección del Museo Nacional de Historia Natural, Chile. Bol. Mus. Nac. Hist. Nat. Chile, 50: 65-71.
- MELÉNDEZ, R. & B. DYER. 2001. Nuevo registro de *Neocyttus rhomboidalis* Gilchrist, 1906 (Zeiformes, Oreosomatidae) en Aguas Circundantes a Robinson Crusoe, Archipiélago de Juan Fernández, Chile. Not. Mens. Mus. Nac. Hist. Nat., Chile, 346: 12-14.
- MELÉNDEZ, R., F. FALABELLA & L. VARGAS. 1991-1992. La cresta del hueso supraoccipital del "jurel" *Trachurus symmetricus* (Ayres, 1855), como indicador ictioarqueológico. Cienc. Tecnol. Mar, 15: 13-20.
- MELÉNDEZ, R., O. GÁLVEZ & A. CORNEJO. 1993. Catálogo colección de peces depositados en el Museo Nacional de Historia Natural, Chile, Publ. Ocacs. Mus. Nac. Hist. Nat., Chile, 47: 1-224.
- MELÉNDEZ, R. & I. KONG. 1990. La Familia Ceratiidae en Chile (Teleostei: Lophiiformes). Estud. Oceanol., 9: 69-71.
- MELÉNDEZ, R. & I. KONG. 1997. Himantolophid fishes from Chile. Rev. Biol. Mar. Oceanogr., 32: 11-15.

- MELÉNDEZ, R. & I. KONG. 2000. Sistemática filogenética en peces de ambientes profundos presentes en Chile. *Estud. Oceanol.*, 19: 129-136.
- MELÉNDEZ, R. & D. F. MARKLE. 1990. Carapidae-Pearlfishes. En: O. Gon and P. Heemstra (eds.), *Fishes of the Southern Ocean*. J. L. B. Smith Institute of Ichthyology, Grahamstown.
- MELÉNDEZ, R. & D. F. MARKLE. 1990. Phylogeny and zoogeography of *Laemone-ma* and *Guttigadus* (Pisces: Gadiformes: Moridae). *Bull. Mar. Sci.*, 61(3): 593-670.
- MELÉNDEZ, R. & D. MENESES. 1986. Nuevo registro de *Nesiarchus nasutus* Johnson, 1862 en el Pacífico Sur - Este (Perciformes, Gempylidae). *Cienc. Tecnol. Mar.*, 10: 51-57.
- MELÉNDEZ, R. & G. PEQUEÑO. 1996. Peces móridos de las Islas Desventuradas (Teleostei, Gadiformes, Moridae). *Bol. Soc. Biol. Concepción*, 67: 69-73.
- MELÉNDEZ, R. & G. PEQUEÑO. 1999. New records of Morid fishes (Teleostei: Gadiformes) from the southernmost tip of South America. *Sci. Mar.*, 63(Supl. 1): 465-467.
- MELÉNDEZ, R. & W. SIELFELD. 1991. *Melanonus zugmayeri* Norman, 1930. Primer registro para la costa de Chile (Pisces: Gadiformes, Melanonidae). *Estud. Oceanol.*, 10: 113-116.
- MELÉNDEZ, R. & C. VILLALBA. 1990. *Alutera scripta* (Osbeck, 1765) en Isla de Pascua (Teleostei: Tetraodontiformes: Balistidae). *Cienc. Tecnol. Mar, CONA*, 14: 21-24.
- MELÉNDEZ, R. & C. VILLALBA. 1992. Nuevos registros y antecedentes para la ictiofauna del Archipiélago de Juan Fernández, Chile. *Estud. Oceanol.*, 11: 3-29.
- MENEZES, N. A. & J. GÉRY. 1983. Seven new acestrorhynchin characid species (Osteichthyes, Ostariophysi, Characiformes) with comments on the systematics of the group. *Rev. Suisse Zool.*, 90(3): 563-592.
- MERRETT, H. R. 1963. Pelagic gadoid fish Antarctic. *Morsk Hvalfangest-Tid.*, Nº 52.
- MERRET, N. R. & T. IWAMOTO. 2000. Pisces Gadiformes: Grenadier fishes of the New Caledonian region, southwest Pacific Ocean. Taxonomy and distribution, with ecological notes. En: Crosnier, R. (ed.). *Résultats des Campagnes MUSORSTOM*, 21. *Mem. Mus. Nat. Hist. Nat.*, 184: 723-781.
- MIKHAILIN, S. V. 1983. On intraespecific variations of the principal meristic characters in *Diplospinus multistriatus* Maul (Gempylidae, Perciformes). *Vop. Iktiolog.*, 23(3): 366-372 (En ruso).
- MIKHAYLIN, S. V. 1982. Data on the distribution and biology of *Lepidopus xantusi* and *Trichiurus nitens* (Trichiuridae) in the Southeastern Pacific. *J. Ichthyol.*, 22(5): 24-32.
- MILLER, R. R. 1945. *Hyporhamphus patris*, a new species of the hemirhamphid fish from Sinaloa, Mexico, with an analysis of the generic characters of *Hyporhamphus* and *Hemirhamphus*. *Proc. U.S. Nat. Mus.*, 96(3195): 185-193.
- MILLER, G. C. & W. J. RICHARDS. 1991. Nomenclatural changes in the genus *Prionotus* (Pisces: Triglidae). *Bull. Mar. Sci.*, 48(3): 757-762.
- MIRANDA, B. O. 1965. Nota sobre el otolito del "pampanito" (Pomadasyidae, *Stromateus maculatus*). *Estud. Oceanol.*, 1: 33-40.
- MIRANDA, B. O. 1959. Contribución al estudio de *Hippoglossina macrops* Steindachner 1876 (Lenguado de ojos grandes). Memoria Biólogo Marino, Facultad Filosofía y Educación, Universidad de Chile, 48 pp., Santiago.
- MIRANDA, B. O. 1967. Calendario ictiológico de San Antonio. *Biol. Pesq.*, Chile, 2: 3-49.
- MIRANDA, B. O. 1968. Calendario ictiológico de San Antonio II. *Biol. Pesq.*, Chile, 3: 41-67.

- MIRANDA, B. O. 1973. Calendario ictiológico de San Antonio. Biología de la jerguilla (*Aplodactylus punctatus*). Biol. Pesq., Chile, 6: 25-43.
- MIYABE, N. & W. H. BAYLIFF. 1998. A review of information on the biology, fisheries, and stock assessment of bigeye tuna, *Thunnus obesus*, in the Pacific Ocean. Inter-Amer. Trop. Tuna Comm. Spec. Rpt., 9: 129-170.
- MØLLER, P. R. 2003. Two new species of *Pachycara* Zugmayer (Teleostei: Zoarcidae) from the Indian Ocean, with redescription of *Pachycara shcherbachevi* Anderson. Copeia, 2003(2): 357-365.
- MØLLER, P. R. & M. E. ANDERSON. 2000. Assignment of *Lycodes microcephalum* Jensen, 1902 to *Pachycara* Zugmayer, 1911 (Teleostei: Zoarcidae). Cybium, 24(1): 61-65.
- MORH, E. 1937. Revision der Centriscidae (Acanthopterygii Centrisciformes). Dana Rep., 13: 1-69, 33 figs.
- MORROW, J. E. JR. 1957. Shore and pelagic fishes from Peru, with new records and the description of a new species of Spheroiodes. Bull. Bingham Oceanogr. Collect. Yale Univ. 16(art. 2): 5-55.
- MOLINA, G. I. 1782. Saggio sulla storia naturale del Chile, 367 pp., Bologna.
- MOLINA, G. I. 1788. Compendio de la Historia Geográfica, Natural y Civil del Reyno de Chile. Traducido al español por Domingo Joseph. Madrid. Libro cuarto: Gusanos, Insectos, Reptiles, Peces, Pájaros y Quadrúpedos de Chile, pp. 213-387. Catálogo I. Nuevas especies descritas (Peces, pp. 241-253 y 393-394).
- MONOD, T. 1961. *Brevoortia* Gill 1861 et *Ethmalosa* Regan 1917. Bull. Inst. fran. Afri. Noire, Dakar 23(2): 506-547.
- MONOD, T. 1976. Dents premaxillaires a fonction non alimentaire chez quelques Te-
traodontidae (Poissons Téléostéens). Bull. Inst. Franc. Afrique Noire, 38(ser.A, 4): 892-897.
- MONTGOMERY, J., S. COOMBS & M. HALSTEAD. 1995. Biology of the mechanosensory lateral line in fishes. Rev. Fish. Biol. Fish., 5: 399-416.
- MONTGOMERY, J., S. COOMBS & J. JANSSEN. 1994. Form and function relationships in lateral line systems: comparative data from six species of Antarctic notothenioid fish. Brain Behav. Evol., 44(6): 299-306.
- MORENO, C. 1970. *Micropogon manni* n. sp. Not. Mens. Mus. Nac. Hist. Nat., Chile, 15(170): 5-10.
- MORENO, C. 1974. *Mora pacifica* Whaite, en el Pacífico Sur Oriental (Moridae, Gadiformes). Not. Mens. Mus. Nac. de Hist. Nat., Chile, 212-213: 8-10.
- MORENO, C. & F. JARA. 1981. Reencuentro de *Notothenia trigramma* Regan en los canales sur patagónicos. Chile (Pisces: Nototheniidae). Mus. Nac. Hist. Nat., Chile, Not. Mens., 26(301): 7-9.
- MORENO, C. & G. REVUELTA. 1968. Un nuevo pez en aguas continentales chilenas: *Cnesteredon decenmaculatus* (Jenyns 1842). Mus. Nac. Hist. Nat., Chile, Not. Mens., 12(143): 8-11.
- MORITA, T. 1999. Molecular phylogenetic relationships of the deep-sea fish genus *Coryphaenoides* (Gadiformes: Macrouridae) based on mitochondrial DNA. Mol. Phylogenet. Evol., 13(3): 447-54.
- MORRISON, E. & G. PEQUEÑO. 2003. Primer registro del zoárcido *Crossotomus sobrali* (Lloris & Rucabado 1987) (osteichthyes, Zoarcidae) en el Estrecho de Magallanes, Distrito fuegino, Chile. An. Inst. Patagonia (Chile), 31: 105-109.
- MORROW, J. E. & S. J. HARBO. 1969. A revision of the sailfish genus *Istiophorus*. Copeia, 1969(1): 54-44.

- MOSER, H. G., E. H. AHLSTROM & J. R. PAXTON. 1984. Myctophidae: development. En: H. G. Moser *et al.* (eds.). Ontogeny and systematics of fishes. Am. Soc. Ichthyol. Herpetol. Spec. Publ. No. 1: 218-244.
- MOSER, H. G., E. H. AHLSTROM & E. M. SANDKNOP. 1977. Guide to the identification of scorpionfish larvae (family Scorpaenidae) in the eastern Pacific with comparative notes on species of *Sebastes* and *Helicolenus* from other oceans. U. S. Dep. Comm., NOAA Tech. Rep. NMFS Circ., 402, 71 p.
- MOTOMURA, H. 2002. Revision of the Indo-Pacific threadfin genus *Polydactylus* (Perciformes: Polynemidae) with a key to the species. Bull. Natl. Sci. Mus., Tokyo, Ser.A (Zool.), 28(3): 171-194.
- MOTOMURA, H. & Y. IWATSUKI. 2001. Review of *Polydactylus* species (Perciformes: Polynemidae) characterized by a large black anterior lateral line spot, with descriptions of two new species. Ichthyol. Res., 48(4): 337-354.
- MOTOMURA, H., S. KIMURA & Y. IWATSUKI. 2002. Revision of the threadfin genus *Polydactylus* (Perciformes: Polynemidae) from the eastern Pacific Ocean. Ichthyol. Res., 49(4): 358-366.*
- MUKHACHEVA, V. A. 1972. On systematics, distribution and biology of the *Gonostoma* species (Pisces Gonostomatidae). Tr. Inst. Okeanol., Akad. Nauk SSSR, 93: 205-249.
- MUKHACHEVA, V. A. 1978. A review of the species of *Diplophos* Günther (Gonostomatidae, Osteichthyes) and their vertical and geographical distribution. Trudy Inst. Oceanol. Acad. Sci. U.S.S.R. Nauk, 111: 10-27. (En ruso).
- MUKHACHEVA, V. A. 1980. Review of the genus *Ichthyococcus* Bonaparte (Photichthyidae). Vop. Ikhtiolog., 20(6): 771-786. (En ruso).
- MYERS, G. 1941. The fish fauna of the Pacific Ocean, with special reference to zoogeographical regions and distribution as they effect international aspects of the fisheries. Proc. 6th. Pac. Sci. Cong., 3(1939): 201-210.
- MYERS, G. & C. WADE. 1941. Four new genera and ten new species of eels from the Pacific coast of tropical America. Allan Hancock Pacific. Exped., (IX. 4): 65-111.
- NAFPAKTITIS, B. G. 1968. Taxonomy and distribution of the lanternfishes, genera *Lobianchia* and *Diaphus*, in the North Atlantic. Dana Rep. 73: 1-131.
- NAFPAKTITIS, B. G. 1973. A review of the lanternfishes (family Myctophidae) described by A. Vedel Tanning. Dana Rep., 83: 1-46.
- NAFPAKTITIS, B. G. & J. R. PAXTON. 1968. Review of the lanternfish genus *Lampadena*, with a description of a new species. Los Angeles Co. Mus. Nat. Hist., Contr. Sci., 138: 1-29.
- NAFPAKTITIS, B. G., D. A. ROBERTSON & J. R. PAXTON. 1995. Four new species of the lanternfish genus *DIAPHUS* (Myctophidae) from the Indo-Pacific. New Zeal. J. Mar. Fresh., 29(3): 335-344.
- NAKAMURA, I. 1974. Some aspects of the systematics and distribution of billfishes, NOAA, Tech. Rep., N.M.F.S., 675: 45-53.
- NAKAMURA, I. 1977. Gempylidae, Istiophoridae, Trichiuridae. En: W. Fischer (ed.). FAO Species Identification Sheets for Fishery Purposes. Western Central Atlantic, fishing area 31. Vols. 1-7.
- NAKAMURA, I. 1982. Lateral line of *Diplopinus multistriatus* (Teleostei: Gempylidae). Biol. Soc. Washington, 95(2): 408-411.
- NAKAMURA, I. 1983. Systematics of the billfishes (Xiphiidae and Istiophoridae). Publ. Seto Mar. Biol. Lab., 28(5/6): 255-396.
- NAKAMURA, I. 1984. Scombrolabracidae, Scombroidei, p. 224-228. En: Masuda, H., K.

- Amaoka, C. Araga, T. Uyeno & T. Yoshino (eds.). The fishes of the Japanese Archipelago. Tokai University Press, Tokyo, 437 p.
- NAKAMURA, I. 1985. Billfishes of the world. An annotated and illustrated catalogue of Marlins, Sailfishes, Spearfishes and Swordfishes known to date. FAO Species Catalogue, 5: 1-65.
- NAKAMURA, I. 1986. Scombroidei, Xiphoidei, p. 296-305. En: Fishes. Illustrated books for organisms. Sekaibukasha, Tokyo. 431 p (En japonés).
- NAKAMURA, I. 1986. Scombroidei, Xiphoidei, p. 825-830. En: M. M. Smith and P. C. Heemstra (eds.). Smith's Sea Fishes. Macmillan South Africa, Johannesburg. 1047 p.
- NAKAMURA, I. (Ed.). 1986. Important fishes trawled off Patagonia. J. Mar. Fish. Res. Res. Center, 369 p. Tokyo.
- NAKAMURA, I. 1986. *Cheilodactylus bergi*. 230-231 pp. En: I. Nakamura (ed.). Important fishes trawled off Patagonia. Jap. Mar. Fish. Resource Res. Center. Tokyo.
- NAKAMURA, I. 1989. Introduction to Scombriform fishes. 2. Systematics and Scombriform fishes. Aquabiology, 62: 185-190 (En japonés).
- NAKAMURA, I. 1990. Gempylidae, Scombridae, p. 402-405. En: Fishes of the southern Ocean. J.L.B. Smith Institute of Ichthyology, Grahamstown. 462 p.
- NAKAMURA, I. 1990. Introduction to Scombriform fishes. 5. Gross morphology of lateral line system. Aquabiology, 70: 364-371 (En japonés).
- NAKAMURA, I. 1990. Introduction to Scombriform fishes. 9. Teeth. Aquabiology, 75: 225-249 (En japonés).
- NAKAMURA, I. 1990. Introduction to Scombriform fishes. 10. Gill. Aquabiology, 76: 330-337 (En japonés).
- NAKAMURA, I, E. FUJI & T. ARAI. 1983. First record of a rare gempylid fish, *Nesiarchus nasutus* (Teleostei; Gempylidae) from New Zealand. Rec. Canterbury Mus., 9(7): 337-344.
- NAKAMURA, I. & N. V. PARIN. 1993. FAO species catalogue. Snake mackerels and cutlassfishes of the world (families Gempylidae and Trichiuridae). FAO Fish. Synop. 125(5): 15: i-vii + 1-136.
- NAKAMURA, I. & N. V. PARIN. 2001. Families Gempylidae, Trichiuridae. En: Carpenter and Niem 2001 FAO Spec. Ident. Guide, 6: 3698-3720.
- NAKAMURA, I., B. F. WEBB & G. A. TUNNICLIFFE. 1981. First record of a rare gempylid fish, *Nesiarchus nasutus*, (Teleostei; Gempylidae) from New Zealand. Rec. Canterbury Mus., 9(7): 337-344.
- NATHAN R.L. & B. B. COLLETTE. 2001. Phylogenetic Relationships of New World Needlefishes (Teleostei: Belonidae) and the Biogeography of Transitions between Marine and Freshwater Habitats. Copeia, 2001(2): 324-338.
- NAKAYA, K., K. AMAOKA & K. ABE. 1980. A review of the genus LEPIDION (Gadiformes, Moridae) from the North Western Pacific. Jap. J. Ichthyol., 27(1): 41-47.
- NALBANT, T. T. 1974. Some osteological characters in butterfly fishes with special references to their phylogeny and evolution (Pisces, Perciformes, Chaetodontidae). Trav. Mus. Hist. Nat. Grigore Antipa', 15: 303-314.
- NAVARRO, J. & G. PEQUEÑO. 1979. Peces litorales de los Archipiélagos de Chiloé y Los Chonos, Chile. Rev. Biol. Mar., Valparaíso, 16(3): 255-309.
- NEIRA, F., V. RUÍZ & A. TRONCOSO. 1981. *Prionotus stephanophrys* Lockington, 1880: Primer registro de la especie y familia para Chile continental (Teleostomi: Scorpaeniformes, Triglidae). Bol. Soc. Biol. Concepción, 52: 251-257.

- NELSON, G. J. 1966. Gill arches of teleostean fishes of the order Anguilliformes. *Pac. Sci.* 20(4): 391-408, 58 figs.
- NELSON, G. J. 1967. Gill arches of teleostean fishes of the family Clupeidae. *Copeia*, (2):389-99.
- NELSON, G. 1970. The hyobranchial apparatus of teleostean fishes of the families Engraulidae and Chirocentridae. *Am. Mus. Nov.* 241: 1-30.
- NELSON, G. J. 1972. Cephalic sensory canals, pitlines and the clasification of Escoid fishes, with notes on galaxiidae and other teleosts. *Amer. Mus. Nov.*, 2492: 1-49.
- NELSON, J. S. 1980. *Psychrolutes sio*, a new psychrolutid fish (Scorpaeniformes) from the Southeastern Pacific. *Can. J. Zool.*, 58: 443-449.
- NELSON, J. 1980. *Psychrolutes sio*, a new psychrolutid fishes (Scorpaeniformes) from the southeastern Pacific. *Nat. Res. Council Canada*, 28: 443-449.
- NELSON, G. J. 1984. Identity of the anchovy *Hildebrandichthys setiger* with notes on relationships and biogeography of the genera *Engraulis* and *Cetengraulis*. *Copeia*, 1984 (2): 422-427.
- NELSON, I. S. & F. BALBONTÍN. 1985. New material of *Psychrolutes sio* (Scorpaeniformes, Psychrolutidae) from the eastern Pacific of South America and comments on the taxonomy of *Psychrolutes inermis* and *Psychrolutes macrocephalus* from the eastern Atlantic of Africa. *Can. J. Zool.*, 63(2): 444-451.
- NELSON, J. S., N. CHIRICHIGNO & F. BALBONTÍN. 1985. New material of *Psychrolutes sio*. (Scorpaeniformes, Psychrolutidae) from the Eastern Pacific of South America and comments of the Taxonomy of *Psychrolutes inermis* and *Psychrolutes macrocephalus* from the Eastern Atlantic of Africa. *Can. J. Zool.*, 63: 444-451.
- NELSON, J. S. & I. NAKAMURA. 1980. Distribution, morphology, and taxonomy of the psychrolutid fish *Cottunculus granulosis* (Karrer) from the southwestern Atlantic. *Can. J. Zool.*, 58(6): 982-990.*
- NELSON, J. S. & J. E. RANDALL. 1985. *Crystallodytes pauciradiatus* (Perciformes), a new creediid fish species from Easter Island. *Proc. Biol. Soc. Washington*, 98(2): 403-410.
- NICHOLS, J. T. 1920. A key to the species of *Trachurus*. *Bull. Am. Mus. Nat. Hist.*, 42(13): 477-481.
- NICHOLS, J. T. & A. MAXWELL. 1933. A probably undescribed codfish from Arctic America. *Copeia*, 1933(1): 26.
- NICHOLS, J. T. & R. C. MURPHY. 1922. On a collection of marine fishes from Perú. *Bull. Amer. Mus. Nat. Hist.*, 46(9).
- NIELSEN, G. J. 1969. Systematics and biology of the Aphyonidae (Pisces, Ophidioidea). *Galathea Rep.*, 10: 7-89.
- NIELSEN, J. G. & R. J. EAGLE. 1974. Descriptions of a new species of *Barathronus* (Pisces, Aphyonidae) and four specimens of *Sciadonus* sp. from the eastern Pacific. *J. Fish. Res. Board Can.*, 31(6): 1067-107.
- NIELSEN, J. G., E. BERTELSEN & A. JESPERSEN. 1989. The biology of *Eurypharynx pelecanoioides* (Pisces, Eurypharyngidae). *Acta Zool. (Stockh.)*, 70(3): 187-197.
- NIELSEN, J. & D. SMITH. 1978. The eel family Nemichthyidae (Pisces, Anguilliformes). *Dana Rep.*, 88: 1-71.
- NISHIKAWA, Y. 1987. Larval morphology and occurrence of the louvar, *Luvarus imperialis* (Luvaridae). *J. Jpn. Ichthyol.*, 34(2): 215-221.
- NOJIMA, S. 1936. On a new species of *Liparis*. *Trans. Sapporo Nat. Hist. Soc.*, 4(pt 3): 179-180.

- NOLF, D. & E. STEURBAUT. 1989. Evidence from otoliths for establishing relationships between gadiforms and other groups. En: D. M. Cohen (ed.). Papers on the systematics of Gadiform Fishes. Spec. Publ. Nat. Hist. Mus., L.A. Co., 32: 37-45.
- NORMAN, J. R. 1929. Notes on the Myctophid fishes of the genera *Diaphus* and *Myctophum* in the British Museum (Natural History), Anns. Mag. Nat. Hist. (Series 10), 4: 510-515.
- NORMAN, J. R. 1929. The Teleostean fishes of the family Chiasmodontidae. Ann. Mag. Nat. Hist., (Ser. 10) 3(17): 529-544.
- NORMAN, J. R. 1929. A preliminary revision of the Berycoid fishes of the genus *Melamphaes*. Ann. Mag. Nat. Hist., (Ser. 10) 4(20): 153-168.
- NORMAN, J. R. 1930. Oceanic fishes and flatfishes collected in 1925-1927. Discovery Reps., 2: 261-370.
- NORMAN, J. R. 1934. A systematic monograph of the flatfishes (Heterostomata). Vol. I. Psettodidae, Bothidae, Pleuronectidae. British Museum (Natural History). Monogr. Flatfishes, p. i-viii + 1-459.
- NORMAN, J. R. 1935. Coast fishes. Part I. The South Atlantic. Discovery Reps., 12: 1-58, 15 figs.
- NORMAN, J. R. 1935. A revision of the Lizard-fishes of the genera *Synodus*, *Trachinocephalus*, and *Saurida*. Proc. Zool. Soc. Lond., 1935(pt 1): 99-135.
- NORMAN, J. R. 1935. The carangid fishes of the genus *Decapterus* Bleeker. Ann. Mag. Nat. Hist., (Ser. 10) 16(92): 252-264.
- NORMAN, J. R. 1936. A new fish of genus *Clupea* from Chile. Ann. Mag. Nat. Hist. (Ser. 10), 10(100): 491-492.
- NORMAN, J. R. 1937. Coast Fishes, Part II. The Patagonian Region. Discovery Reps., 16: 1-150.
- NORMAN, J. R. 1937. Diagnoses of new nototheniiform fishes collected by the 'Discovery' expedition. Ann. Mag. Nat. Hist., (Ser. 10) 20(18): 475-476.
- NORMAN, J. R. 1938. On the affinities of the Chilean fish *Normanichthys crockeri* Clark. Copeia, 1938(1): 29-32.
- NORMAN, J. R. 1943. Notes on the Blennoid fishes. I. A provisional synopsis of the genera of the family Blenniidae. Ann. Mag. Nat. Hist. (Ser. 11), 10(72): 793-812.
- Norman, J. R. 1948. A revision of the species of *Merluccius*. Discovery Reps. Cambridge, 16: 44-49.
- NORMAN, J. R. 1966. A draft synopsis of the Order, Families and Genera of recent fishes and fish like vertebrates (excluding Ostariophysii, Sele, Ammodytidae and a few other families notably Centrarchidae, Percidae and Cichlidae) covering literature up to 1938, as far as it was available to the author, from 1939 to 1944. Trustees British Museum (Natural History) London. Draft. Synop., p. 1-649.
- NORMAN, J. R. & E. TREWAVAS. 1939. Notes on the eels of the family Synaphobranchidae. Ann. Mag. Nat. Hist., (Ser. 11) 3(15): 352-359.
- NOVIKOVA, N. S. 1972. A new species of the genus *Chaulodius* (Pisces, Chauliodontidae) from the Southeastern Pacific. J. Ichthyol., 12(1): 34-41.
- NÚÑEZ, S. 1967. Contribuciones a la ictiología del Norte de Chile. I. Sobre la presencia de una especie nueva de la Familia Ogcocephalidae (Lophiiformes) en la costa chilena. Rev. Univ. del Norte, Chile, 4: 43-48.
- NYBELIN, O. 1946. Sur quelques espèces du genre *Anotopterus* Zugmayer et sur la position systématique de la famille des Anotopteridae. Göteborgs K. Vetensk.-o. Vitter-Samh. Handl. Ser. B 5(1): 3-16.
- NYBELIN, O. 1947. Antarctic fishes. Scientific Results of the Norwegian Antarctic Ex-

- peditions 1927-1928 et Seq. NQ 26. Det. Norsk. Videnk. Acad. Oslo, 76 pp., 6 plates.
- NYBELIN, O. 1951. Subantarctic and Antarctic fishes. Scient. Results Brategg Exped. 1947-48(2): 1-32, Bergen.
- NYBELIN, O. 1969. Subantarctic fishes from Southern Chile. Rept. 45 Lund Univ. Chile Exped., 1998-49, Sarsia, 38.
- OJEDA, F. P. 1978. Nuevos registros para la ictiofauna de Arica, Chile (Pisces, Teleostomi). Not. Mens. Mus. Nac. Hist. Nat., Chile, 22(261): 7-9.
- OJEDA, F. P. 1978. *Apterygopectus avilesi* n. sp. nuevo género y nueva especie de lengua-do para aguas australes chilenas. Not. Mens. Mus. Nac. Hist. Nat., Chile, 23(267): 3-10.
- OJEDA, F. P. 1982. Iconografía de los principales recursos pesqueros de Chile. Volúmenes 1 y 2, Subsecretaría de Pesca, Ministerio de Economía, Fomento y Reconstrucción, Santiago.
- OJEDA, F. P. 1983. Distribución latitudinal y batimétrica de la ictiofauna demersal del extremo austral de Chile. Rev. Chil. Hist. Nat., 56: 61-70.
- OJEDA, F. P. 1989. Nuevos antecedentes sobre *Gymnothorax modesta* (Kaup, 1860) (Osteichthyes: Muraenidae) y comentarios sobre las especies de murenas de la costa de Chile. Estud. Oceanol., 8: 61-65.
- OJEDA, F. P. & S. AVILÉS. 1988. Peces oceánicos chilenos, pp. 247-270, En: J. C. Castilla (ed). Islas Oceánicas Chilenas: conocimiento científico y necesidades de investigaciones. Ediciones Universidad Católica de Chile, Santiago.
- OJEDA, P., F. LABRA & A. MUÑOZ. 2000. Biogeographic patterns of Chilean littoral fishes. Rev. Chil. Hist. Nat., 75(4): 625-641.
- OKIYAMA, M. 1984. Myctophiformes: development. En: H. G. Moser *et al.* (eds.). Ontogeny and systematics of fishes. Am. Soc. Ichthyol. Herpetol. Spec. Publ. No. 1, p. 206-218.
- OLAVARIA, C. F. BALBONTÍN, R. BERNAL & C. SCOUT BAKER. 2006. Lack of divergence in the mitochondrial cytochrome b gene between *Macruronus* species (Pisces: Merlucciidae) in the Southern hemisphere. New Zeal. J. Mar. Fresh., 40: 299-304.
- OLIVER, C. 1930. Algunas observaciones sobre el pez luna (*Mola mola*) (Linn, Gilbert). Rev. Chil. Hist. Nat., 34: 200-207.
- OLIVER, C. 1936. La distribución geográfica de algunos peces teleósteos chilenos. Com. Mus. Concepción, 1(2): 42-44.
- OLIVER, C. 1936. Algunos peces ocasionales en el litoral de Concepción. Com. Mus. Concepción, Chile, 1(3).
- OLIVER, C. 1943. Catálogo de los peces marinos del litoral de Concepción y Arauco. Bol. Soc. Biol. Concepción, 17: 75-126.
- OLIVER, C. 1943. Levantamiento biológico de la Provincia de Concepción. Catálogo de los peces marinos del litoral de Concepción y Arauco. 1-59, figs. intercal.
- OLIVER, C. 1949. Catálogo de los peces fluviales de la provincia de Concepción. Bol. Soc. Biol. Concepción, 24: 51-60.
- OLNEY, J., JOHNSON & C. BALDWIN. 1993. Phylogeny of lampridiform fishes. Bull. Mar. Sci., 52(1): 137-169.
- OÑATE, J & G. PEQUEÑO. 2005. Presencia de *Malacocephalus laevis* (Lowe, 1843) en montes sumergidos frente al norte de Chile, con notas sobre su contenido estomacal (Osteichthyes, Gadiformes, Macrouridae). Invest. Mar., Valparaíso, 33(2): 201-206.
- OSAWA, T., K. ODA & T. IDA. 1990. Systematics and distribution of *Diplophos taenia* species complex (Gonostomatidae), with a description of a new species. J. Jap. Ichthyol., 37: 98-115.

- OSIPOV, V. G. 1977. Brief communications. Distribution of saury (*Scomberesox saurus*) fingerlings in the vicinity of New Zealand. Vop. Ikhtiol., 15: 554-555.
- O'TOOLE, B. 2002. Phylogeny of the species of the superfamily Echeneoidea (Perciformes: Carangoidei: Echeneidae, Rachycentridae, and Coryphaenidae), with an interpretation of echeneid hitchhiking behaviour. Can. J. Zool., 80: 596-623.
- OYARZÚN, C. & M. ARRIAZA. 1993. *Emmelichthys nitidus nitidus* Richardson, 1845 and *Emmelichthys nitidus cyanescens* (Guichenot, 1848) (Perciformes, Emmelichthyidae). Are they really different subspecies?. Rev. Biol. Mar., 28(2): 331-340.
- OYARZÚN, C. & P. CAMPOS. 1987. *Dissostichus eleginoides* Smitt 1898: consideraciones sobre su determinación taxonómica e implicancias biogeográficas (Pisces, Perciformes, Nototheniidae). Rev. Biol. Mar., Valparaíso, 23(2): 173-192.
- OYARZÚN, C., J. CHONG & M. MALAGUEÑO. 1998. Fenología reproductiva en el jurel *Trachurus symmetricus* (Ayres, 1853) (Perciformes, Carangidae) en el área de Talcahuano, Chile 1982-1984. En: Arcos, D. (ed). Biología y Ecología del jurel en aguas chilenas, pp. 67-75.
- OYARZÚN, C., R. GALLEGUILLOS & J. MONSALVES. 1993. Genetic variability in the deep-sea grenadier *Macrourus holotrachys* Günther 1878, caught in the Talcahuano fishery zone (Pisces, Gadiformes, Macrouridae). Rev. Biol. Mar., 28(2): 331-340.
- OYARZÚN, C., G. HERRERA & R. J. LAVENBERG. 1985. Status taxonómico de la corvina *Cilus montti* Delfín 1900 (Pisces, Sciaenidae). Biol. Pesq., 14: 40-45.
- OYARZÚN, C., J. MONSALVES & R. GALLEGUILLOS. 1995. Variabilidad genética en un pez de profundidad *Antimora rostrata* (Günther, 1878) capturado en la zona pesquera de Talcahuano (Pisces, Gadiformes, Moridae). Estud. Oceanol., 14: 1-4.
- OYARZÚN, C., J. MONSALVES, R. GALLEGUILLOS & J. SANDOVAL. 2000. Variabilidad genética en el pejerreta *Coelorhynchus fasciatus* (Günther, 1878) (Pisces, Gadiformes, Macrouridae). Rev. Biol. Mar., Oceanogr., 35(2): 147-152.
- OYARZÚN, F. & G. PEQUEÑO. 1989. Sinopsis de Blenniidae de Chile (Osteichthyes, Perciformes). Gayana (Zool.), 53(1): 3-40.
- PAINE, R. T. & A. R. PALMER. 1978. *Sicyopterus sanguineus*: a unique trophic generalist from the Chilean intertidal zone. Copeia, 1978(1): 75-81.
- PAKHORUKOV, N. P. & A. R. BOLTAHEV. 2001. On the distribution and behavior of the oilfish *Ruvettus pretiosus* (Gempylidae) over seamounts. J. Ichthyol., 41(9): 755-760.
- PALMER, G. & H. A. OELSCHLÄGER. 1976. Use of the name *Lampris guttatus* (Brünnich, 1788) in preference to *Lampris regius* (Bonnaterre, 1788) for the opah. Copeia 1976(2): 366-367.
- PANDELLO, D. J. 2nd, M. T. CRAIG & J. P. FRANCK. 2003. The phylogeny of *Paralabrax* (Perciformes, Serranidae) and allied taxa inferred from partial 16S and 12S mitochondrial ribosomal DNA sequences. Mol. Phylogenet. Evol., 29(1): 176-184.
- PARDO, B., A. MACHORDOM, F. FORESTI, F. PORTO-FORESTI, M. F. C. AZEVEDO, R. BAÑÓN, L. SÁNCHEZ & P. MARTÍNEZ. 2005. Phylogenetic analysis of flatfish (Order Pleuronectiformes) based on mitochondrial 16s rDNA sequences. Sci. Mar., 69(4): 531-543.
- PARENTI, L. R. 1981. A phylogenetic and biogeographic analysis of cyprinodontiform fishes (Telesotei, Atherinomorpha). Bull. Am. Mus. Nat. Hist., 168(4): 1-99.
- PARENTI, L. R. 1993. Relationships of atherinomorph fishes (Teleostei). Bull. Mar. Sci., 52(1): 170-196.

- PARENTI, P. & J. E. RANDALL. 2000. An annotated checklist of the species of the Labroid fish families Labridae and Scaridae. *Ichthyol. Bull. J. L. B. Smith Inst. Ichthyol.*, 68: 1-97.
- PARIN, N. V. 1960. The flying fishes (Exocoetidae) of the northwest Pacific. *Tr. Inst. Okeanol. Moscow*, 31: 205-285.
- PARIN, N. V. 1960. Distribution of flyingfishes (Family Exocoetidae) in the western and central parts of the Pacific Ocean. *Tr. Inst. Okeanol. Moscow*, 41: 153-162.
- PARIN, N. V. 1961. Contribution to the knowledge of the flyingfish fauna (Exocoetidae) of the Pacific and Indian Oceans. *Tr. Inst. Okeanol. Akad. Nauk SSSR*, 42: 40-91 (En ruso, traducido al inglés por Laurence Penny).
- PARIN, N. V. 1961. Principles of classification of flying fishes (Oxyporhamphidae and Exocoetidae). *Tr. Inst. Okeanol. Akad. Nauk SSSR*, 43: 92-183. (En ruso, traducido al inglés por Laurence Penny y John H. Slep).
- PARIN, N. V. 1961. The bases for the classification of the flying fishes (families Oxyporhamphidae and Exocoetidae). *Tr. Inst. Okeanol.*, 42: 92-183. (En ruso).
- PARIN, N. V. 1968. Scomberesocidae (Pisces, Synentognathi) of the Eastern Atlantic Ocean. *Atlantide Rep.*, 10: 275-290.
- PARIN, N. V. 1969. Ichthyological research on the Fourth Cruise of the research vessel Akademik Kurchatov in the Southeastern Part of the Pacific Ocean. *Probl. Ichthyol.*, 9(3): 460-464.
- PARIN, N. V. 1973. Deep-sea bottom fishes collected during the 4th cruise of the R/V "Akademik Kurchatov" in the South-Eastern part of the Pacific Ocean. *Akademya Nauk U.S.S.R., Trudy Inst. Okeanol.*, 94: 173-187.
- PARIN, N. V. 1976. Two new species of the genus *Benthodesmus* (Trichiuridae, Osteichthyes) from the western tropical Pacific Ocean. *Trudy Inst. Okeanol.*, 104: 191 (En ruso).
- PARIN, N. V. 1982. Additions to list of fishes of the Nazca submarine ridge and adjacent area, pp. 72-78, In: *Unsufficiently studied fishes of the open ocean. Inst. Okeanol., Academy of Sciences of the U.S.S.R.*, 142 pp., Moscow (En ruso, con resumen en inglés).
- PARIN, N. V. 1983. *Aphanopus mikhailini* sp.n. and *A. intermedius* sp.n. (Trichiuridae, Perciformes) two new scabboard fishes from the temperate waters of the Southern Hemisphere and the tropical Atlantic. *Vop. Ikhtiol.*, 23(3): 355-365.
- PARIN, N. V. 1983. Two new species of bothid flatfishes (Bothidae, Pleuronectiformes) from the Nazca submarine ridge. *Byull. Mosk. Obsh. Ispyt. Prir. Otd. Biol.*, 88(4): 90-96. (En ruso, con resumen en inglés).
- PARIN, N. V. 1984. Oceanic ichthyogeography: an attempt to review the distribution and origin of pelagic and bottom fishes outside continental shelves and neritic zones. *Arch. Fischereiwiss.*, 35: 5-41.
- PARIN, N. V. 1984. Three new species of the genus *Physiculus* and other Moridae (Gadiiformes) from submarine elevations in the southeast Pacific. *Voprosy Ikhtiol.*, 24(4): 531-544. (En ruso, traducido al inglés en J. *Ichthyol.*, 24(4): 46-60).
- PARIN, N. V. 1985. A new hemerocoetine fish, *Osopsaron karlik* (Percophidae, Trachionoidi) from the Nazca submarine ridge. *Jap. J. Ichthyol.*, 31(4): 358-361.
- PARIN, N. V. 1989. A review of the genus *Rexea* (Gempylidae) with descriptions of three new species. *Vop. Ikhtiol.*, 29(1): 3-23.*
- PARIN, N. V. 1989. Review of the genus *Rexea* (Gempylidae) with a description of three new species. *J. Ichthyol.*, 29: 86-105.
- PARIN, N. V. 1990. Percophid fishes (Percophidae) from the Salas y Gómez ridge (southeast Pacific). *J. Ichthyol.*, 30: 68-79.

- PARIN, N. V. 1990. A preliminary review of fish fauna of the Nazca and Salas y Gómez submarine ridges (southern east Pacific Ocean). Trudy Inst. Okeanol., Akad. Nauk SSSR, 125: 6-36 (en ruso, con resumen en inglés).
- PARIN, N. V. 1990. Preliminary review of fish fauna of the Nazca and Salas y Gómez Submarine Ridges (Southeastern Pacific Ocean). Tr. Inst. Okeanol., 104: 191 (En Ruso).
- PARIN, N. V. 1990. Gempylidae. Trichiuridae, p. 965-977. En: J. C. Quiéro, J.C. Hureau, C. Karrer, A. Post and L. Saldanha (eds.). Check list of the fishes of the eastern tropical Atlantic. JNICT, Lisbon. Vol. II. 560 p.
- PARIN, N. V. 1991. Fish fauna of the Nazca and Salas y Gómez submarine ridges, the easternmost outpost of Indo-west Pacific zoogeographic region. Bull. Mar. Sci., 49(3): 671-683.
- PARIN, N. V. 1992. *Argyripnus electronus*, a new sternoptychid fish from the Salas y Gómez submarine ridge. J. Jap. Ichthyol., 39: 135-137.
- PARIN, N. V. 1994. Three new species and new records of the black scabbard fishes genus *Aphanopus* (Trichiuridae). Vop. Ichthyol., 34(6): 740-746. (en ruso)
- PARIN, N. V. 1996. On the species composition of flying fishes (Exocoetidae) in the west-central part of tropical Pacific. J. Ichthyol., 36(5): 357-364.
- PARIN, N. V. & A. A. ABRAMOV. 1986. On the revision of genus *Epigonus* (Perciformes, Epigonidae) species from the submarine ranges of Southeastern Pacific and preliminary review of the "*E. robustus*". Tr. Inst. Okeanol., Akad. Nauk SSR, 121: 173-194 (en ruso).
- PARIN, N. V. & A. A. ABRAMOV. 1986. Materials for a revision of the genus *Epigonus* Rafinesque (Perciformes, Epigonidae): species from the submarine ridges of the southern East Pacific and preliminary review of the "*Epigonus robustus* species-group". Trans. P. P. Shirshov Inst. Oceanol., 121: 173-194 (En ruso).
- PARIN, N. V. & A. A. ABRAMOV. 1986. Two new species of benthopelagic fishes of the genus *Epigonus* (Apogonidae) from the western tropical part of the Indian Ocean. Byull. Mosk. Obsh. Ispyt. Prir. Otd. Biol., 91(3): 53-57.
- PARIN, N. V. & D. A. ASTAKHOV. 1982. Studies on the acoustico-lateralis system of belliform fishes in connection with their systematics. Copeia, 1982(2): 276-291.
- PARIN, N. V. & V. E. BECKER. 1970. Materials for a revision of the trichiurid fishes of the genus *Benthodesmus*, with the description of four new species and one new subspecies. Proc. Biol. Soc. Washington, 83(33): 351-364.
- PARIN, N. V. & V. E. BECKER. 1972. Classification and distribution data of some trichiurid fishes (Pisces Trichiuroidea: Scombrobracidae, Gempylidae, Trichiuridae). Tr. Inst. Okean. SSSR Akad. Nauk., 93: 110-204.
- PARIN, N. V. & V. E. BECKER. 1972. Materials on taxonomy and distribution of some Trichiurid fishes (Pisces, Trichiuroidei: Scombrobracidae, Gempylidae, Trichiuridae). Acad. Sci. U.S.S.R., Trans. P.P. Shirshov Inst. Oceanol., 93: 110-204.
- PARIN, N. V. & V. E. BECKER. 1973. Gempylidae. En: J. C. Hureau and T. Monod (eds.). Check list of the fishes of the north-eastern Atlantic and of the Mediterranean. CLOFNAM. Unesco, Paris, I: 457-460 pp.
- PARIN, N. V., V. E. BECKER; O. D. BORO-DULINA & V. M. CHUVASSOV. 1973. Bathypelagic fishes of the Southeastern Pacific and adjacent Waters. Trans. PP. Shirshov Inst. Oceanol.. Akad. Nauk U.S.S.R., 94: 71-172. (En ruso).
- PARIN, N. V. & T. N. BELJANINA. 2000. Comparative description of two close Atlan-

- tic flying fish species *Cheilopogon heterurus* and *Cheilopogon melanurus* (Exocoetidae). J. Ichthyol., 40(3): 213-229.
- PARIN, N. V. & T. N. BELJANINA. 2002. Flying fishes of the genus *Fodiator* (Exocoetidae): systematics and distribution. J. Ichthyol., 42(3): 357-367.
- PARIN, N. V. & T. N. BELJANINA. 2002. A review of flying fishes of the subgenus *Danichthys* (Genus *Hirundichthys*; Exocoetidae). J. Ichthyol., 42(Suppl. 1): S23-S44.
- PARIN, N. V. & O. D. BORODULINA. 1989. A new species of the genus *Poromitra* (Mellamphaeidae) from the southeastern part of the Pacific Ocean. Voprosy Ikhtiologii., 29(6): 1028-1030 (En ruso, traducido al inglés en J. Ichthyol., 30(1): 164-168).
- PARIN, N. V. & O. D. BORODULINA. 1996. Revision of the *Astronesthes indicus* species group (Astronesthidae), with descriptions of five new species. Voprosy Ikhtiologii., 36(5): 581-596 (En ruso, traducido al inglés en J. Ichthyol., 36(8): 551-565).
- PARIN, N. V. & O. D. BORODULINA. 1997. A new species of genus *Astronesthes*, *A. zetgibbsi* (Astronesthidae, Stomiiformes) from the Southeastern Pacific Ocean. J. Ichthyol., 37(4): 319-321.
- PARIN, N. V. & O. D. BORODULINA. 1998. A review of the *Astronesthes luetkeni* species (Astronesthidae, Stomiiformes) with a description of two new species. J. Ichthyol., 38(2): 153-162.
- PARIN, N. V. & O. D. BORODULINA. 1998. A review of the *Astronesthes luetkeni* species group (Astronesthidae, Stomiiformes) with a description of two new species. Voprosy Ikhtiologii., 38(2): 163-172.
- PARIN, N. V. & O. D. BORODULINA. 2000. Redescriptions and new data on distribution of six rare and poorly known species of the mesopelagic fish genus *Astronesthes* (Astronesthidae). J. Ichthyol., 40 (Suppl. 1): S15-S30.
- PARIN, N. V. & O. D. BORODULINA. 2001. Description of a new mesopelagic fish species A review of the *Astronesthes tanike* (Astronesthidae, Stomiiformes) from Notal water of the Atlantic and Pacific Oceans. J. Ichthyol., 41(5): 397-400.
- PARIN, N. V. & O. D. BORODULINA. 2002. Preliminary review of species group *Astronesthes niger* (Astronesthiidae, Stomiiformes) with a description of six new species from the Atlantic and Indian oceans. J. Ichthyol., 42(7): 495-515.
- PARIN, N. V. & O. D. BORODULINA. 2003. Phylogeny, systematics, and zoogeography of the mesopelagic genus *Astronesthes* (Astronesthidae, Stomiiformes). Voprosy Ikhtiologii., 43(5): 581-601 (En ruso, traducido al inglés en J. Ichthyol.).
- PARIN, N. V., O. D. BORODULINA & P. A. HULLEY. 1999. A review of the *Astronesthes boulengeri* species group (Astronesthidae, Stomiiformes) with description of two new species. J. Ichthyol., 39(8): 557-570.
- PARIN, N. V. & E. S. KARMOVSKAYA. 1985. Two new species of nettastomid eels (Nettastomatidae, Anguilliformes) from submarine mountains of the south-eastern Pacific. Zool. Zh., 64(10): 1524-1530.
- PARIN, N. V. & S. G. KOBLYANSKY. 1993. Review of the genus *Maurollicus* (Sternoptychidae, Stomiiformes), with re-establishing validity of five species considered junior synonyms of *M. muelleri* and descriptions of nine new species. Trans. P. P. Shirshov Inst. Oceanol., 128: 69-107.
- PARIN, N. V. & S. G. KOBLYANSKY. 1996. Diagnoses and distribution of fifteen species recognized in genus *Maurollicus* Cocco (Sternoptychidae, Stomiiformes) with a key to their identification. Cybium, 20(2): 185-195.
- PARIN, N. V. & V. MAKUSHOK. 1973. Deep-sea bottom fishes collected during the 4th

- cruise of the R/V "Akademik Kurchatov". Acad. Nauk U.S.S.R., Trans. PP. Shirshov Inst. Oceanol., 94: 173-187.
- PARIN, N. V. & N. S. NOVIKOVA. 1974. Taxonomy of viperfishes Chauliodontidae, Osteichthyes) and their distribution in the world ocean. Akad. Nauk, Trudy Inst. Okeanol., P.P. Shirshov, 96: 255-315. (En ruso).
- PARIN, N. V. & G. N. POKHIL'SKAYA. 1978. On the taxonomy and distribution of the mesopelagic fish genus *Melanostomias* Brauer (Melanostomiidae, Osteichthyes). Tr. Inst. Okeanol. Akad. Nauk SSSR, 111: 61-86 (En ruso, resumen en inglés).
- PARIN, N. V. & I. B. SHAKHOVSKOY. 2000. A review of flying fish genus *Exocoetus* (Exocoetidae) with descriptions of two new species from the Southern Pacific Ocean. J. Ichthyol., 40(Suppl. 1): S31-S63.
- PARIN, N. V. & Y. N. SHCHERBACHEV. 1982. Two new Argentinine fishes of the genus *Glossanodon*, from the Eastern South Pacific. J. Jap. Ichthyol., 2B(4): 381-384; 3 figs.
- PARIN, N. V. & S. G. KOBLYANSKY. 1993. Review of the genus *Maurolicus* (Sternoptychidae, Stomiiformes), with re-establishing validity of five species considered junior synonyms of *M. muelleri* and descriptions of nine new species. Trans. P. P. Shirshov Inst. Oceanol., 128: 69-107.
- PARIN, N. V. & S. G. KOBLYANSKY. 1996. Diagnoses and distribution of fifteen species recognized in the genus *Maurolicus* Cocco. (Sternoptychidae, Stomiiformes) with a key to their identification. Cybium, 20: 185-195.
- PARIN, N. V. & A. N. KOTLYAR. 1988. A new armorhead species; *Pentaceros quinquespinis* (Pentaceroptidae) from the Southeast Pacific. J. Ichthyol., 28:79-84.
- PARIN, N. V. & A. N. KOTLYAR. 1989. A new aulopodid species; *Hime microps* from the eastern South Pacific, with comments on geographic variations of *H. japonica*. J. Jap. Ichthyol., 35: 407-413.
- PARIN, N. V. & Y. I. SAZONOV. 1990. A new species of genus *Laemonema* (Moridae; Gadiformes) from the tropical South Eastern Pacific. J. Jap. Ichthyol., 37: 6-9.
- PARIN, N. V., O. D. BORODULINA & P. A. HULLEY. 1999. A review of the *Astronesthes boulengeri* species group (Astronesthidae, Stomiiformes) with a description of two new species. J. Ichthyol., 39(8): 557-570.
- PARIN, N. V., O. D. BORODULINA, I. I. KONOVALENKO & A. N. KOTLYAR. 1990. Oceanic pelagic fishes of the south-eastern Pacific (composition of fauna and geographical distribution). Tr. Inst. Okeanol., 125: 192-222 (En Ruso).
- PARIN, N. V., G. A. GOLOVAN; N. P. PAKHORUKOV, Y. I. SAZONOV & Y. N. SHCHERBACHEV. 1980. Fishes from the Nazca and Salas y Gómez underwater ridges collected in cruise of R/V "Ikhtiandr". En: N.V. Parin (ed.). Fishes of the open-ocean. Acad. Sci. U.S.S.R., P.P. Shirshov Inst. Oceanol., 120 PP. Moscow. pp. 5-18.
- PARR, A. E. 1927. The Stomioid fishes of the Suborder Gymnophotodermi (Astronesthidae, Melanostomiidae, Idiasthidae) with a complete review of the species. Bull. Bingh. Oceanogr. Coll., 3(2): 1-123.
- PARR, A. E. 1930. A note on the classification of the stomioid fishes. Copeia, 1930(4): 136.
- PARR, A. E. 1945. Barbourisidae, a new family of deep sea fishes. Copeia, 1945(3): 127-129.
- PARR, A. E. 1951. Preliminary revision of the Alepocephalidae, with the introduction of a new family, Searsidae. Am. Mus. Novit., 1531: 1-21.
- PARR, A. E. 1952. Revision of the species currently referred to Alepocephalus, Halisauriceps, Bathytroctes and Bajacalifornia with

- introduction of two new genera. Bull. Mus. comp. Zool., 107(4): 255-269.
- PARR, A. E. 1960. The fishes of the family Searsidae. Dana Rep., 51: 1-108.
- PARRISH, R. H., R. SERRA & W. S. GRANT. 1989. The monotypic sardines, *Sardina* and *Sardinops*: their taxonomy, distribution, stock, structure and zoogeography. Can. J. Fish. Aquat. Sci., 46(11): 2019-2036.
- PATARNELLO, T., S. MARCATO, V. VARROTTO & L. BARGELLONI. 2003. Phylogeography of the *Chionodraco* genus (Perciformes, Channichthyidae) in the Southern Ocean. Mol. Phylogenet. Evol., 28(3): 420-429.
- PAULIN, C. D. 1983. A revision of the family Moridae (Pisces, Anacanthini) within the New Zealand region. Rec. Nat. Mus. N. Z., 2(9): 81-126.
- PAULIN, C. D. 1989. Review of the morid genera *Gadella*, *Physiculus* and *Salilota* (Teleostei: Gadiformes) with descriptions of seven new species. N. Z. J. Zool., 16: 93-133.
- PAULIN, C. D. 1989. Moridae: Overview. En: D. M. Cohen (ed.). Papers on the Systematics of Gadiform Fishes Nat. Hist. Mus., L. A. Co., Sci. ser., 32: 243-250.
- PAULIN, C. D. 1991. Two new species of the genus *Physiculus* (Moridae) from seamounts of the Southeastern Part of the Pacific Ocean. Vop. Ikhtiol., 31: 138-141 (en ruso).
- PAULIN, C. D & C. D. ROBERTS. 1997. Review of the morid cods (Teleostei, Paracanthopterygii, Moridae) of New Caledonia, southwest Pacific Ocean, with description of a new species of *Gadella*. En: Séret B (ed.). Résultats des campagnes Usorstom, 17. Mem. Mus. Nat. d'Hist. Nat., Paris, 174: 17-41.
- PAVLOV, YU P. 1989. Some data on the morphometrics and distribution of species of the genus *Taractes* (Bramidae) in the Pacific Ocean. Vop. Ikhtiol., 29: 660-662 (en ruso).
- PAVLOV, YU P. 1991. Information on morphometrics and ecology of pomfrets of the genus *Brama* inhabiting the southeastern Pacific Ocean. J. Ichthyol., 31: 120-124.
- PAVLOV, YU P. 1991. *Brama australis* Valenciennes a valid species of sea bram (Bramidae) from the southeastern Pacific Ocean. J. Ichthyol., 31: 6-9.
- PAXTON, J. R. 1963. A new lanternfish (family Myctophidae) of the genus *Lampadena* from the eastern Pacific Ocean. Copeia, 1963(1): 29-33. *
- PAXTON, J. R. 1972. Osteology and relationships of the lanternfishes (family Myctophidae). Bull. Los Angeles Co. Mus. Nat. Hist., 13: 1-81.
- PAXTON, J. R. 1979. Nominal genera and species of lanternfishes (family Myctophidae). Contrib. Sci. Nat. Hist. Mus. L. A. Co., 322: 1-28.
- PAXTON, J. R. 1989. Synopsis of the whalefishes (family Cetomimidae) with descriptions of four new genera. Rec. Aust. Mus., 41: 135-206.
- PAXTON, J. R., E. H. AHLSTROM & H. G. MOSER. 1984. Myctophidae: relationships. En: H. G. Moser et al., (eds.). Ontogeny and systematics of fishes. Am. Soc. Ichthyol. Herpetol. Spec. Publ. No. 1: 239-244.
- PAXTON, J. R. 1989. Synopsis of the whalefishes (family Cetomimidae) with descriptions of four new genera. Rec. Aust. Mus., 41: 135-206.
- PEDEN, A. 1975. Redescription and distribution of the rare deepsea eel *Xenomystax atrarius* in the eastern Pacific Ocean. J. Fish. Res. Bd. Canada, 29: 1-12.
- PEDEN, A. 1980. Rare capture of two fishes, *Benthodesmus* and *Paralepis*, off British Columbia. Syesis, 12: 179-180.

- PEDEN, A. E. & M. E. ANDERSON. 1981. *Lycodapus* (Pisces, Zoarcidae) of eastern Bering Sea and nearby Pacific Ocean, with three new species and a revised key to the species. *Can. J. Zool.*, 59: 667-678.
- PEDEN, A. E. & M. E. ANDERSON. 1978. A systematic review of the fish genus *Lycodapus* (Zoarcidae) with descriptions of two new species. *Can. J. Zool.*, 56(9): 1925-1961.
- PENRITH, M. J. 1965. A new species of flatfish, *Mancopsetta milfordi*, from South Africa, with notes on the genus *Mancopsetta*. *Anns. South Afr. Mus.*, 48 (7): 181-188.
- PEQUEÑO, G. 1970. *Antimora meadi* n. sp. en Chile. *Mus. Nac. Hist. Nat., Chile, Not. Mens.* 15(173): 14-15.
- PEQUEÑO, G. 1971. Sinopsis de Macrouriformes de Chile. *Bol. Mus. Nac. Hist. Nat., Chile*, 32: 269-298.
- PEQUEÑO, G. 1975. Peces del crucero Merluza V efectuado con el B/C "Carlos Darwin" entre Corral y Coquimbo. Enero-Febrero de 1970. *Bol. Mus. Nac. Hist. Nat., Chile*, 34: 227-232.
- PEQUEÑO, G. 1976. Nuevos antecedentes sobre *Notothenia microlepidota* Hutton (Teleostomi, Nototheniidae). *Mus. Nac. Hist. Nat., Chile, Not. Mens.* 21 (241): 5-8.
- PEQUEÑO, G. 1976. The nomeid fish *Cubiceps capensis* in the South Pacific Ocean. *Copeia*, 1976(4): 805-807.
- PEQUEÑO, G. 1977. Colecciones chilenas de peces. I Catálogo de los peces marinos de la Universidad Austral de Chile. *An. Mus. Hist. Nat., Valparaíso*, 10: 75-94.
- PEQUEÑO, G. 1978. La familia Neoscopelidae (Pisces, Teleostomi), con *Scopelengys tristis* Alcock 1890, nueva para la ictiofauna chilena. *Mus. Nac. Hist. Nat., Chile, Not. Mens.* 23(265): 3-6.
- PEQUEÑO, G. 1978. Doce nuevos registros de peces para la costa de Valdivia, Chile y su alcance ictiogeográfico. *Rev. Com. Perm. Pac. Sur*, 9: 109-126.
- PEQUEÑO, G. 1978. Presencia de *Notothenia wiltoni* Regan (Teleostomi: Nototheniidae) al norte de los canales de Chiloé. *Mus. Nac. Hist. Nat., Chile, Not. Mens.* 22(262): 3-6.
- PEQUEÑO, G. 1979. Hallazgo de *Scomber japonicus peruanus* (Jordan & Hubbs, 1925) (Teleostomi, Scombridae) en la costa de Valdivia, Chile. *Acta Zool. Lilloana*, 35: 721-728.
- PEQUEÑO, G. 1980. *Mendosoma lineata* Guichenot 1848: Comentarios sobre su taxonomía y segundo registro en Chile (Teleostomi; Latridae). *Not. Mens. Mus. Nac. Hist. Nat., Chile*, 24(285): 3-7.
- PEQUEÑO, G. 1981. The rare fish *Neophrynichthys marmoratus* Regan 1913, in the southern slope of Chile. *J. Nat. Hist.*, 15: 965-970.
- PEQUEÑO, G. 1981. Peces de las riberas estuariales del río Lingue, Chile. *Cahiers de Biologie Marine*, 22: 141-163.
- PEQUEÑO, G. 1982. Aspectos sobre la distribución geográfica de algunos peces del litoral de Chile Central. *Actas VIII Cong. Latinoam. Zool.*, Mérida, Venezuela, 2: 1.405-1.415.
- PEQUEÑO, G. 1986. Comments on fishes from the Diego Ramírez Islands, Chile. *Jap. J. Ichthyol.*, 32(4): 440-442.
- PEQUEÑO, G. 1986. Nuevo zoárcido para Chile y clave para géneros de la región (Pisces, Osteichthyes). *Bol. Soc. Biol. Concepción*, 57: 183-188.
- PEQUEÑO, G. 1989. Peces de Chile. Lista sistemática revisada y comentada. *Rev. Biol. Mar., Valparaíso*, 24: 1-132.
- PEQUEÑO, G. 1989. The geographical distribution and taxonomical arrangement of Southamerican nototheniid fishes (Pisces:

- Osteichthyes). Bol. Soc. Biol. Concepción, 60: 183-200.
- PEQUEÑO, G. 1991. Nuevos registros de *Trachipterus trachipterus* (Gmelin, 1789), frente a Valdivia (Osteichthyes, Trachipteridae). Bol. Soc. Biol. Concepción, 62: 119-122.
- PEQUEÑO, G. 1997. Peces de Chile. Lista sistemática revisada y comentada: Addendum. Rev. Biol. Mar. y Oceanogr., Valparaíso, 32(2): 77-94.
- PEQUEÑO, G. 1997. Littoral fishes of the CIMAR-FIORDO 2 Cruise. Cienc. Tecnol. Mar, 20: 165:171.
- PEQUEÑO, G. 1998. La "castañeta" *Pomacentrus jenkinsi* Jordan & Evermann, 1903, en la isla Salas y Gómez, Chile (Osteichthyes, Perciformes, Pomacentridae). Cienc. Tecnol. Mar, Valparaíso, 21: 89:95.
- PEQUEÑO, G. 1999. Peces del crucero CIMAR 2 Fiordos, de los canales Patagónicos de Chile, con consideraciones ictiogeográficas. Cienc. Tecnol. Mar, 22: 165-179.
- PEQUEÑO, G. 2000. Delimitaciones y relaciones biogeográficas de los peces del Pacífico suroriental. Estud. Oceanol., 19: 53-76.
- PEQUEÑO, G. 2000. Peces del crucero CIMAR 3 Fiordos, a los canales del sur de Magallanes (ca. 55° S), Chile. Cienc. Tecnol. Mar, 23: 83-94.
- PEQUEÑO, G. 2001. El "bilagai" *Cheilodactylus variegatus* Valenciennes, 1833, en la costa de Valdivia (Osteichthyes: Cheilodactylidae). Estud. Oceanol., 20: 23-28.
- PEQUEÑO, G. 2004. Peces litorales de la isla Salas y Gómez, Chile, capturados durante el Crucero CIMAR - Islas en 1999. Cienc. Tecnol. Mar, 27(1): 95-101.
- PEQUEÑO, G. 2004. Peces del Crucero CIMAR 6 - Islas I: Clave para reconocer familias de peces de las islas Desventuradas. Cienc. Tecnol. Mar, 27(1): 103-112.
- PEQUEÑO, G. 2004. *Nemadactylus bergi* (Norman, 1937) frente a Bahía Mansa, Chile (Osteichthyes: Cheilodactylidae). Cienc. Tecnol. Mar., 27(1): 121-125.
- PEQUEÑO, G. 2006. Peces litorales de los canales y fiordos australes. En: Silva & S. Palma (eds). Avances en el conocimiento oceanográfico de las aguas interiores chilenas, Puerto Montt a cabo de Hornos. N. Pp. 129-132.
- PEQUEÑO, G. 2008. Grenadier fishes from Chilean waters: some aspects in relation to fisheries. Am. Fish. Soc. Symp., 63: 41-48.
- PEQUEÑO, G., A. CEA EGAÑA & W. SIELFELD. 1992. Primer registro en Chile para tres especies de peces telósteos marinos, en base a fotografías. Bol. Soc. Biol. Concepción, 63: 169-173.
- PEQUEÑO, G. & A. J. INZUNZA. 1987. Variabilidad intraespecífica y estatus sistemático del "Torito" *Bovichthys chilensis* Regan 1913 (Osteichthyes, Bovichthyidae) en Valdivia, Chile. Bol. Soc. Biol. Concepción, 56: 127-139.
- PEQUEÑO, G. & E. D' OTTONE. 1987. Diferenciación taxonómica de los lenguados comunes de Valdivia, Chile (Osteichthyes, Bothidae). Rev. Biol. Mar., Valparaíso, 23(1): 107-137.
- PEQUEÑO, G. & J. LAMILLA. 1995. Peces intermareales de la costa de Llanquihue (Chile): composición taxonómica, abundancia relativa y gradiente de distribución longitudinal. Rev. Biol. Mar., Valparaíso, 30(1): 7-27.
- PEQUEÑO, G. & J. LAMILLA. 1996. Peces de la familia Serranidae en las Islas Desventuradas, Chile (Osteichthyes, Perciformes). Bol. Soc. Biol. Concepción, Chile, 67: 23-32.
- PEQUEÑO, G. & J. LAMILLA. 1996. Preliminary Report on the demersal fish material collected during the "Victor Hensen" Magellan Campaign. Ber. Zur. Polarforsch., 190: 68-70; 105-106.

- PEQUEÑO, G. & J. LAMILLA. 1996. Desventuradas islands: the easternmost outpost of the Indo-West Pacific zoogeographic region. *Rev. Biol. Trop.*, 44: 887-889.
- PEQUEÑO, G. & J. LAMILLA. 1997. Peces litorales del Crucero CIMAR 1 Fiordos. *Cienc. Tecnol. Mar*, 20: 165-171.
- PEQUEÑO, G. & J. LAMILLA. 2000. The littoral fish assemblage of the Desventuradas Islands (Chile) has zoogeographical affinities with the Western Pacific. *Glob. Ecol. and Biogeogr.*, 9: 431-437.
- PEQUEÑO, G., J. LAMILLA, D. LLORIS & J. RUCABADO. 1995. Comparación entre las ictiofaunas intermareales de los extremos austral y boreal de los canales patagónicos. *Rev. Biol. Mar., Valparaíso*, 30(2): 155-177.
- PEQUEÑO, G. & J. MATALLANAS. 2003. *Bathylagichthys parini* (Osmeriformes: Bathylagidae), from Chilean fiords: new morphological data. *Cybiurn*, 27(3): 242-244.
- PEQUEÑO, G. & R. PLAZA. 1987. Descripción de *Paralichthys delfini* n.sp., con notas sobre otros lenguados congénéricos de Chile (Pleuronectiformes, Bothidae). *Rev. Biol. Mar. Valparaíso*, 23(2): 159-172.
- PEQUEÑO, G. & G. REVUELTA. 1980. Notacanthiform fishes on the continental slope of Chile. *Copeia*, 1980 (4): 892-895.
- PEQUEÑO, G. & A. RIEDEMANN. 2005. Los peces bentónicos de los canales orientales de Aysén, Patagonia (XI Región, Chile), recolectados durante el crucero de CIMAR 7 Fiordos. *Cienc. Tecnol. Mar.*, 28(1): 113-118.
- PEQUEÑO, G. & S. SÁEZ. 2000. Los peces litorales del Archipiélago Juan Fernández (Chile): endemismo y relaciones ictiogeográficas. *Invest. Mar., Valparaíso*, 28: 27-37.
- PEQUEÑO, G. & S. SÁEZ. 2004. Peces del Crucero CIMAR 6 - Islas: II. La familia Blenniidae en las islas Desventuradas, Chile. *Cienc. Tecnol. Mar.*, 27(1): 113-119.
- PEQUEÑO, G. & S. SÁEZ. 2005. Problema en el número de parches de cirros nucales en peces del género *Calliclinus* Gill 1860 (Osteichthyes, Labrisomidae). *Gayana*, 69(1): 153-159.
- PEQUEÑO, G. & S. SÁEZ. 2007. The rare zoarcid fish *Ophthalmolycus macrops* (Günther, 1880) in Chile. (Osteichthyes: Perciformes: Zoarcidae). *Rev. Biol. Mar. Oceanogr.*, 42(3): 371-376.
- PEQUEÑO, G. & S. SÁEZ. 2008. El estatus taxonómico de *Doydixodon laevifrons* (Tschudi, 1846) (Osteichthyes: Kyphosidae). *Rev. peru. biol.* 15(1): 101-104.
- PEQUEÑO, G. & R. VERA. 2003. Presencia de *Coryphaenoides subserrulatus* Makushok, 1976 cerca del archipiélago de Juan Fernández, Chile (Osteichthyes: Gadiformes: Macrouridae). *Inv. Mar.*, 31(2): 95-99.
- PEQUEÑO, G., D. FARIAS, M. THIEL & I. HINOJOSA. 2004. Peces asociados con la deriva de macroalgas en Aysén, Chile. *Rev. Biol. Mar. Oceanogr.*, 39(2): 93-99.
- PERMITIN, Y. Y. 1977. Species composition and zoogeographical analysis of the bottom fish fauna of the Scotia Sea. *J. Ichthyol.*, 17(5): 710-726.
- PERMITIN, Y. Y. & Y. I. SAZONOV. 1974. The systematics of *Notothenia squamifrons* Günther and related species. *J. Ichthyol.*, 14(4): 503-514.
- PERTSEVA-OSTROUMOVA, T. A. & T. S. RASS. 1973. Ichthyoplankton of the Southeastern Pacific Ocean, pp. 7-70. En: T. S. Rass (ed.). *Fishes and squids of the Southeastern Pacific*. P. P. Shirshov Inst. Oceanol., Moscow, 94: 1-244. (En ruso).
- PERUGIA, A. 1891. Appunti sopra alcuni pesci Sud-Americani conservati nel Museo Civico di Storia Naturale di Genova. *Ann. Mus. Civ. Stor. Nat. Genova*, 10: 605-657.
- PERROTTA, R. G., A. AUBONE & F. SÁNCHEZ. 1990. Estudio comparado de los caracteres morfométricos y merísticos de

- la caballa (*Scomber japonicus* Houttuyn, 1782) (Teleostei: Scombridae) del sur de Brasil y del área marplatense (Mar Argentino). *Sci. Mar.*, 54(1): 47-53.
- PETIT THOMASS, A. 1840-41. Voyage autour du monde sur le rragate LaVenus, pendant 1836-39, Paris, 3 vols.
- PHILIPPI, R. A. 1857. Ueber einige Chilenische Vögel und Fische. *Arch. Naturgeschichte.*, 23 (1): 262-272.
- PHILIPPI, R. A. 1857. *Genypterus*. Nuevo género de la familia de los Gobioides. *An. U. de Chile*, 19.
- PHILIPPI, R. A. 1857. Peces nuevos de Chile. *Anal. U. de Chile*, 93: 375-390.
- PHILIPPI, R. A. 1858. Beschreibung neuer Wirbelthiere aus Chile. *Arch. Naturgeschichte*, 24(1): 303-311.
- PHILIPPI, R. A. 1863. Kurze Nachricht über ein paar chilenische Fische. *Arch. Naturgeschichte*, 29(1): 207-212.
- PHILIPPI, R. A. 1865. Über die chilenische Anguilla. *Arch. Naturgeschichte*, 31(1): 107-109.
- PHILIPPI, R. A. 1866. Bemerkungen über die chilenischen Flussfische. *Monatsb. Akad. Wiss. Berlin*, 1866: 708-717.
- PHILIPPI, R. A. 1874. Ueber eine neue Art *Trachypterus* aus dem chilenischen Meere. *Arch. Naturgeschichte*, 40(1): 117-121.
- PHILIPPI, R. A. 1876. Descripción de tres peces nuevos. *An. Univ. Chile*, 48 (sec. 1): 261-266.
- PHILIPPI, R. A. 1887. *Historia Natural. Sobre los tiburones i algunos otros peces de Chile. Apéndice sobre el peje espada, peje aguja, peje perro i vieja negra.* *An Univ. Chile, Santiago, Sec. 1*, 71: 353-574, Pls. 1-8.
- PHILIPPI, R. A. 1887. Apéndice sobre el pez espada, peje aguja, peje perro i vieja negra. *An Univ. Chile. Santiago*, 565-572.
- PHILIPPI, R. A. 1892. Algunos peces de Chile. Las rayas, *Callorhynchus* i *Orthogoriscus* chilenos. *An. Mus. Nac. Hist. Nat., Chile, Zoolojía*, 16 pp., 6 láms.
- PHILIPPI, R. A. 1895. Neue thiere Chiles. *Verhamdl. Deutsch. Wissens Vereins zu Santiago de Chile*, 3(1-2): 9-23.
- PHILIPPI, R. A. 1895. *Exocoetus fernandecianus*. *Verh. Deust. Wiss. Ver. Sant. Chile*, 3: 17-23.
- PHILIPPI, R. A. 1896. Peces nuevos de Chile. *An U. Chile, Mem, Cient. Lit. Santiago*, 93-95, p. 375-390.
- PIACENTINO, G. M. L. 1990. Descripción del esqueleto axial, caudal e inserciones de las aletas dorsales y anal de *Austromenidia nigricans* Richardson, *A. smitti* Lahille y *Austromenidia incisa* Jenyns (Pisces, Atherinidae). *Iheringia, Sér. Zool., Porto Alegre*, 70: 67-80.
- PIACENTINO, G. M. L. & A. E. TORNO. 1987. Osteological observations of the vertebral column in some species of South American atherinids (Osteichthyes, Atheriniformes). *Stud. Neotrop. Fauna Environ.*, 22(2): 93-98.
- PIETSCH, T. W. 1974. Osteology and relationships of ceratioid anglerfishes of the family Oneirodidae, with a review of the genus *Oneirodes* Lutken, Los Angeles Co. *Mus. Nat. Hist. Bull.*, 18: 1-113.
- PIETSCH, T. W. 1978. A new genus and species of ceratioid anglerfishes from the North Pacific Ocean with the review of the allied genera *Ctenochirichthys*, *Chirophryne* and *Leptacanthichthys*. *Contr. Sci.*, 297: 1-25.
- PIETSCH, T. W. 1984. The genera of frogfishes (family Antennariidae). *Copeia*, 1984 (1): 27-44.
- PIETSCH, T. W. 1989. Phylogenetic relationships of trachinoid fishes of the family *Ura-noscopidae*. *Copeia*, 1989(2): 253-303.

- PIETSCH, T. & J. WILDER. 2007. Phylogenetic relationships of deep-sea Anglerfishes of the Suborder Ceratioidei (Teleostei: Lophiiformes) based on morphology. *Copeia*, 2007(1): 1-34.
- PINKAS, L. 1961. Descriptions of postlarval and juvenile bonito from the eastern Pacific Ocean. *Calif. Fish and Game*, 47(2): 175-188.
- PLATE, L. 1902. Fauna chilensis in zoologische Jahrbücher supplement, 5:651-674 und Vehr. Intern. Zool. Congress. Berlin, 1902: 551-552.
- PORTER, C. 1898. Contribución a la fauna de la provincia de Valparaíso. Excursión a Quintero en el mes de febrero de 1898. *Rev. Chilena Hist. Nat.*, 2: 31-33.
- PORTER, C. 1900. Nuevo Pez. *Rev. Chil. Hist. Nat.*, 4: 168.
- PORTER, C. 1900. Las especies chilenas del viaje del buque explorador de S.M.B. "Challenger" extractadas y adicionadas con varias notas. *Rev. Chil. Hist. Nat.*, 4: 39-42.
- PORTER, C. 1901. Las especies chilenas del viaje del buque explorador de S.M.B. "Challenger" extractadas i adicionadas con varias notas. *Rev. Chil. Hist. Nat.*, 5: 50.
- PORTER, C. 1903. Las especies chilenas del viaje del buque explorador de S.M.B. "Challenger" extractadas i adicionadas con varias notas. *Rev. Chil. Hist. Nat.*, 7: 193-194, 230-233.
- PORTER, C. 1904. Las especies chilenas del viaje del buque explorador de S.M.B. "Challenger" extractadas i adicionadas con varias notas. *Rev. Chil. Hist. Nat.*, 8: 14-15.
- PORTER, C. 1904. Sobre el *Orthogoriscus mola*. *Rev. Chil. Hist. Nat.*, 8: 238-239.
- PORTER, C. 1909. Breve nota de ictiología. Enumeración de las especies más importantes comunes a Chile y al Perú. *Rev. Univ. Lima*, Año III (Extracto).
- PORTER, C. 1909. Protovertebrado nuevo para la fauna chilena. *Rev. Chil. Hist. Nat.*, 13: 123.
- PORTER, C. 1909. Ictiología: Enumeración de las especies importantes comunes a las aguas de Chile y del Perú. *Rev. Chil. Hist. Nat.*, 13: 280-293.
- PORTER, C. 1910. Adiciones y Observaciones al "Catálogo de los peces de Chile" del Dr. Delfin. *Rev. Chil. Hist. Nat.*, 14: 73-83.
- PORTER, C. 1913. Novedades cient. Especies nuevas de Pascua. *Rev. Chil. Hist. Nat.*, 17: 194.
- PORTER, C. 1914. Sur quelques poissons comestibles du Chile, et description d'une espece nouvelle. *An. Soc. Cient. Argent.*, 78: 1-28, Buenos Aires.
- PORTER, C. 1917. Novedades cient. Especies nuevas de peces chilenos. *Rev. Chil. Hist. Nat.*, 21: 67.
- POST, A. 1973. Ergebnisse der Forschungsreisen des FFS "Walther Herwig" nach Südamerika. XXVII. *Macroparalepis* Ege, 1933 (Osteichthyes, Myctophoidei Paralepididae). Revision der Gattung und Beschreibung zweier neuer Arten. *Arch. Fischwiss.*, 23(3): 202-242.
- POST, A. & G. JONSSON. 1996. *Pseudocyttus maculatus* Gilchrist, 1906 (Pisces, Oreosomatidae) -- first record from the boreal northern Hemisphere. *Arch. Fish. Mar. Res.*, 43(2): 195-199.
- POTTHOFF, T., W. J. RICHARDS & S. UEYANAGI. 1980. Development of *Scombrolabrax heterolepis* (Pisces, Scombrolabracidae) and comments on familial relationships. *Bull. Mar. Sci.*, 30: 329-357.
- POULIN, E., L. CÁRDENAS, C. E. HERNÁNDEZ, I. KORNFIELD & F. P. OJEDA. 2004. Resolution of the taxonomic status of Chilean and Californian jack mackerels using mitochondrial DNA sequence. *J. Fish Biol.*, 65: 1-5.

- PRIRODINA, V. P. 2000. On the systematic position of littoral and deep water species of the genus *Harpagifer* (Harpagiferidae, Notothenioidei) from Macquarie Island with a description of two new species. *J. Ichthyol.*, 40(7): 488-494.
- PRIRODINA, V. P. 2002. Redescription of littoral and deep se species of the genus *Harpagifer* (Harpagiferidae, Notothenioidei) off Islands of the Indian Ocean sector of the Southern Ocean with the description of a new species. *J. Ichthyol.*, 42(9): 701-712.
- PROTTI, M. & G. PEQUEÑO. 1999. Diferenciación morfológica entre *Pseudolabrus fuentesi* (Regan, 1913) y *Pseudolabrus gayi* (Valenciennes, 1839) (Perciformes, Labridae) por métodos multivariados. *Rev. Biol. Mar. Oceanogr.*, 34(2): 269-279.
- PUJOLAR, J. M. & C. PLA. 2002. Occurrence of dolphinfish (*Coryphaena hippurus*) and pompano dolphinfish (*Coryphaena equiselis*) in the Canary Islands revealed by genetic analysis. *New Zeal. J. Mar. Fresh.*, 36: 339-343.*
- QUENTEIRO, J., R. VIDAL & M. REYMÉNDEZ. 2000. Phylogeny and biogeographic history of hake (genus *Merluccius*), inferred from mitochondrial DNA control-region sequences. *Mar. Biol.*, 136: 163-174.
- QUIJADA, B. 1913. Catálogo ilustrado i descriptivo de la colección de peces chilenos i extranjeros. *Bol. Mus. Nac. Hist. Nat.*, 13: 280-293.
- QUIJADA, B. 1913. Catálogo ilustrado i descriptivo de la colección de peces chilenos i extranjeros. *Bol. Mus. Nac. Santiago*, 5(1): 1-39, 1 plano, 26 láms., 2 figs.
- QUOY, J. R. C. & J. P. GAIMARD. 1824. Zoologie. Poissons: 183-401, pl. 43-65. In: L. de Freycinet. Voyage autour du Monde..exécuté sur les corvettes de L. M. "L'Uranie" et "La Physicienne", pendant les années 1817, 1818, 1819 et 1820. Paris, 712 p., 96 pl.
- RAJU, N. S. 1985. Congrid eels of the eastern Pacific and key to their leptocephali. NOAA Tech. Rep. NMFS No. 22, p. i-iii + 1-19.
- RAMASWAMI, L. S. 1955. Skeleton of cyprinoid fishes in relation to phylogenetic studies. 7. The skull and Weberian apparatus of Cyprininae (Cyprinidae). *Ibid.*, 36: 199-242.
- RANDALL, J. E. 1955. An analysis of the genera of surgeon fishes (Family Acanthuridae). *Pac. Sci.*, 9: 359-367.
- RANDALL, J. E. 1956. A revision of the surgeon fish genus *Acanthurus*. *Pac. Sci.*, 159-235.*
- RANDALL, J. E. 1960. A new species *Acanthurus* from the Carolina Islands, with notes on the systematics of other Indo Pacific Surgeonfishes. *Pac. Sci.*, 14(3): 267-279.
- RANDALL, J. E. 1961. Two new butterflyfishes (family Chaetodontidae) of the Indo-Pacific genus *Forcipiger*. *Copeia*, 1961(1): 53-62.
- RANDALL, J. E. 1963. Review of the hawkfishes (Family Cirrhitidae). *Proc. U.S. Nat. Mus.*, 114(3472): 389-451.
- RANDALL, J. E. 1964. A revision of the leafish genera *Amanses* and *Cantherines*. *Copeia*, 1964(2): 331-361.
- RANDALL, J. E. 1972. A revision of the labrid fish genus *Anampses*. *Micronesica*, 8(1-2): 151-195.
- RANDALL, J. E. 1976. The endemic shore fishes of the Hawaiian Islands, Lord Howe and Easter Island. *Colloque Commerson 1973, Orstom, Trav. et Docs.*, 7: 49-73.
- RANDALL, J. E. 1976. Ichthyological expedition to Easter Island. *Nat. Geogr. Soc. Res. Rep.*, 1968, Projects, pp. 333-347.

- RANDALL, J. E. 1980. Revision of the fish genus *Plectranthias* (Serranidae: Anthiinae) with descriptions of 13 new species. *Micronesica*, 16(1): 101-187.
- RANDALL, J. E. 1983. A review of the fishes of the subgenus *Goniistius*, genus *Cheilodactylus*, with description of a new species from Easter Island and Rapa. *Occ. Pap. B. P. Bishop Mus.*, 25: 1-24.
- RANDALL, J. E. 1984. Two new Indo-Pacific mugiloidid fishes of the genus *Parapercis*. *Freshwater Mar. Aquar.*, 7(10): 47-54.
- RANDALL, J. E. 1994. Unicornfishes of the subgenus *Axinurus* (Perciformes: Acanthuridae: Naso), with description of a new species. *Copeia*, 1994(1): 116-124.
- RANDALL, J. E. 1996. Two new Anthiinae fishes of the genus *Plectranthias* (Serranidae: Anthiinae) with a key to the species. *Micronesica*, 29(2): 113-131.
- RANDALL, J. E. & D. K. CALDWELL. 1973. A new butterflyfish of the genus *Chaetodon* and a new angelfish of the genus *Centropyge* from Easter Island. *Los Angeles Co. Mus. Nat. Hist., Contr. Sci.*, 273: 1-11.
- RANDALL, J. E. & A. CEA-EGAÑA. 1984. Native names of Easter Island Fishes, with comments on the origin of the Rapanui people. *Occ. Pap. Berenice P. Bishop Mus.*, 25(12): 1-16.
- RANDALL, J. E. & A. CEA-EGAÑA. 1989. *Canthigaster cyanetron* a new toby (Teleostei, Tetraodontidae) from Easter Island. *Rev. Franc. Aquariol.*, 15: 93-96.
- RANDALL, J. E. & R. LUBBOCK. 1981. A revision of the serranid fishes of the subgenus *Mirolabrichthys* (Anthiinae; Anthias), with descriptions of five new species. *Co. Mus. Nat. Hist., Contr. Sci.*, 337: 1-27.
- RANDALL, J. E. & J. R. MCCOSKER. 1992. Two new damselfish of the genus *Chromis* (Perciformes: Pomacentridae) from the South Pacific. *Proc. Calif. Acad. Sci.*, 47(12): 329-337.
- RANDALL, J. E. & R. MELÉNDEZ C. 1987. A new sole of the genus *Aseraggodes* from Easter Island and Lord Howe Island, with comments on the validity of *A. ramsayi*. *Occas. Pap. Bernice P. Bishop Mus.*, 27: 97-105.
- RANDALL, J. E., K. MATSUURA & A. ZAMA. 1978. A revision of the triggerfish genus *Xanthichthys*, with description of a new species. *Bull. Mar. Sci.*, 28 (24): 688-706.
- RANDALL, J. E. & R. C. MELÉNDEZ. 1987. A new sole of the genus *Asseraggodes* from Easter Island and Lord Howe Island, with comments on the validity of *A. ramsayi*. *Occ. Pap. Berenice P. Bishop Mus.*, 27: 97-105.
- RANDALL, J. E., T. SHIMIZU & T. YAMAKAWA. 1982. A revision of the holocentrid fish genus *Ostichthys*, with descriptions of four new species and a related new genus. *J. Jap. Ichthyol.*, 29(1): 1-26.
- RANDALL, J. E. & V. P. SPRINGER. 1973. The monotypic Indo-Pacific labrid fish genera *Labrichthys* and *Diproctacanthus* with description of a new related genus *Larabicus*. *Proc. Biol. Soc. Washington*, 86: 279-298.
- RANDALL, J. E., A. CEA E. & R. MELÉNDEZ. 2005. Checklist of shore and epipelagic fishes of Easter Island, with twelve new records. *Bol. Mus. Nac. Hist. Nat., Chile*, 54: 41-55.
- RASS, T. S. 1954. Contribution to the study of Pacific Ocean Moridae. *Trudy Inst. Okeanol.*, 11: 56-61.
- RASS, T. S. 1996. On taxonomy of Pleuronectini (Pleuronectidae). *J. Ichthyol.*, 36(7): 546-548.
- RAUCHENBERGER, M. 1989. Systematics and biogeography of the genus *Gambusia*

- (Cyprinodontiformes: Poeciliidae). Am. Mus. Novit. 2951, 74 pp.
- REED, E. 1897. Catálogo de los peces chilenos. An. U. de Chile, 98: 653-673.
- REED, E. 1955. *Monocentris*, nuevo género de pez para Chile. Inv. Zool. Chilenas, 2 (8): 131.
- REED, E. 1961. El congrio chileno. Rev. Universitaria, Santiago, 46: 131-134.
- REED, D. L., M. J. DEGRAVELLE & K. E. CARPENTER. 2001. Molecular systematics of *Selene* (Perciformes: Carangidae) based on cytochrome B sequences. Mol. Phylogenet. Evol., 21(3): 468-75.*
- REGAN, C. T. 1902. A revision of the fishes of the family Stromateidae. Ann. Mag. Nat. Hist., Ser. 7: 115-131.
- REGAN, C. T. 1902. A revision of the fishes of the family Stromateidae. Ann. Mag. Nat. Hist., Ser. 10: 194-204.
- REGAN, C. T. 1902. On the systematic position of *Luvarus imperialis* Rafinisque. Ann. Mag. Nat. Hist., Ser. 7(10): 278-281.
- REGAN, C. T. 1903. A revision of the fishes of the family Lophiidae. Ann. Mag. Nat. Hist. Ser., 7(11): 277-285.
- REGAN, C. T. 1903. On the skeleton and systematic position of *Luvarus imperialis*. Ann. Mag. Nat. Hist., Ser. 7(11): 372-374.
- REGAN, C. T. 1903. Descriptions of a new southamerican fishes in the collection of the British Museum. Ann. Mag. Nat. Hist., Ser. 7(12): 621-630.
- REGAN, C. T. 1903. Description of a new fish of the genus *Genypterus*, with notes on the allied species. Ann. Mag. Nat. Hist., Ser. 7(11): 559-560.
- REGAN, C. T. 1903. On the systematic position and classification of the Gadoid or Anacanthine Fishes. Ann. Mag. Nat. Hist., Ser. 7(11): 459 + 466, 2 figs.
- REGAN, C. T. 1904. The phylogeny of the teleostemi. Ann. Mag. Nat. Hist., Ser. 7(13): 329-349, 4 figs., 1 graf., 1 pl.
- REGAN, C. T. 1909. On the anatomy and classification of the scombroid fishes. Ann. Mag. Nat. Hist., Ser. 8(3): 66-75.
- REGAN, C. T. 1909. The classification of teleostean fishes. Ann. Mag. Nat. Hist., Ser. 8(3): 75-86.
- REGAN, C. T. 1910. On the caudal fin of the Clupeidae, and on the teostean urostyle. Ann. Mag. Nat. Hist., Ser. 8(5): 531-533, 2 figs.
- REGAN, C. T. 1910. The origin and evolution of the teostean fishes of the Order Heterosomata. Ann. Mag. Nat. Hist., Ser. 8(6): 484-496, 3 figs., 1 graph.
- REGAN, C. T. 1911. The classification of the teleostean fishes of the order Syngnathiformes. Ann. Mag. Nat. Hist. Ser., 8(7): 327-335, 1 fig., pl. 9.
- REGAN, C. T. 1911. The osteology and classification of the Gobioid fishes. Ann. Mag. Nat. Hist., Ser. 8, (8): 729-733, 2 figs.
- REGAN, C. T. 1911. On the Cirrhitiformes Percoids. Ann. Mag. Nat. Hist., Ser. 8(8): 259-262.
- REGAN, C. T. 1911. The anatomy and classification of the Teleostean fishes of the order Iniomi. Ann. Mag. Nat. Hist., 8(7): 120-133.
- REGAN, C. T. 1912. The classification of Blennoid fishes. Ann. Mag. Nat. Hist., Ser. 8(10): 265-280.
- REGAN, C. T. 1912. The osteology and classification of the teleostean fishes of the Order Apodes. Ann. Mag. Nat. Hist., Ser. 8(10): 377-387, 2 figs.

- REGAN, C. T. 1912. The anatomy and classification of the teleostean fishes of the Order Discocephali. *Ann. Mag. Nat. Hist.*, Ser. 8(10): 634-637, 2 figs.
- REGAN, C. T. 1913. The Antarctic fishes of the Scottish National Antarctic Expedition. *Trans. Roy. Soc. Edinb.*, 49(15): 229-292, figs., 11 pls.
- REGAN, C. T. 1913. Fishes from Perú, collected by Dr. H. O. Forbes. *Ann. Mag. Nat. Hist.*, Ser. 8(12): 278-280.
- REGAN, C. T. 1913. A collection of fishes made by profesor Francisco Fuentes at Easter Island. *Proc. Zool. Soc. London*, 368-378, pls. 55-60.
- REGAN, C. T. 1913. Description of a new fish of the genus *Genypterus*, with notes on the allied species. *Ann. Mag. Nat. Hist.*, Ser. 8(11): 599-600.
- REGAN, C. T. 1913. The classification of the percoid fishes. *Ann. Mag. Nat. Hist.*, Ser. 8(12).
- REGAN, C. T. 1914. British Antarctic ("Terra Nova") Expedition, 1910. *Nat. Hist. Repts.*, Fishes, Zool., 1(1): 1-54, 8 figs. 13 pls.
- REGAN, C. T. 1914. A synopsis of the fishes of the family Macrorhamphosidae. *Ann. Mag. Nat. Hist.*, Ser. 8(13): 17-21.
- REGAN, C. T. 1914. The systematic arrangement of the fishes of the family Salmonidae. *Ann. Mag. Nat. Hist.*, Ser. 8(13): 405-408.
- REGAN, C. T. 1916. Larval and post larval fishes. I Antarctic and Subantarctic fishes. *Nat. Hist.*, Repts. British Antarctic "Terra Nova" Exped. 1910, Zool., 1(4): 125-156.
- REGAN, C. T. 1916. Larval and post larval fishes, in British Antarctic "Terra Nova" Exped Zool., London, 8: 1-84.
- REGAN, C. T. 1917. The fishes of the genus *Clupea*. *Ann. Mag. Nat. Hist.*, Ser. 8(8): 19: 226-229.
- REGAN, C. T. 1917. A revision of the Clupeoid fishes of the genera *Pomolobus*, *Brevortia* and *Dorosoma*, and their allies. *Ann. Mag. Nat. Hist.*, Ser. 8(19): 297-316.
- REGAN, C. T. 1923. The classification of the Stomiatoide fishes. *Ann. Mag. Nat. Hist.*, Ser. 9(11): 612-614.
- REGAN, C. T. 1930. The fishes of the Families Stomiidae and Malacosteidae. Dana Expedition 1920-1922, Ocean Repts., 6: 1-143 + 138 figs. 14 pls.
- REGAN, C. T. & E. TREWAVAS. 1929. The fishes of the Family Astronesthidae and Chauliodontidae. Dana Expedition 1920-1922, Ocean Repts., 5: 1-39 + 25 figs., 7 pls.
- REGAN, C. T. & E. TREWAVAS. 1930. The fishes of the families Stomiidae and Malacosteidae. Dana Exped. 1920-22, Ocean Repts. 6: 143 pp., 138 figs, 14 pls.
- REGAN, C. T. & E. TREWAVAS. 1932. Deep sea angler fishes (Ceratoidea). Dana Rep. 2. Carsberg Ocean Exped. 1928-30, 113 pp., 172 figs., 10 pls.
- RENDAHL, H. 1921. The fishes of the Juan Fernández Islands. En: C. Skottsberg (ed.). *The Natural History of Juan Fernandez and Easter Island*, Vol. 3, Zoology, Part 1. Almqvist and Wiksells Botryckeri, Uppsala, pp. 49-58.
- RENDAHL, H. 1921. The fishes of Easter Island. *The Natural History of Juan Fernandez and Easter Island*. C. Skottsberg (ed.). *Fish Easter Island* 3(pt. 1): 59-68.
- REYES, P. 2006. Composición de las capturas de peces hielo en el mar de Escocia, Antártica (verano 2004-2005). *Invest. Mar.*, Valparaíso, 34(1): 95-100.
- REYES, P. 2007. Reencuentro de *Iluocetes facali* Lloris & Rucabado, 1987 (Perciformes: Zoarcidae) en el sector norte del archipiélago patagónico occidental. *Rev. Biol. Mar. y Oceanogr.*, 42(1): 71-75.

- REYES, P. 2007. Peces abisales de la "Triple Unión", lugar de contacto de las placas Antártica, Sudamericana y de Nazca (archipiélago patagónico noroccidental). *Rev. Biol. Mar. y Oceanogr.*, 42(1): 37-47.
- REYES, P., M. HÜNE & V. H. RUÍZ. 2007. El pez mesopelágico *Centrolophus niger* (Gmelin, 1789) (Pisces: Perciformes) y su hallazgo en aguas del talud continental chileno situadas sobre la placa sudamericana. *Gayana*, 71(1): 96-101.
- REYES, P. & G. PEQUEÑO. 2006. Primer registro en el Pacífico suroriental de la anguila abisal *Diastobranthus capensis* Barnard, 1923 (Osteichthyes: Synbranchidae). *Rev. Biol. Mar. y Oceanogr.*, 41(2): 249-253.
- RICHARDS, W. J. 1974. Evaluation of identification methods for young billfishes. *N.O.A.A., Tech. Rep., N. M.F.S.*, 675: 62-72.
- RICHARDS, W. J. & J. M. LEIS. 1984. Labroidei: development and relationships. In: H. G. Moser *et al.*, eds. *Ontogeny and systematics of fishes*. *Am. Soc. Ichthyol. Herpetol. Spec. Publ.*, 1: 542-547.*
- RICHARDS, W. J. & T. POTTHOFF. 1974. Analysis of the taxonomic characters of young scombrid fishes, genus *Thunnus*. En: J. H. Blaxter (ed.). *The early life history of fish*. Springer-Verlag, N. Y., 623-648 pp.
- RICHARDSON, J. 1844-48. Fishes. En: Richardson and Gray (eds.). *The zoology of the voyage of H.M.S. "Erebus" and "Terror" under the command of the Captain Sir James Clark Ross, during the years 1839-1843*. London., 2: 1-139.
- RICHARDSON, J. 1845. Generic characters of *Gasteroschisma melampus*, a fish which inhabits Port Nicholson, New Zealand. *Ann. Mag. Nat. Hist. (N. S.)*, 15(99): 346.
- RICHARDSON, L. R. & J. A. F. GARRICK. 1964. A new species of *Gyrinomimus* (Pisces, Cetomimidae) from New Zealand. *Copeia*, 1964(3): 523-529.
- RIEGEL, E. 1959. Observaciones sobre la fauna ictiológica de las aguas dulces chilenas. En: *Acta del Congreso Sudamericano de Zoología*.
- RITCHIE, P.A., L. BORGELLONI, A. MEYER, J. A TAYLOR, J. A. MACDONALD & D. M. LAMBERT. 1996. Mitochondrial phylogeny of trematomid fishes (Nototheniidae, Perciformes) and the evolution of Antarctic fish. *Mol. Phylogenet. Evol.*, 5(2): 383-390.
- RITCHIE, P. A., S. LAVOE & G. LECOINTRE. 1997. Molecular phylogenetics and the evolution of Antarctic notothenioid fishes. *Comp. Biochem. Physiol. A Physiol.*, 118(4): 1009-1025.
- ROBERTS, C. 2003. A new species of trumpeter (Teleostei: Percomorpha; Latridae) from the central South Pacific Ocean, with a taxonomic review of the striped trumpeter *Latris lineata*. *J. Roy. Soc. N. Z.*, 33(49): 731-754.
- ROBINS, C. R. 1991. Two new species of Ophiodon (Pisces: Ophidiidae) from remote islands of the eastern Pacific. *Los Angeles Co. Mus. Nat. Hist., Contr. Sci.*, 427: 1-11.
- ROCHA-OLIVARES, A., C. A. KIMBRELL, B. J. EITNER & R. D. VETTER. 1999. Evolution of a mitochondrial cytochrome b gene sequence in the species-rich genus *Sebastes* (Teleostei, Scorpaenidae) and its utility for testing the monophyly of the subgenus *Sebastomus*. *Mol. Phylogenet. Evol.*, 11: 426-440.
- ROCHA-OLIVARES, A., R.H. ROSENBLAT & R.D. VELLER. 1999. Cryptic species of rockfishes (*Sebastes*: Scorpaenidae) in the Southern Hemispheres inferred from mitochondrial lineages. *J. Hered.*, 90(3): 404-411.
- RODRIGUEZ ROMERO, J., L. A. ABITIA CÁRDENAS, J., DE LA CRUZ AGÜERO & F. GALVAN MAGANA. 1993. Toothcarps of the genus *Orestias* (Valen-

- ciennes, 1839) (Teleostei, Cyprinodontidae) from the Altiplano of Bolivia, Chile and Perú. A contribution to the development of their diversity and of their intrageneric relationship. Mitt. Hamb. Zool. Mus. Inst., 90: 321-362.
- ROFEN, R. R., 1963. Diagnoses of new species of alepisauroid fishes of the family Evermannellidae. *Aquatica*, (1): 1-2.
- ROJAS, J. R. & G. PEQUEÑO. 1998. *Plectranthias lamillai*, a new anthiine fish species (Perciformes, Serranidae). *Sci. Mar.*, 62(3): 203-209.
- ROJAS, J. R. & G. PEQUEÑO. 1998. Revisión taxonómica de los peces de la subfamilia Anthiinae del Pacífico Suroriental chileno (Pisces: Serranidae: Anthiinae). *Rev. Biol. Mar. y Oceanogr., Valparaíso*, 33 (2): 163-198.
- ROJAS, J. R. & G. PEQUEÑO. 1998. Peces serranidos de la isla Alejandro Selkirk, Archipiélago de Juan Fernández, Chile (Pisces: Serranidae): análisis ictiogeográfico. *Inv. Mar., Valparaíso*, 26: 41-58.
- ROJAS, R. & G. PEQUEÑO. 2001. Taxonomical review of species Epinephelinae and Serraninae subfamilies (Pisces: Serranidae) from Chile. *Rev. Biol. Trop.*, 49(1): 157-171.
- ROLDÁN, M. I., J. L. GARCÍA-MARÍN, F. M. UTTER & C. PLA. 1999. Genetic relationships among *Merluccius* species. *Hereditas*, 83: 79-86.
- ROSA, H. 1950. Scientific and common names applied to tunas, mackerels and spear fishes of the world with notes on their geographic distribution. *FAO X + 234 pp.*
- ROSA, I. L. & H. S. ROSA. 1987. *Pinguipes* Cuvier y Valenciennes and *Pinguipedidae* Günther, the valid names for the fish taxa usually known as Mugiloididae. *Copeia*, 1987(4): 1048-1051.
- ROSEN, D. E. 1964. The relationships and taxonomic position of the halfbeaks, killifishes, silversides and their relatives. *Bull. Am. Mus. Nat. Hist.*, 127(5): 217-267.
- ROSEN, D. 1984. Zeiforms as primitive plecognath fishes. *Am. Mus. Nov.*, 2782: 1-45.
- ROSEN, D. E., W. IVANTSOFF & L. E. CROWLEY. 1994. Systematic and relationships of Atheriniform families within Division I of the Series Atherinomorpha (Acanthopterygii) with relevant historical perspectives. *Vop. Iktiolog.*, 34(4): 1-32.
- ROSENBLATT, R. H. & G. D. JOHNSON. 1974. Two new species of sea basses of the genus *Diplectrum*, with a key to the Pacific species. *Cal. Fish Game*, 60(4): 178-191.
- ROSENBLATT, R. H. & J. E. MACOSKER. 1970. A key to the genera of the ophichthid eels, with descriptions of two new genera and three new species from the Eastern Pacific. *Pac. Sci.*, 24(4): 484-505.
- ROSENBLANTT, R. H. & R. S. WAPLES. 1986. A genetic comparison of allopatric populations of shore fish species from the eastern and central Pacific Ocean: dispersal or vicariance?. *Copeia*, 1986 (2): 275-284.
- ROSSI, A. R., M. CAPULA, D. CROSETTI, D. E. CAMPTON & L. SOLA. 1998. Genetic divergence and phylogenetic inferences in five species of Mugilidae (Pisces: Perciformes). *Mar. Biol.*, 131: 213-218.
- ROTHSCHILD, B. 1965. Hypotheses on the origin of exploited skipjack tuna (*Katsuwonus pelamis*) in the Eastern and Central Pacific Ocean. *U.S. Fish and Wild. Serv., Spec. Sci. Rep. Fisheries*, 512: 1-20.
- ROULE, L. & L. BERTIN. 1929. Les poissons apodes appartenant au sous-ordre des Nemichthyiformes. *Dana Exped.* 120-22. *Ocean. Rep.*, (4): 113, 57 figs., 9 pls.

- ROULE, L., A. FERNAND & R. DESPAX. 1913. Poissons. Deuxieme Exped. Antart. Franc. (1908-10). Sc. Nat., Doc. Scinet., 24 pp., 4 pls.
- ROYCE, F. 1961. A morphometric study of yellowfin tuna, *Thunnus albacares* (Bonaterre). Pacific tuna Biology Conference, Honolulu, Paper II-6.
- ROYCE, F. 1964. Morphometric study of yellowfin tuna, *Thunnus albacares* (Bonaterre). Fish. Bull. U.S., 63(2): 395-443.
- RUIZ, V.H. & E. ALVEAL. 1988. *Tetragnurus cuvieri* Risso, 1810 en Chile (Perciformes: Tetragnuridae). Comun. Mus. Reg. Concepción, 2:31-35.
- RUIZ, V. H. & T. M. BERRA. 1994. Fishes of the High Biobío River of south-central Chile with notes on diet and speculations on the origin of the ichthyofauna. Ichthyol. Explor. Freshwaters, 5(1): 5-18.
- RUIZ, V. H. & R. FIGUEROA. 2006. Primer registro de *Lampris guttatus* (Pisces: Lampridae) en el golfo de Arauco, VIII Región, Chile. Gayana, 70(2): 252-279.
- RUIZ, V. H. & H. OYARZO. 1982. Nuevo registro de *Trachyrhynchus villegai* Pequeño 1971 (Pisces, Gadiformes, Macrouridae). Bol. Soc. Biol. Concepción, 53: 177-178.
- RUIZ, R. & G. OYARZÚN. 1993. Presence of *Macrourus holotrachys* Günther, 1878, in Chile. Gayana Zool., 57(1): 57-59.
- RUIZ, V., C. OYARZÚN & S. H. GACITÚA. 1995. Osteología de *Macrourus holotrachys* Günther 1875 (Pisces, Gadiformes, Macrouridae). Bol. Soc. Biol. de Concepción, Chile 66: 125-140.
- RUSSELL, B. C. 1983. Checklist of fishes, Great Barrier Reef Capricornia Section. Great Barrier Reef Marine Park, Platfield Printers, 184 pp., Mackay, Queensland.
- RUSSELL, B. C. 2000. Review of the southern temperate fish family Aplodactylidae (Pisces: Perciformes). J. Nat. Hist., 34(11): 2157-2171.
- RUSSELL, B. C. & J. E. RANDALL. 1980. The labrid fish genus *Pseudolabrus* from islands of the Southeastern Pacific, with description of a new species from Rapa. Pac. Sci., 34(4): 433-440.
- RUSSELL, B. C. & J. E. RANDALL. 1981. The labrid fish genus *Pseudolabrus* from islands of the southeastern Pacific, with description of a new species from Rapa. Pac. Sci., 34(4): 433-440, 1 pl.
- SÁEZ, P. 1998. Somatometría y morfología de la sardina española *Sardinops sagax* (Jenyns, 1842) de la zona de Iquique, Chile (Clupeidae, Clupeiformes). Rev. Biol. Mar., Valparaíso, 24(1): 73-90.
- SANTANDER, H. & O. CASTILLO. 1969. Desarrollo y distribución de huevos y larvas de merluza *Merluccius gayi* (Guichenot) en la costa peruana. Bol. Inst. Mar Perú-Callao, 2(3): 79-107.
- SANTANDER, H. & O. CASTILLO. 1971. Desarrollo y distribución de huevos y larvas de jurel *Trachurus symmetricus murphy* (Nichols) en la costa peruana. Inf. Inst. Mar Perú-Callao, 36.
- SASAKI, K. 1989. Phylogeny of the family Sciaenidae, with notes on its zoogeography (Teleostei, Perciformes). Mem. Fac. Fish. Hokkaido Univ., 36(1/2): 1-137.
- SAZONOV, Y. I. 1976. New species of fishes of the family Searsiidae (Salmoniformes, Alepocephaloidei) from the Pacific Ocean. Trans. P.P Shirshov Inst. Oceanol., Acad. Sci. U.S.S.R., 104: 13-25. (En ruso).
- SAZONOV, Y. I. 1989. A new species of *Talismania* Goode et Bean (Alepocephalidae) from the southeastern Pacific. J. Ichthyol., 29: 83-87.
- SAZONOV, Y. I. 1998. A brief review of the genus *Narctes* (Alepocephalidae) with a description of the genus type *N. erimelas*. J. Ichthyol., 38(7): 491-500.

- SAZONOV, Y. I. 1999. On the revision of the genus *Bathytroctes* Günther (Alepocephalidae): a review of the abyssobenthopelagic forms (previously referred of the genus *Nomoctes*) with a description of two new species. *J. Ichthyol.*, 39(9): 699-712.
- SAZONOV, Y. I. 2001. *Notophyscis* - A new fish genus of the family Moridae (Gadiformes) with the description of a new species and two new subspecies and notes on the status of the genus *Austrophycis*. *J. Ichthyol.*, 41(5): 343-353.
- SAZONOV, Y. I. & T. IWAMOTO. 1992. Grenadiers (Pisces, Gadiformes, Macrouridae) of the Nazca and Sala y Gómez ridges. *Proc. Cal. Acad. Sci.*, 48: 27-95.
- SAZONOV, Y. I. & M. MIYA. 1996. First record of the platytroctid fish, *Mentodus facilis* (Salmoniformes: Alepocephaloidea) from Japanese waters. *Ichthyol. Res.*, 43: 87-89.
- SAZONOV, Y. I. & Y. N. SHCHERBACHEV. 1997. The composition and some problems pertaining to the variability of species of subgenus *Sokodara* (Genus *Ventrifossa*, *Macrouridae*). *J. Ichthyol.*, 37(7): 529-533.
- SAZONOV, YU.-I. & YU. N. SHCHERBACHEV. 2000. A review of the Indian Ocean species from the genus *Gadella* (Gadiformes, Moridae), with a description of two new species. *Voprosy Ikhtiol.*, 40(Suppl. 1): S64-S73. En ruso, traducido al inglés en *J. of Ichthyology*, 40, suppl. 1, pp. S64-S73).
- SCASSO, F. & H. CAMPOS. 1999. Comparison of two populations of silverside (*Odontesthes bonariensis*) in eutrophic lakes of central Chile. *J. Freshwat. Ecol.*, 14(1): 61-70.
- SCOLES, D. R., B. COLLETTE & J. E. GRAVES. 1998. Global phylogeography of macerels of the genus *Scomber*. *Fish. Bull.*, 96: 823-842.
- SHEN, S. C. & P. C. LIM. 1975. An additional study on chaetodont fishes (Chaetodontidae) with description of two new species. *Bull. Inst. Zool. Acad. Sin. (Taipei)*, 14(2): 79-105.
- SHCHERBACHEV, YU. N. & T. IWAMOTO. 1995. Indian Ocean grenadiers of the subgenus *Coryphaenoides*, genus *Coryphaenoides* (Macrouridae, Gadiformes, Pisces). *Proc. Calif. Acad. Sci.*, 48(14): 285-314.
- SHCHERBACHEV, YU. N. & N. S. NOVIKOVA. 1976. Materials on distribution and taxonomy of the mesopelagic fishes of the family Stomiidae (Osteichthyes). *Trudy Inst. Okeanol. Akad. Nauk SSSR v. 104*: 92-112 (En ruso, resumen en inglés).
- SCHNAKENBECK, W. 1931. Carangidae. *Rep. Dan. Ocean. Exped.*, 1908-10, 2:14-20, 19 figs.
- SCHNEPPENHEIM, R., K.-H. KOCK, G. DUHAMEL & G. JANSSEN. 1994. On the taxonomy of *Lepidonotothen squamifrons* group (Pisces, Perciformes, Notothenioidei). *Arch. Fish. Mar. Res.*, 42(2): 137-148.
- SCHULTZ, L. P. 1938. Review of the fishes of the genera *Polypinus* and *Argyropelecus* (Family Sternoptichidae), with descriptions of three new species. *Proc. U.S. Nat. Mus.*, 86: 135-155.
- SCHULTZ, L. P. 1940. Two new genera and three new species of cheilodipterid fishes, with notes on other genera of the family. *Proc. U.S. Nat. Mus.*, 88: 403-423.
- SCHULTZ, L. P. 1941. The species of *Cirripectes* Swainson and a new genus of blennioid fishes from the tropical Pacific. *Copeia*, 1941(1): 17-20.
- SCHULTZ, L. P. 1944. A revision of the American Clingfishes, family Gobiesocidae, with descriptions of new genera and forms. *Proc. U. S. Nat. Mus.*, 96(3187): 47-77.
- SCHULTZ, L. P. 1946. A revision of the genera of mullets, fishes of the family Mugilii-

- dae, with descriptions of three new genera. Proc. U.S. Nat. Mus., 96(3204): 377-395, figs. 28-32.
- SCHULTZ, L. P. 1946. A revision of the genera of mullets, fishes of the family Mugilidae, with descriptions of three new genera. Proc. U. S. Nat. Mus., 96(3204): 377-395.
- SCHULTZ, L. P. 1948. A revision of six subfamilies of Atherine fishes, with descriptions of new genera and species. Proc. U.S. Nat. Mus., 98(3220): 1-48.
- SCHULTZ, L. P. 1950. Correction for "A revision of six subfamilies of Atherine fishes, with descriptions of new genera and species". Copeia, 1-4: 150.
- SCHULTZ, L. P. 1951. A nomenclatorial correction for "A revision of the American clingfishes, family Gobiesocidae, with descriptions of new genera and forms." Copeia, 1951(3): 244.
- SCHULTZ, L. P. 1956. A new pinecone fish, *Monocentris reedi*, from Chile, a new family record for the Eastern Pacific. Proc. U. S. N. Mus., 106(3365): 237-239.
- SCHULTZ, L. P. 1958. Review of the parrotfishes family Scaridae. Bull. U. S. Natl. Mus., No. 214, p. i-v + 1-143.
- SCHULTZ, L. P. 1961. Revision of the marine silver hatchetfish (Family Sternopychidae Proc. U. S. N. Mus, 112(3449): 587-649.
- SCHULTZ, L. P. 1968. Four new fishes of the genus *Parapercis* with notes on other species from the Indo-Pacific area (Family Mugiloididae). Proc. U. S. Natl. Mus., 124(3636): 1-16.
- SCHULTZ, L. P. 1969. The taxonomic status of the controversial genera and species of parrotfishes with a descriptive list (Family Scaridae). Smithson. Contrib. Zool., 17: 1-49.
- SCHULTZ, L. P. & L. P. WOODS. 1949. Keys to the genera of eelhelid eels and the species of *Muraenichthys* of the Pacific, with two new species. J. Wash. Acad. Sci., 39(5): 169-174.
- SCHWARZHANS, W. 1994. Sexual on ontogenic dimorphism in otoliths to the Family Ophidiidae. Cybium, 18(1): 71-98.
- SEALE, A. F. 1906. Fishes of the South Pacific. Occ. Pap. Bernice P. Bishop Mus., 4(1): 1-89, figs. 1-23.
- SEIGEL, J. A. & T. W. PIETSCH. 1978. A new species of the ceratioid anglerfish genus *Oneiroides* (Pisces: Lophiiformes) from the Indo-west Pacific. Copeia, 1978, (1): 11-13.
- SEPÚLVEDA, J. I. 1988. Peces de las islas oceánicas chilenas. En: J.C. Castilla (ed.). Islas Oceánicas Chilenas: conocimientos científicos y necesidades de investigaciones. Ediciones Univ. Católica de Chile, 353 pp., Santiago.
- SEPÚLVEDA, J. I. & G. PEQUEÑO. 1985. Fauna íctica del Archipiélago de Juan Fernández. En: P. Arana (ed.). Investigaciones Marinas en el Archipiélago de Juan Fernández. Ed. Universitaria, Santiago, 373 pp.
- SERRA, R. 1991. Important life history aspects of the Chilean jack mackerel, *Trachurus symmetricus murphyi*. Invets Pesq., Santiago, 36: 67-83.
- SERVENTY, D. L. 1948. *Allothunnus fallai* a new genus and species of tuna from New Zealand. Rec. Canterbury Mus., 5(3): 131-135.
- SHABONEYEV, I. Y. E. 1980. Systematics, morpho-ecological characteristics and origin of carangids of the genus *Trachurus*. J. Ichthyol., 20(6): 15-24.
- SHCHERBACHEV, Y. N. 1980. Preliminary review of the Indian ocean species of the Chlorophthalmidae (Myctophiformes, Osteichthyes). En: N.V. Parin (ed.). Fishes of the Open Ocean. Acad. Sci.,

- U.S.S.R., P.P. Shirshov Inst. Oceanol., Moscow, 120 pp.
- SHCHERBACHEV, YU. N. & T. IWAMOTO. 1995. Indian Ocean grenadiers of the subgenus *Coryphaenoides*, genus *Coryphaenoides* (Macrouridae, Gadiformes, Pisces). Proc. Calif. Acad. Sci., 48(14): 285-314.
- SHCHERBACHEV, YU. N. & N. S. NOVIKOVA. 1976. Materials on distribution and taxonomy of the mesopelagic fishes of the Family Stomiidae. Trans. P.P. Shirshov Inst. Oceanol., Acad. Sci. U.S.S.R., 104: 92-112.
- SHCHERBACHEV, YU. N. & N. P. PAKHOLUKOV. 2002. Diagnostic characters and distribution of species of the mesobenthic genus *Bathysauropsis* (Aulopiformes, Ipnopidae). J. Ichthyol., 42(6): 564-566.
- SHEIKO, B. A. 1995. *Agonus* Bloch & Schneider, 1801 (Osteichthyes, Scorpaeniformes): proposed conservation; *Agonidae* Kirby, 1837 (Insecta, Coleoptera) and *Agonidae* Swainson, W. 1839 (Osteichthyes, Scorpaeniformes): proposed removal of homonymy. Bull. Zool. Nomencl. 52(pt. 1): 57-60.
- SHIPP, R. L. 1971. The tetraodontid pufferfish *Sphoeroides furthii* (Steindachner), a junior synonym of *Sphoeroides trichocephalus* (Cope). Copeia, 1971 (3): 569-570.
- SICCARDI, E. M. 1954. Consideraciones sobre el modo de reproducción de *Leptonotus blainvillanus* Eydoux y Gervais, 1837 (Pisces Syngnath.). Com. Inst. Nac. Inv. Cs. Nat. Mus. Arg. Cien. Nat. Cien. Zool., 2(14): 211-242, 16 figs.
- SIEBERT, D. J. 1990. Book review: Papers on the systematics of gadiform fishes by D. M. Cohen (ed.), 1989. Copeia, 1990(3): 889-893.
- SIELFELD, W. K. 1976. Presencia del género *Achiropsetta* Norman 1930 (Pisces, Pleuronectiformes) en aguas patagónicas chilenas. An. Inst. Patagonia, Punta Arenas, 7: 215-217.
- SIELFELD, W. K. 1979. Consideraciones acerca de los pejesapos (Gobiesociformes: Pisces) conocidos para las costas magallánicas. An. Inst. Patagonia, Punta Arenas, 10: 193-195.
- SIELFELD, W. K. 1979. Nuevo registro de *Netuma barbatus* (Lacépède 1803 para aguas chilenas (Pisces: Siluriformes). An. Inst. Patagonia, 10: 189-192.
- SIELFELD, W. K. & A. KAWAGUCHI. 2004. Peces mesopelágicos capturados entre caldera (26° 59' 41" S / 71° 46' 00" W) e Isla de Pascua (26° 59' 49" S / 107° 35' 00" W) durante el crucero CIMAR 5 - Islas oceánicas. Cienc. Tecnol. Mar., 27(2): 77-85.
- SIELFELD, W. K. & M. VARGAS. 1996. Composición y estructura de la ictiofauna demersal del norte grande de Chile (18° 24' S - 21° 26' S). Inv. Mar., Valparaíso, 24: 3-17.
- SIELFELD, W. K. & M. VARGAS. 1999. *Eurypharynx pelecanoides* Vaillant, 1882 y *Alepisaurus brevirostris* Gibbs, 1960: Nuevos registros de peces poco conocidos en Chile. Not. Mens. Mus. Nat. Hist. Nat., Chile, 338: 20-23.
- SIELFELD, W. & M. VARGAS. 1999. Review of marine fish zoogeography of Chilean Patagonia (42° - 57° S). Sci. Mar., 63(Supl. 1): 451-463.
- SIELFELD, W. & M. VARGAS. 1999. Primer registro para Chile Continental de los peces *Scorpaena histrio* (Scorpaenidae) y *Chilomycterus reticulatus* (Diodontidae). Mus. Nac. Hist. Nat., 243: 33-38.
- SIELFELD, W. K., M. VARGAS & R. FUENZALIDA. 1995. Peces mesopelágicos frente a la costa norte de Chile (18° 25' S - 21° 47' S). Inv. Mar., Valparaíso, 23: 87-97.
- SIELFELD, W., M. VARGAS, I. KONG & G. GUZMÁN. 1995. *Peprilus medius* (Peters, 1869) en Punta Chipana (21° 19' S), I Región, Chile (Pisces: Perciformes, Stromateidae). Cienc. Tecnol. Mar., 18: 25-31.

- SIELFELD, W., M. VARGAS & I. KONG. 2003. Primer registro de *Etropus ectenes* Jordan, 1889, *Bothus constellatus* Jordan & Goss, 1889, *Achirus klunzingeri* (Steindachner, 1880) y *Symphurus elongatus* (Günther, 1868) (Pisces, Pleuronectiformes) en Chile, con comentarios sobre la distribución de los lenguados chilenos. *Inv. Mar.*, Valparaíso, 31(1): 51-65.
- SIELFELD, W., M. VARGAS, I. KONG & G. GUZMÁN. 1995. *Peprilus medius* (Peters, 1869) en punta Chipana (21° 19' S) I Región, Chile (Pisces: Perciformes, Stromateidae). *Cienc. Tecnol. Mar.*, 18: 25-31.
- SIGCHEL, J. W. B. VAN. 1947. The South american Nematognathi of the Museums at Leiden and Amsterdam. *Zool. Medel.*, 27: 1-204.
- SILVA, S. & G. PEQUEÑO. 2007. Los peces Clupeiformes del litoral valdiviano (Chile): clave de reconocimiento y comentarios (Pisces: Osteichthyes). *Rev. biol. mar. oceanogr.*, 42(3): 357-363.
- SKORA, K. E. 1995. *Acanthodraco dewitti* gen. et sp. n (Pisces, Bathydraconidae) from Admiralty Bay (King George Island), South Shetland Islands, Antarctica). *Arch. Fish. Mar. Res.*, 42: 283-289.
- SMALL, G. J. 1981. A review of the bathyal fish genus *Antimora* (Moridae, Gadiformes). *Proc. Cal. Acad. Sci.*, 42(13): 341-346.
- SMITH, D. G. 1979. Guide to the Leptocephali (Elopiformes, Anguilliformes, and Notacanthiformes). NOAA Tech. Rep. NMFS Circ. 424: 39 pp.
- SMITH, D. G. 1984. Elopiformes, Notacanthiformes and Anguilliformes: Relationships. En: H. G. Moser et al. (eds.). *Ontogeny and Systematics of Fishes. Spec. Publ. N° 1. Am. Soc. Ichthyol. Herp.*, 94-102.
- SMITH, D. G. 1994. Catalog of type specimens of Recent fishes in the National Museum of Natural History, Smithsonian Institution, 6: Anguilliformes, Saccopharyngiformes, and Notacanthiformes (Teleostei: Elopomorpha). *Smithson. Contrib. Zool. No. 566*, p. i-iii + 1-50.
- SMITH, D. G., J. E. BÖHLKE & P. H. J. CASTLE. 1981. A revision of the nettastomatid eel genera *Nettastoma* and *Nettenchelys* (Pisces: Anguilliformes), with descriptions of six new species. *Proc. Biol. Soc. Washington*, 94(2): 533-560.
- SMITH, D. G. & P. H. J. CASTLE. 1982. Larvae of the Nettastomatid eels: systematics and distribution. *Dana Rep.*, 90: 1-44.
- SMITH, J. L. B. 1949. The sea fishes of Southern Africa. Central News Agency South Africa, 550 pp., 103 pl., 32 text figs.
- SMITH, J. L. B. 1951. Sexual dimorphism in the genus *Naso Lacepede* 1802 with a description of a new species, and new records. *Ann. Mag. Nat. Hist.*, (Ser. 12) 4(47): 1.126-1.132.
- SMITH, P. J., P. M. GAFFNEY & M. PURVES. 2001. Genetic markers for identification of Patagonian toothfish and Antarctic toothfish. *J. Fish. Biol.*, 58(4): 1.190-1.194.
- SMITH, P.J., C.D. ROBERTS, S. M. MCVEAGH & P.G. BENSON. 1996. Genetic evidence for two species of tarakihi (Teleostei: Cheilodactylidae: *Nemadactylus*) in New Zealand waters. *New Zeal. J. Mar. Freshw.*, 30: 209-220.
- SMITH, W. L., J. F. WEBB & S. D. BLUM. 2003. The evolution of the laterophysic connection with a revised phylogeny and taxonomy of butterflyfishes (Teleostei: Chaetodontidae). *Cladistics*, 19: 287-306.*
- SMITH-VANIZ, W. F. & V. G. SPRINGER. 1971. Synopsis of the tribe Salariini with description of five new genera and three new species (Pisces: Blenniidae). *Smith. Contr. Zool.*, 73: 1-72.

- SMITH-VANIZ, W. F. 1980. Revision of western Atlantic species of the blennioid fish genus *Hypsoblennius*. Proc. Acad. Nat. Sci. Philadelphia, 132: 285-305.
- SMITH-VANIZ, W. F. 1984. Carangidae: relationships. En: H. G. Moser *et al.* (eds.). Ontogeny and Systematics of Fishes. Am. Soc. Ichthyol. Herp., Spec. Publ. N° 1: 522-533.
- SMITT, F. A. 1898. Poissons de l' Expedition Scientifique a la Terre du Feu. Svensk Veter. Akad. Handl., I 23(4) and II, 24(4), Stockholm.
- SMITT, F. 1901. Poissons d' eau de la Patagonie recueillis par E. Nordenskjöld 1898-1899. Bihang K. Svenska. Vet. Akad. Handl., 26(13): 1-31.
- SPRINGER, V. G. 1958. Systematics and zoogeography of the Clinid fishes of the Subtribe Labrisomini Hubbs. Publ. Inst. Mar. Sci. Univ. Texas, 5: 417-492.
- SPRINGER, V. G. 1967. The Pacific South American blennioid fish *Hypsoblennius sordidus* (Bennett). U. S. Nat. Mus. Bull., 248: 1-85.
- SPRINGER, V. G. 1967. Revision of the circumtropical shorefish genus *Entomacrodus* (Blenniidae: Salariae). Proc. U. S. Nat. Mus., 122 (3582): 1-150, 30 pls.
- SPRINGER, V. G. 1968. Osteology and classification of the fishes of the family Blenniidae. Bull. U. S. Nat. Mus. 284, 83 pp.
- SPRINGER, V. G. 1982. Pacific plate biogeography, with special reference to shorefishes. Smith. Contr. Zool., 367: 4 + 182.
- SPRINGER, V. G. 1993. Definition of the suborder Blennioidei and its included families (Pisces: Perciformes). Bull. Mar. Sci., 52(1): 472-495.
- SPRINGER, V. G. & M. E. ANDERSON. 1997. Catalog of type specimens of recent fishes in the National Museum of Natural History, Smithsonian Institution, 8: Suborder Zoarcoidei (Anarhichadidae, Bathymasteridae, Pholidae, Ptilichthyidae, Scytaliniidae, Stichaeidae, Zoarcidae). Smithson. Contrib. Zool. No. 589: i-iii + 1-27.
- SPRINGER, V. G. & T. M. ORRELL. 1996. Catalog of type specimens of Recent fishes in the National Museum of Natural History, Smithsonian Institution, 7: Chaenopsidae, Clinidae, Dactyloscopidae, Labrisomidae, and Tripterygiidae. Smithson. Contrib. Zool. No. 576, p. i-iii + 1-38.
- SQUIRE, J. L. 1974. Migration patterns of Istiophoridae in the Pacific Ocean as determined by cooperative tagging programs. N. O. A. A., Tech. Rep., N. M. F. S., 675: 226-237.
- STAM W.T, J. BEINTEMA, R. D'AVINO, M. TAMBURRINI & G. DI PRISCO. 1997. Molecular evolution of hemoglobins of Antarctic fishes (Notothenioidei). J. Mol. Evol., 45(4): 437-45.
- STARNES, W. C. 1988. Revision, phylogeny and biogeographic comments in the circumtropical marine percoid fish family Priacanthidae. Bull. Mar. Sci., 43(2): 117-203.
- STEIN, D. L., R. MELÉNDEZ & I. KONG. 1991. A review of Chilean snailfishes (Liparidae, Scorpaeniformes) with descriptions of a new genus and three new species. Copeia, 1991: 358-373.
- STEINDACHNER, F. 1867. Über einige Fische aus dem Fitzroy-Flusse Bei, Rockhampton in Ost-Australien. Sitz. Ber. Kaiserl. Akad. Wiss., Wien, 55(1): 9-16.
- STEIN, D. L. & L. S. TOMPKINS. 1989. New species and new records of rare *Antarctic Paraliparis* fishes (Scorpaeniformes: Liparidae). Ichthyol. Bull. J. L. B. Smith Inst. Ichthyol., 53: 1-8.
- STEIN, D. L., R. MELÉNDEZ & I. KONG. 1997. A review of Chilean snailfishes (Liparidae, Scorpaeniformes) with descriptions of a new genus and three new species. Copeia, 1991(2): 358-373.

- STEINDACHNER, F. 1866. New fishes from South America. Ann. Mag. Nat. Hist., (Ser. 3) 17(101): 311-312.
- STEINDACHNER, F. 1875. Ichthyologische Beiträge (II). I. Die Fische von Juan Fernández in den Sammlungen des Wiener Museums. II. Über einige neue Fischarten von der Ost und West-Küste Süd Amerikas. Sitzungsber. Akad. Wiss. Wien., 71(1): 443-480.
- STEINDACHNER, F. 1876. Ichthyologische Beiträge III, Sitz. Ber. Kaiserl. Akad. Wiss., Wien, 72(1): 29-96.
- STEINDACHNER, F. 1896. Ueber zwei neue *Chirostoma*-Arten aus Chile. Ann. Naturh. Hofmus. Wien v. 11: 231-232.
- STEINDACHNER, F. 1898. Die fische der Sammlung Plate. Fauna chilensis, L. Plate, 1: 281-338, 15-21 lams.
- STEINDACHNER, F. 1902. Herpetologische und Ichthyologische ergebnisse einer reise nach Südamerika, Deuksch. Mathe. Naturw, Kais, Akad. Wissench., 72: 89-148, pls. 1-6.
- STEINDACHNER, F. 1905. Die fische der Sammlung Plate. Fauna chilensis, L. Plate. 3: 201-214.
- STEINITZ, H. 1950. On the zoogeography of the teleostean genera *Salarias*, *Ophioblennius* and *Labrisomus*. Arch. Zool. Napoli., 35: 325-348.
- STEHMANN, M. & A. V. BALUSHKIN. 1993. Results of the research cruises of FRV "Walther Herwig) to South America. LXXI, first record of the Antarctic fish *Lindberghichthys nudifrons* (Lönnberg 1905) from the beagle Canal, Tierra del Fuego (Pisces, Peciformes, Nototheniidae). Arch. Fische-reiwiss., 41: 203-210.
- STEHMANN, V.M. & W. LENZ. 1973. Ergebnisse der Forschungsreisen des FFS "Walter Herwig" nach Sudamerika. XXVI, Systematik und Verbreitung der Arten-gruppe-*Seriotelella punctata* (Schneider 1801), *S. po-rosa* Guichenot 1848, *S. dobula* (Günther 1869)-Socueie taxonomische bremerkungen zu *Hyperoglyphe* Günther 1859 und *Schedophilus* Cocco 1839 (Osteichthyes, Stroma-teoidei, Centrolophidae). Arch. Fische-reiwiss., 23: 179-201.
- STEHMANN, M. & A. V. BALUSHKIN. 1993. Results of the research cruises of FRV "Walther Herwig) to South America. LXXI, first record of the Antarctic fish *Lindberghichthys nudifrons* (Lönnberg 1905) from the beagle Canal, Tierra del Fuego (Pisces, Peciformes, Nototheniidae). Arch. Fische-reiwiss., 41: 203-210.
- STEIN, D. L. & L. S. TOMPKINS. 1989. New species and new records of rare Antarctic *Paraliparis* fishes (Scorpaeniformes: Liparididae). Ichthyol. Bull. J. L. B. Smith Inst. Ichthyol., 53: 1-8.
- STEINITZ, H. 1950. On the zoogeography of the Teleostean genera *Salarias*, *Ophioblennius* and *Labrisomus*. Estr. Arch. Zool. Italiano, 35: 325-348.
- STEPHENS, J. S. & V. G. SPRINGER. 1974. Clinid fishes of Chile and Perú, with description of a new species, *Myxodes ornatus*, from Chile. Smith. Contr. Zool., 159: 1-24.
- STEPIEN, C. 1990. Population structure, diets and biogeographic relationships of a rocky intertidal fish assemblage in central Chile: high levels of herbivory in a temperate system. Bull. Mar. Sc., 47(3): 598-612.
- STEPIEN, C. 1992. Evolution and biogeography of the Clinidae (Teleostei: Blennioidei). Copeia, 1992(2): 375-392.
- STEPIEN, C., A. K. DILLON, M. J. BROOKS, K. L. CHASE & A. N. HUBERS. 1997. The evolution of Blennioidei fishes based on an analysis of mitochondrial 12 rDNA. Pp. 245-270. En: T. D. Kocher & C. A. Stepien (eds.) Molecular Systematics of fishes. Academic Press, San Diego, USA. 314. pags.
- STEPIEN, C., M. DIXON & D. HILLIS. 1993. Evolutionary relationships of the Blennioid

- fish families Clinidae, Labrisomidae and Chaenopsidae: congruence between DNA sequence and allozyme data. *Bull. Mar. Sc.*, 52(1): 496-515.
- STEPIEN, C. A. & R. H. ROSENBLATT. 1996. Genetic divergence in antitropical pelagic marine fishes (*Trachurus*, *Merluccius*, and *Scomber*) between North and South America. *Copeia*, 1996(3): 586-598.
- STEVENS, E. G., W. WATSON & A. C. MATARESE. 1984. Notothenioidea: development and relationships. In: H. G. Moser *et al.*, (eds.). *Ontogeny and systematics of fishes*. Am. Soc. Ichthyol. Herpetol. Spec. Publ., 1: 561-564.
- STIASSNY, M. L. & J. S. JENSEN. 1987. Labroid interrelationships revisited: Morphological complexity, key innovations, and the study of comparative diversity. *Bull. Mus. Comp. Zool.*, 151(5): 269-319.
- STORER, D. H. 1857. Description of a new species of *Zeus*. *Proc. Boston Soc. Nat. Hist.*, 6(1856-1859): 385-386.
- STREELMAN, J. T., M. ALFARO, M. W. WESTNEAT, D. R. BELLWOOD & S. A. KARL. 2002. Evolutionary history of the parrotfishes: biogeography, ecomorphology, and comparative diversity. *Ecology*, 56(5): 961-971.
- SULAK, K. 1977. *Aldrovandia oleosa*, a new species of the Halosauridae, with observations on several other species of the Family. *Copeia*, 1977(1): 11-20.
- SULAK, K. 1977. The systematics and biology of *Bathypterois* (Pisces, Chlorophthalmidae) with a revised classification of benthic Myctophiform fishes. *Galathea Rep.*, 14: 49-108.
- SULAK, K. 1986. Notacanthidae. En: M. Smith and P. Heemstra (eds.). *Smiths' Sea Fishes*, 195-196.
- SUNEETHA, K. B., G. DAHLE & G. NAEVDAL. 2000. Analysis of mitochondrial DNA sequences from two *Maurollicus* taxa: evidence for separate species?. *J. Fish. Biol.*, 57(6): 1605-1609.
- SUNTSOV, A. V. & S. A. EVSEENKO. 1999. Early life history stages of *Paradiplospina antarcticus* Andriashev, 1960 (Gempylidae) from subantarctic waters of the Pacific Ocean. *J. Ichthyol.*, 39(6): 449-456.
- SUPINS, F. 1901. Research on the cranium of teleosts. I *Scopelus*, *Chauliodus*, *Argyropelecus*. *Ricerche Lab. Anat. Norm. Roma*, 8(3): 249-273.
- SVETLOV, M. F. 1978. A record of *Xenocyttus nemotoi* Abe In the Southeast Pacific. *Vop. Ikhtiol.*, 18(3): 544-545.
- SVETOVIDOV, A. N. 1948. Treskoobraznye (Gadiformes). *Akad. Nauk. S.S.S.R. Zool. Inst. fauna SSS.R., Ryby (Novaya Ser. 34)*, 9(4): 221 pp. (Transl. 1962, avail. Clearinghouse Fed. Sci. Tech. Inform. Springfield, Va., OTS 63-11071, 304 pp.)
- SVETOVIDOV, A. N. 1952. Clupeidae. En: E.N. Pavlovskii and A.A. Shtakel' Berg (eds.). *Fauna of the U.S.S.R., Fishes 2 (1)*: 1-428 *Zool. Inst., Akad. Nauk U.S.S.R. Translated of the Nat. Sci. Found., and Smith. Inst., Washington D.C., 1963.*
- SVETOVIDOV, A.N. 1973. Merlucciidae. En: J.-C. Hureau y Th. Monod, eds. *CLOFNAM Unesco, Paris (vol., I)*: 300-302.
- SWIFT, C. C. 1986. First record of the spotted scorpionfish, *Scorpaena plumeri*, from California: a curtain falls on "a comedy of errors". *Calif. Fish Game*, 72(3): 176-178.
- TANG, K. L. 2001. Phylogenetic relationships among damselfishes (Teleostei: Perciformes) as determined by mitochondrial DNA data. *Copeia*, 2001 (3): 591-601.
- TÄNING, A. V. 1932. Notes on scopelids from Dana Expeditions. I, *Vidensk Meddlinghar Danske Naturhistorische Forensia*, 94: 125-146.

- TARANETS, A. Y. 1941. Klassifikatsii i proiskhozhdeniye bychkov semeystva Cottidae. Izvestiya Akademii Nauk U.S.S.R. 3: 427-447 (1959). On the classification and origin of the family Cottidae, translated by N.J. Wilimovsky and J. Lanz, Institute of Fisheries, Univ. British Columbia, Mus. Contr. NQ 5, Vancouver).
- TAVERNE, L. 1988. On the synonymy of the priacanthid genera *Pristigenys* Agassiz, 1835 and *Pseudopriacanthus* Bleeker 1869 (Teleostei, Percoidae). *Cybiurn*, 12(2): 171-172.
- TEMPLEMAN, W. 1968. A review of the Morid fish genus *Halargyreus* with first record from the Western North Atlantic. *J. Fish. Res. Bd. Canada*, 25(5): 877-901.
- THOMPSON, W. F. 1916. Fishes collected by the U.S. Bureau of Fisheries Steamer "Albatross" during 1888 between Montevideo, Uruguay and Tomé, Chile, on the voyage through the Strait of Magellan. *Proc. U.S. Nat. Mus.*, 50: 401-476, 2-6 pls.
- TORRES, A. 1986. *Trachurus murphy* migrations of Northern Chile. *Invest. Pesq., Santiago*, 33: 99-103.
- TORRES, G. J., A. LOMBARTE & B. MORALES-NIN. 2000. Sagittal otolith size and shape variability to identify geographical intraspecific differences in three species of the genus *Merluccius*. *J. Mar. Biol. Assoc. U.K.*, 80(2): 333-342.
- TORTONESE, E. 1939. Risultati ittologici del viaggio di circumnavigazioni del globo della R.N. "Magenta" (1865-68). *Boll. Mus. Zool. Anat. Compa. R. Univ. Torino*, 47(100): 1-245 + 9 laminas.
- TORTONESE, E. 1941-1942. Studio di una collezione di pesci proveniente da Valparaíso (Chile). *Boll. Mus. Zool. Anat. Com. Torino. Ser. 4*, 49: 227-252.
- TORTONESE, E. 1951. Materiali per lo studio sistematico e zoogeografico dei pesci delle coste occidentali del Sud America. *Rev. Chil. Hist. Nat.*, 51-53(1947-1949): 83-118.
- TORTONESE, E. 1952. On two species of Pomasyidae (Pisces, Perciformes), from the western coast of South America. *An. Mag. Nat. Hist. Ser. 12*, 5: 411-412.
- TREWAVAS, E. 1964. The sciaenid fishes with a single mental barbel. *Copeia*, 1964: 107-117.
- TRUNOV, I. A. 1976. New species and new records of the families Serranidae, Emmelichthyidae and Ariommidae in the off-shore tropical Atlantic. *Vop. Ikhtiolog.*, 16(2): 263-273.
- TRUNOV, I. A. 1983. A description of some species of the genus *Coelorrhinus* Giorna (Macrouridae) from the southeastern Atlantic Ocean. *Vop. Ikhtiolog.*, 23(6): 894-904.
- TRUNOV, I. A. 1984. Characteristics of some species of the genus *Coelorrhinus* Giorna (Osteichthyes, Macrouridae) from the southeast Atlantic. Report 2. *Vop. Ikhtiolog.*, 24(3): 355-367.
- TRUNOV, I. A. 1999. New data on species of fish from subantarctic and Antarctic waters of the Atlantic Ocean. *J. Ichthyol.*, 39(7): 488-497.
- TRUNOV, I. A. 2001. New data on the fishes of the families Merlucciidae and Macrouridae from the southeastern Atlantic Ocean. *Vop. Ikhtiolog.*, 41(1): 23-29.
- TRUNOV, I. A. & V. KONSTANTINOV. 1986. *Macrourus carinatus* (Günther 1878) and *N. holotrachys* Günther (Macrouridae) as separate species. *Proc. Zool. Inst., U.S.S.R. Acad. Sci.*, 153: 125-134.
- TSCHUDI, J. J. VON. 1844. Untersuchungen über die Fauna Peruana. St. Gallen 693 pp. (Ichthyologie, 1-35, pls. 1-6).
- TSCHUDI, J. J. VON. 1845. Ichthyologie bearbeitet 35 pp. + 6 pl.

- TUCKER, D. W. 1953. The fishes of the genus *Benthodesmus* (Family Trichiuridae). Proc. Zool. Soc. Lond., 123: 171-197.
- TUCKER, D. W. 1956. Studies on the trichiuroid fishes. 3. A preliminary revision of the family Trichiuridae. Bull. Brit. Mus. Nat. Hist., Zool., 4(3): 73-130.
- TYLER, J. C. 1980. Osteology, phylogeny, and higher classification of the fishes of the Order Plectognathi (Tetraodontiformes). N. O. A. A., Tech. Rep. N. M. F. S., Circ. 434: 1-422.
- TYLER, J. C., G. D. JOHNSON, I. NAKAMURA & B. B. COLLETTE. 1989. Morphology of *Luvarus imperialis* (Luvaridae), with a phylogenetic analysis of the Acanthuroidei (Pisces). Smith. Contr. Zool., 485:i-vi + 1-78.
- TYLER, J., B. O'TOOLE & R. WINTERBOTTOM. 2003. Phylogeny of the genera and families of zeiform fishes, with comments on their relationships with Tetradontiformes and Caproids. Smith. Contr. Zool., 618: 1-110.
- UCHIDA, R. N. 1980. Sinopsis de datos biológicos sobre *Auxis thazard* y *A. rochei*. Rev. Com. Perm. Pacíf. Sur, 11(3-4): 355-408.
- UEYANAGI, S. 1966. Biology of tunas and billfishes (en Japonés, resumen en inglés) p. 739-751. En: Symposium on Tuna Fisheries. Bull. Jap. Soc. Sci. Fish., 32(9).
- URIBE, F. & F. BALBONTÍN. 2005. First description of larvae of *Bathylagichthys parini* (Pisces, Bathylagidae) from the southeastern Pacific. Bull. Mar. Sci., 77(2): 201-207.
- UWATE, K. R. 1979. Revision of the anglerfish Diceratiidae with descriptions of two species. Copeia, 1979(1): 129-144, 21 figs.
- UYENO, T. & Y. SATO. 1983. Barbourisidae, pág. 282. En: T. Uyeno, K. Matsuura & E. Fujii (eds.). Fishes Trawled off suriname and French Guiana Jap. Mar. Fish. Res. Res. Center, Tokyo, 519 pp.
- VACCHI, M. 1994. Capture of the giant nototheniid fish *Dissostichus mawsoni* in Terra Nova bay (Antarctica): notes on the fishing equipment and the specimens caught. Cybium, 18(2): 199-203.
- VAILLANT, L. L. 1882. Sur un poisson des grandes profondeurs de l'Atlantique, l'*Eurypharynx pelecánoides*. C. R. Hebd. Seances Acad. Sci., 95: 1226-1228.
- VAILLANT, L. 1888. Poissons. En: Expéditions Scientifiques de "Travailleur" et du "Talisman" pendant les années 1880-83, Maisson, Paris, 1: 1-406.
- VAILLANT, L. 1888. Poissons. Mission Scient. Cap. Horn. Zool., 6:1-35.
- VALENCIENNES, A. 1839. Poissons. En: Eydoux and Souleyet, Voyage autour du monde exécuté pendant des années 1836 et 1837 sur la corvette "La Bonita". 1: 157-215.
- VARGAS, L. & G. PEQUEÑO. 2001. Hallazgo del bilagai (*Cheilodactylus variegatus* Valenciennes, 1833) en la bahía Metri, Chile (Osteichthyes: Cheilodactylidae). Inv. Mar., Valparaíso, 29(2): 35-37.
- VARGAS F., W. SIELFELD & P. AMADO. 1998. Nuevos antecedentes sobre peces Labridae (Osteichthyes, Perciformes) de Chile continental. Bol. Soc. Biol., Concepción, 69: 191-202.
- VASIL'EVA E. D. 1997. Size variability and sexual dimorphism of the Teleostean skull: determining factors and principal patterns. J. Ichthyol., 3: 293-306.
- VEGAS, E. & G. PEQUEÑO. 1993. Contribución al conocimiento biológico de *Normanichthys crockeri* Clark, 1937 (Osteichthyes, Scorpaeniformes). Rev. Biol. Mar., Valparaíso, 28(1): 1-36.
- VERA, R. & G. PEQUEÑO. 2001. Comparación de caracteres merísticos y morfométricos

- cos entre peces del género *Sicyases* del Archipiélago de Juan Fernández, Valparaíso y Valdivia (Osteichthyes: Gobiesocidae). *Inv. Mar.*, Valparaíso, 29(2): 3-14.
- VERA, R. & G. PEQUEÑO. 2002. Hallazgo de *Hirundichthys rondeletii* (Valenciennes, 1847) en Ancud, Chiloé, con datos sobre "peces voladores" en Colecciones de Chile (Osteichthyes: Exocoetidae). *Inv. Mar.*, Valparaíso, 30(2): 61-67.
- VERGARA, R. 1978. Merlucciidae. En: W. Fischer, ed. FAO species identification sheets for fishery purposes. Western Central Atlantic (fishing area 31). Roma, FAO vol. III: pag. var.
- VERNAU, O., C. MOREAU, F. M. CATZEFELIS & F. RENAUD. 1994. Phylogeny of flatfishes (Pleuronectiformes): comparisons and contradictions of molecular and morpho-anatomical data. *J. Fish. Biol.*, 45: 685-696.
- VICTOR, B. C., G. M. WELLINGTON & C. CALDOW. 2001. A review of the razorfishes (Perciformes: Labridae) of the eastern Pacific Ocean. *Rev. Biol. Trop.* 49 (Suppl. 1): 101-110.
- VILA, I. & D. SOTO. 1981. Atherinidae (Pisces) of Rapel reservoir, Chile. *Verh. Internat. Verein. Limnol.*, Stuttgart 21(3): 1334-1338.
- VILLALÓN, G. 1976. *Gasterochisma melampus* en el norte de Chile (Perciformes, Scombroidei, Gasterochismidae). *Not. Mens. Mus. Nac. Hist. Nat.*, Chile, 21(243-244): 4-6.
- VLADYKOV, V.D. 1934. Environmental and taxonomic characters of fishes. *Trans. Roy. Canadian Inst.*, 20: 99-140.
- VLADYKOV, V. D. & C. G. GRUCHY. 1972. Comments on the nomenclature of some subgenera of Salmonidae. *J. Fish. Res. Board Can.*, 29(11): 1631-1632.
- VOGT, K. D. & N. V. CHERNOVA. 2002. Meristic characters of the fishes from the genus *Liparis* (Scorpaeniformes, Liparidae). *Vop. Ikhtiol.*, 42(2): 189-198 (En ruso)
- VORONINA, E. P. 2005. Characteristics of the seismosensory system morphology in some Pleuronectidae. *J. Ichthyol.* 45(2): 146.
- VORONINA, E. P. & A. V. BALUSHKIN. 1997. Morphological features of the digestive tract in four genera of Nototheniid fishes (Nototheniidae). *J. Ichthyol.*, 38(9): 781-788.
- VOSKOBOINIKOVA, O. S. 1936. Evolution of the visceral skeleton and phylogeny of the Nototheniidae. *Proc. Zool. Inst., U.S.S.R. Acad. Sci., Leningrad*, 153: 46-66.
- VOSKOBOINIKOVA, O. S. 1982. Reduction of the pterygoid bones of the visceral skeleton during evolution of the Suborder Notothenioidei (Perciformes). *J. Ichthyol.*, 22(5): 105-111.
- VOSKOBOINIKOVA, O. S. 1997. Osteological development of the Channichthyidae (Teleostei: Notothenioidei). *Cybium*, 21(4): 369-379.
- VOSKOBOINIKOVA, O. S. 1998. Development of the bony skeleton in the ontogenesis of *Harpagifer antarcticus* (Harpagiferidae, Notothenioidei). *J. Ichthyol.*, 38(7): 501-510.
- VOSKOBOINIKOVA, O. S. 2001. Evolutionary significance of heterochronies in the development of the bony skeleton in fishes of the Suborder Notothenioidei (Perciformes). *J. Ichthyol.*, 41(6): 415-424.
- VOSKOBOINIKOVA, O. S. 2002. The ontogenetic development of the bony skeleton in *Lindbergichthys mizops* (Nototheniidae, Perciformes). *J. Ichthyol.*, 42(1): 88-95.
- VOSKOBOINIKOVA, O. S. 2004. Ontogenetic Bases of the Origin and of Relationships of the Fishes from the Suborder Notothenioidei (Perciformes). *J. Ichthyol.*, 44 (6): 418.

- VOSKOBOINIKOVA, O. S. & A. KELLERMANN. 1997. The osteological development of nine species of Nototheniidae (Perciformes: Notothenioidei). *Cybium*, 21(3): 231-264.*
- VOSKOBOINIKOVA, O. S., O. YU. TERESHCHUK & A. KELLERMANN. 1994. Osteological development of the Antarctic silverside *Pleurogramma antarcticum* (Nototheniidae). *Cybium*, 18(3): 251-271.
- WALKER, H. J. JR. & W. A. BUSSING. 1996. Two new pufferfishes of the genus *Sphoeroides* from the Eastern Pacific. *Copeia*, 1996(3): 677-684.
- WALKER, H. J. JR. & K. W. RADFORD. 1992. Eastern Pacific species of the genus *Umbrina* (Pisces: Sciaenidae) with a description of a new species. *Fish. Bull.*, 90: 574-587.
- WALTERS, V. & J. E. FITCH. 1960. The families and genera of the Lampridiform (Allotriognath) Suborder Trachipteroidei. *Calif. Fish Game*, 46(4): 441-451.
- WASHINGTON, B. B., W. N. ESCHMEYER & K. M. HOWE. 1984. Scorpaeniformes: Relationships. En: H. G. Moser *et al.* (eds.). *Ontogeny and Systematics of Fishes*. Am. Soc. Ichthyol. Herpetol., Spec. Publ., 1: 438-447.
- WEBB, J. F. 1990. Comparative morphology and evolution of the lateral line system in the Labridae (Perciformes: Labroidei). *Copeia*, 1990(1): 137-146.
- WEED, A. C. 1933. Notes on fishes of the family Hemirhamphidae. *Publ. Field Mus. Nat. Hist., Zool. Ser.*, 22: 41-66.
- WEITZMAN, S. H. 1967. The origin of the stomiatoid fishes with comments on the classification of the salmoniform fishes. *Copeia*, 1967(3): 507-540.
- WEITZMAN, S. H. 1967. The osteology and relationships of the Astronesthidae, a family of oceanic fishes. *Dana Rep.*, 71: 1-54.
- WEITZMANN, S. H. 1974. Osteology and evolutionary relationships of the Sternopychidae, with a new classification of the Stomiatoide families. *Bull. Am. Mus. Nat. Hist.*, 153(3): 329-478.
- WHITE, B. N. 1985. Evolutionary relationships of Atherinopsinae (Pisces: Atherinidae). *Contrib. Sci.*, 368: 1-20.
- WHEELER, A. 1992. The unpublished plates for Gunther's Catalogue of Fishes... (1859-1870). *Arch. Nat. Hist.*, 19(1): 113-115.
- WHITE, B. N. 1986. The isthmian link, antitropicality and American biogeography: distributional history of the Atherinopsinae (Pisces: Atherinidae). *Syst. Zool.*, 35: 176-194.
- WHITEHEAD, P. J. P. 1986. The synonymy of *Albula vulpes* (Linnaeus, 1758) (Teleostei, Albulidae). *Cybium*, 10(3): 211-230.
- WHITE, B. N., R. J. LAVENBERG & G. E. MCGOWEN. 1984. Atheriniformes: development and relationships. En: H. G. Moser, W. J. Richards, D. M. Cohen, M. P. Fahay, A. W. Kendall Jr. and S. L. Richardson (eds.). *Ontogeny and phylogeny*. Am. Soc. Ichthyol. Herp. Spec. Publ., 1: 355-362.
- WHITEHEAD, P. J. P. 1963. A contribution to the classification of clupeoid fishes. *Ann. Mag. Nat. Hist., Ser. 13*, 15: 737-750.
- WHITEHEAD, P. J. P. 1963. The clupeoid fishes described by Lacepède, Cuvier and Valenciennes. *Bull. Br. Mus. Nat. Hist. (Zool.)*, suppl.2:1-180.
- WHITEHEAD, P. J. P. 1964. New data extending the range of the bipolar antitropical anchovy genus *Engraulis*. *Zool. Zh.*, 43: 879-888.
- WHITEHEAD, P. J. P. 1965. A new genus and subgenus of *Clupea*, *Sprattus* and *Clupeonella*. *Ann. Mag. Nat. Hist., Ser. 13*, 7: 321-330.

- WHITETHEAD, P. J. P. 1968. A new genus for the South American clupeid fish. *Lile platana* Regan. *J. Nat. Hist.*, 2(4):477-86.
- WHITEHEAD, P. J. P. 1970. The clupeoid fishes described by Steindachner. *Bull. Br. Mus. (Nat. Hist.) Zool.*, 20(1): 1-46.
- WHITETHEAD, P. J. P. 1973. The Clupeoid fishes of the Guianas. *Bull. British Mus. (Nat. Hist.) Zool.*, 5: 187-219.
- WHITEHEAD, P. J. P. 1985. *FAO Species catalogue, Vol. 7, Clupeoid Fishes of the World. An illustrated and annotated catalogue of herrings, sardines, pilchards, sprats, anchovies and wolfherrings. Part I, Chirocentridae, Clupeidae and Pristigasteridae.* *FAO Fish. Syn.*, 125, 7(1): 1-303.
- WHITEHEAD, P. J. P., G. J. NELSON & T. WONGRATANA. 1988. *FAO Species catalogue, Vol. 7, Clupeoid Fishes of the World. An illustrated and annotated catalogue of herrings, sardines, pilchards, sprats, anchovies and wolfherrings. Part II, Engraulidae.* *FAO Fish. Syn.*, 125, 7(2): 305-579.
- WHITEHEAD, P. J. P. & M. L. BAUCHOT. 1985. *Catalogue critique des types de Poissons du Museum national d'Histoire naturelle. (Suite). Ordre des Clupeiformes (Familles des Clupeidae, Engraulidae et Denticipitidae).* *Bull. Mus. Natl. Hist. Nat. Sect. A Zool. Biol. Ecol. Anim.*, 7 (4, Suppl.): 1-77.
- WHITLEY, G. P. 1968. A checklist of the fishes recorded from the New Zealand Region. *Austr. Zool.*, 15 (1): 1-102.
- WILHELM, O. & A. HULOT. 1957. Pesca y peces de la Isla de Pascua. *Bol. Soc. Biol. Concepción*, 32: 139-152 + 3 figs.
- WILEY, E. O., JOHNSON, G. D. & W. W. DIMMICK. 1998. The phylogenetic relationships of lampridiform fishes (Teleostei: Acanthomorpha), based on a total-evidence analysis of morphological and molecular date. *Mol. Phylogen. Evol.*, 10(3): 417-425.
- WILSON, R. R., JR. 1994. Interrelationships of the subgenera of *Coryphaenoides* (Gadiiformes: Macrouridae): Comparison of protein electrophoresis and peptide mapping. *Copeia*, 1994(1): 42-50.
- WILEY, E. O., G. D. JOHNSON & W. W. DIMMICK. 1998. The phylogenetic relationships of lampridiform fishes (Teleostei: Acanthomorpha), based on a total-evidence analysis of morphological and molecular date. *Mol. Phylogen. Evol.*, 10(3): 417-425.
- WILLIAMS, J. T. 1983. Synopsis of the pearlfish subfamily Pyramodontidae (Pisces: Carapidae). *Bull. Mar. Sci.*, 33 (4): 846-854.
- WILLIAMS, J. T. 1988. Revision and phylogenetic relationships of the blennioid fish genus *Cirripectes*. *Indo Pacific Fishes*, 17: 1-78.
- WILLIAMS, J. T. 1990. Phylogenetic relationships and revision of the blennioid fish Genus *Scartichthys*. *Smith. Contr. Zool.*, 492: 1-30.
- WILLIAMS, R. R. 1996. Jaw muscles and suspensoria in the Aplochitonidae (Teleostei: Salmoniformes) and their possible phylogenetic significance. *Mar. Freshwat. Res.*, 47(7): 913-917.
- WILLIAMS, J. T. & V. G. SPRINGER. 2001. Review of the South American Antarctic Triplefin fish genus *Helcogrammoides* (Perciformes: Tripterygiidae). *Rev. Biol. Trop.*, 49(Supl. 1): 117-123.
- WINTERBOTTOM, R. 1974. The familial phylogeny of the Tetraodontiformes (Acanthopterygii: Pisces) as evidenced by their comparative myology. *Smith. Contrib. Zool.*, 155: 1-201.
- WINTERBOTTOM, R. 1974. A descriptive synonymy of the striated muscles of the Teleostei. *Proc. Acad. Nat. Sci. Philadelphia*, 125(12): 225-317.
- WINTERBOTTOM, R. & J. C. TYLER. 1983. Phylogenetic relationships of arcanin ge-

- nera of boxfishes (Ostraciidae: Tetraodontiformes). *Copeia*, 1983(4): 902-917.
- WISNER, R. L. 1963. A new genus and species of myctophid fish from the south-Central Pacific Ocean, with notes on related genera and the designation of a new tribe, Electronini. *Copeia*, 1963(1): 24-28.
- WISNER, R. L. 1963. *Lampanyctus hubbsi*, a new myctophid fish from the East Central Tropical Pacific Ocean, with notes on the related, sympatric Eastern Pacific species, *L. omostigma* and *L. parvicauda*. *Copeia*, 1963(1): 16-23.
- WISNER, R. L. 1971. Eight new species of myctophid fishes from the eastern Pacific Ocean. *Copeia*, 1971(1): 39-54.
- WISNER, R. L. 1971. Descriptions of eight new species of myctophid fishes from the Eastern Pacific Ocean. *Copeia*, 1971(1): 39-54.
- WISNER, R. L. 1976. The taxonomy and distribution of lanternfishes (Family Myctophidae) of the eastern Pacific Ocean. Navy Ocean Research and Development Activity, Mississippi, NORDA Report-3, 229 pp., Bay St. Louis.
- WONGRATANA, T. 1987. Two new species of anchovies of the genus *Stolephorus* (Engraulidae), with a key to species of *Engraulis*, *Encrasicholina*, and *Stolephorus*. *Am. Mus. Novit.*, 2876: 1-8.
- WOOD, W. W. 1825. Descriptions of four new species of the Linnaean genus *Blennius*, and a new *Exocoetus*. *J. Acad. Nat. Sci. Philadelphia*, 4(pt 2): 278-284.
- WOODS, L. P. & P. M. SONODA. 1973. Order Berycomorphi (Beryciformes). Fishes of the Western North Atlantic. *Mem. Sears Found. Mar. Res.*, 1(6): 263-396.
- WORNER, F. G. & R. JAMES. 1981. Early life history stages of the Antarctic fish *Notothenia gibberifrons* Lönnberg 1905. *Rapp. Proc.-Verb. Reunions Cons. Int. pour l'Expl. Mer.*, 178: 196.
- YABE, H. 1955. Studies of the fish larvae in the western Pacific Ocean. I. The post-larvae of *Katsuwonus pelamis*. *Bull. Jap. Soc. Sci. Fish.*, 20(12).
- YABE, M. 1985. Comparative osteology and myology of the superfamily Cottoidae (Pisces: Scorpaeniformes), and its phylogenetic classification. *Mem. Fac. Fish. Hokkaido Univ.*, 32(1): 1-130.
- YABE, M. & T. UYENO. 1996. Anatomical description for *Normanichthys crockeri* (Scorpaeniformes, *incertae sedis*: Family Normanichthyidae). *Bull. Mar. Sci.*, 58(2): 494-510.
- YAMAGUCHI M., M. MIYA, M. OKIYAMA & M. NISHIDA. 2000. Molecular phylogeny and larval morphological diversity of the lanternfish genus *Hygophum* (Teleostei: Myctophidae). *Mol. Phylogenet. Evol.*, 15(1): 103-114.
- YAÑEZ, A. L. 1975. Zoogeografía de la fauna ictiológica de la Isla de Pascua (Easter Island). *An. Centro Cienc. Mar y Limnol., México*, 2(1): 29-52.
- YAÑEZ, L. A., R. J. LAVENBERG & J. CHONG LAY-SON. 1972. El género *Gigliolia* en Chile. Nuevo registro y redescrición de *Gigliolia moseleyi* Goode y Bean 1895 (Pisces, Heteromi, Notacanthidae). *Gayana (Zool.)*, 22: 1-22.
- YATSU, A. & I. NAKAMURA. 1989. *Xenobrama microlepis*, a new genus and species of bramid fish, from subantarctic waters of the South Pacific. *Jap. J. Ichthyol.*, 36: 190-195.
- YEFREMENKO, F. N. 1983. Atlas of fish Larvae of the Southern Ocean. *BIOMASS Handbook*, 22: 1-74.
- YEFREMENKO, F. N. 1979. Description of the larvae of six species of the family Chaenichthyidae from the Scotia Sea. *J. Ichthyol.*, 19(3): 65-75.

- YOSHIDA, H. 1980. La biología y recursos de los bonitos, género *Sarda*. Rev. Com. Perm. Pac. Sur, 11(3-4): 313-354.
- YOSHINO, T. & T. KON. 2000. First record of an emmelichthyid fish, *Emmelichthys karnellai*, from the western North Pacific (Pisces: Perciformes: Emmelichthyidae). Biogeography, 2: 63-65.*
- YUKHOV, V. L. 1971. The range of *Dissostichus mawsoni* Norman and some features of its biology. J. Ichthyol., 11(1): 8-18.
- YUKHOV, V. L. 1971. Otolih structure in the Antarctic and Patagonian blennies *Dissostichus mawsoni* (Norm) and *D. eleginoides* (Smitt) (Family Nototheniidae) of the Antarctic Ocean. J. Ichthyol., 11(6): 485-499.
- YUKHOV, V. L. 1972. The range of fish of the genus *Dissostichus* (Family Nototheniidae) in Antarctic waters of the Indian Ocean. J. Ichthyol., 12(2): 346-347.
- ZAMA, A. 1988. Southern distribution of the sixgill shark *Hexanchus griseus* (Bonnaterre, 1788) and the striped mullet *Mugil cephalus Linnaeus*, 1758 in Chile (Pisces). Cienc. Tecnol. Mar, Valparaíso, 12: 137-140.
- ZAMA, A., T. RUEDA & E. CÁRDENAS. 1984. Unusual arrival of chubmackerel *Scomber japonicus* at Puerto Chacabuco, Southern Chile (Pisces, Scombridae). Rev. Biol. Mar., Valparaíso, 20(1): 61-76.
- ZILANOV, V. K. & L. I. SHEPEL. 1975. A contribution to the ecology of black scabbardfish *Aphanopus carbo* Lowe in the North Atlantic. Vop. Ikhtiolog., 15(4): 737-739 (En Ruso).
- ZÚÑIGA, H. N. & E. S. ACUÑA. 1992. Larval development of two sympatric flounders, *Paralichthys adspersus* (Steindachner, 1867) and *Paralichthys microps* (Günther, 1881) from the Bay of Coquimbo, Chile. Fish. Bull., 90(3): 607-620.