



Entramado

ISSN: 1900-3803

ISSN: 2539-0279

Universidad Libre de Cali

Holguín-Zuluaga, Juan Alejandro; Vélez-Álvarez, Consuelo; Betancurth-Loaiza, Diana Paola
Measuring the social determinants of health: an integrative literature review *

Entramado, vol. 18, no. 2, e217, 2022, July-December

Universidad Libre de Cali

DOI: <https://doi.org/10.18041/1900-3803/entramado.2.7868>

Available in: <https://www.redalyc.org/articulo.oa?id=265473137019>

- How to cite
- Complete issue
- More information about this article
- Journal's webpage in redalyc.org

UNEM [redalyc.org](https://www.redalyc.org)

Scientific Information System Redalyc

Network of Scientific Journals from Latin America and the Caribbean, Spain and Portugal

Project academic non-profit, developed under the open access initiative

Measuring the social determinants of health: an integrative literature review *

Juan Alejandro Holguín-Zuluaga

Professor; Universidad de Caldas, Manizales - Colombia.

juan.holguin@ucaldas.edu.co

 <https://orcid.org/0000-0002-9711-3989>

Consuelo Vélez-Álvarez

Professor; Universidad de Caldas, Manizales - Colombia.

consuelo.velez@ucaldas.edu.co

 <https://orcid.org/0000-0001-7274-7304>

Diana Paola Betancurth-Loaiza

Professor; Universidad de Caldas, Manizales - Colombia

diana.betancurth@ucaldas.edu.co.

 <https://orcid.org/0000-0001-7620-2336>

Author for correspondence

ABSTRACT

KEYWORDS

Social determinants of health; social indicators; social justice; health equity; public health; health vulnerability. [DeCS Thesaurus]

Introduction: The Social Determinants of Health are those conditions that directly or indirectly influence the life course, the health of individuals and inequalities. Objective: to analyze the scientific evidence on instruments used to measure the Social Determinants of Health. Method: integrative documentary review of publications on this topic in 27 scientific articles, analyzed in ATLAS.ti software. Results: 2019 was the year with the highest number of studies related to Social Determinants of Health, English the predominant language; the United States is the most prolific country in publications; the most evaluated were the health system (70%), education (63%), economic income and housing (55%). Age, gender and ethnicity were assessed in 41%, socioeconomic stratum was not directly assessed. The measurement has been focused on the structural. Conclusion: according to scientific evidence, there is no homogeneity to include in instruments the fundamental Social Determinants of Health that explain inequalities and inequities and the design of generic instruments is an international need to evaluate the structural and intermediate determinants.

Medición de los determinantes sociales de la salud: revisión documental integrativa

RESUMEN

PALABRAS CLAVE

Determinantes Sociales de la Salud; indicadores sociales; justicia social; equidad en salud; Salud pública; vulnerabilidad en salud. [Tesauro DeCS].

Introducción: los Determinantes Sociales de la Salud son aquellas condiciones que directa o indirectamente influyen en el curso de vida, la salubridad de los individuos y las desigualdades. Objetivo: analizar la evidencia científica sobre instrumentos utilizados para la medición de los Determinantes Sociales de la Salud. Material y método: revisión documental integrativa de publicaciones referentes a este tema en 27 artículos científicos, analizados en software ATLAS.ti. Resultados: el año 2019 fue el de mayor número de estudios relacionados con Determinantes Sociales de la Salud, inglés el idioma predominante; Estados Unidos es el país más prolífico en publicaciones; los mayormente evaluados fueron el sistema de salud (70%), educación (63%), ingresos económicos y vivienda (55%). La edad, género y etnia se evaluaron en un 41%, el estrato socioeconómico no se evaluó directamente. La medición se ha centrado en lo estructural. Conclusión: según la evidencia científica no existe homogeneidad para incluir en instrumentos los Determinantes Sociales de la Salud fundamentales que explican las desigualdades e inequidades y el diseño de instrumentos genéricos es una necesidad internacional para evaluar los determinantes estructurales e intermedios.

Recibido: 01/10/2021 Aceptado: 23/03/2022

Este es un artículo Open Access bajo la licencia BY-NC-SA (<http://creativecommons.org/licenses/by-nc-sa/4.0/>) Published by Universidad Libre - Cali, Colombia.

Cómo citar este artículo: HOLGUÍN-ZULUAGA, Juan Alejandro; VÉLEZ-ÁLVAREZ, Consuelo; BETANCURTH LOAIZA, Diana Paola. Measuring the social determinants of health: an integrative literature review. *En*: Entramado. Julio - Diciembre, 2022. vol. 18, no. 2 e-7868 p. 1-16.

<https://doi.org/10.18041/1900-3803/entramado.2.7868>



Medindo os determinantes sociais da saúde: uma revisão integrativa da literature

RESUMO

PALAVRAS-CHAVE

Determinantes sociais da saúde; indicadores sociais; justiça social; equidade na saúde; saúde pública; vulnerabilidade na saúde. [Thesaurus da DeCS].

Introdução: os Determinantes Sociais da Saúde são as condições que influenciam directa ou indirectamente o curso da vida, a saúde dos indivíduos e as desigualdades. **Objectivo:** analisar as provas científicas sobre os instrumentos utilizados para medir os Determinantes Sociais da Saúde. **Método:** revisão documental integrativa de publicações sobre este tema em 27 artigos científicos, utilizando o software de análise estatística ATLAS.ti. **Resultados:** 2019 foi o ano com o maior número de estudos relacionados com Determinantes Sociais da Saúde, sendo o inglês a língua predominante; os Estados Unidos são o país mais prolífico em publicações. Entre as variáveis mais avaliadas estão o sistema de saúde (70%), educação (63%) e rendimento económico e habitação (55%). A idade, género e etnia foram avaliados em 41%, o estrato socioeconómico não foi directamente avaliado. A medição centra-se nos aspectos estruturais. **Conclusão:** de acordo com provas científicas não existe homogeneidade para incluir nos instrumentos os determinantes sociais da saúde, que são fundamentais para explicar as desigualdades e as desigualdades. Do mesmo modo, a concepção de instrumentos genéricos é uma necessidade internacional de avaliar determinantes estruturais e intermediários.

1. Introduction

The Social Determinants of Health (SDH) are all those conditions (events, characteristics or other definable entities) that directly or indirectly influence the life course, the health of individuals and inequalities and inequities in health ([Lema-Añón, 2020](#)). Moreover, depending on their action and interaction between different levels of organization, they establish the health status of individuals and their population groups ([Lema-Añón, 2020](#)). That is why it can be said, in a broad sense, that they serve to understand the causes of problems and understand them in the context of different political, economic, social and cultural circumstances, which is relevant both in the practice of public health and in the interventions derived in the framework of public policies and possible essential actions from macro and microterritories.

Currently, the persistent and complex reality of social inequities and their determining role in the health status of individuals, families and communities has made the debate on social justice a central issue in the framework of public health. That is why, around this topic, the academic and political world orbit to elucidate the determining factors in the appearance of diseases for population groups, where it becomes clear that the most deficient health conditions are found in the excluded and vulnerable sectors ([Piñones-Rivera, Liberona-Concha and Leiva-Gómez, 2021](#)).

This social approach and its determinant relationship in health conditions, has been addressed by the World Health Organization (WHO, 2018) in different assemblies and communiqués, including the Declaration of Alma-Ata ([PAHO, 1978](#)), the Ottawa Charter ([PAHO, 1986](#)), the Declaration of Adelaide (1988), the Declaration of Sundsvall ([OMS, 1991](#)), the Declaration of Jakarta ([WHO, 1997](#)), the Fifth World Conference on Health Promotion in Mexico ([WHO, 2000](#)) and the Bangkok Charter ([WHO, 2005](#)); and the formation of the [Commission on Social Determinants of Health \(2009\)](#), whose report recommended improving the living conditions of the population worldwide, combating the unequal distribution of power, money and resources, as well as frequent measurement and analysis of this problem, for which purpose the effects of interventions by both public and private entities should also be evaluated.

In order to contribute to the last recommendation of the SHD Commission, it is necessary to have instruments that allow showing plausible results based not only on the diagnosis, but also on the possible population changes originated from the policies, so the objective of this work is to analyze the scientific evidence on the instruments used for the measurement of the Social Determinants of Health. Given the intention of promoting sustainable, healthier, fairer and more inclusive societies as a guiding principle of public health, the need arises to measure, monitor and analyze the Social Determinants of Health ([Mújica and Moreno, 2019](#)), which is why this practice is considered a systemic task that provides real information on the situations, becoming a tool that allows to generate capacity for action to pursue this purpose.

Through an integrative documentary review, we sought to learn about the research conducted, the instruments and means used, among others, and thus have a theoretical basis to define objects of study, develop hypotheses, establish relationships

between studies, categorize variables and identify gaps to contribute to the advancement of this objective, thus, its results become input for professionals from different disciplines and researchers interested in this field of public health.

2. Method

An integrative documentary review was carried out of publications in scientific journals that evidenced the measurement of the SDH, taking the proposal of the Commission on Social Determinants of Health as the basis for the consolidation of the SDH to be included in the instruments.

For the identification and selection of articles, a search of scientific literature was carried out in the specialized databases of the Virtual Health Library (VHL), Pubmed, Scopus, and the Google Scholar search engine. The process used the Boolean operator AND and the keywords “social determinants of health”, “instrument”, “scale”, “evaluation”, “tool”, “measuring”, “monitoring”, “psychometry”, “Determinantes Sociales de la Salud”, “instrumento”, “escala”, “evaluación” y “herramienta”, which were verified in the thesauri DeCS and MeSH (see [Table 1](#)).

Table 1.
Table of search strategies

Database	Search strategy	Results	Downloads
BVS	(tw:(ti:(family)) AND (ti:(scale)) En= Title, summary and subject line	26	10
	Determinants [Título] AND scale [Título]	78	1
	social determinants [Título] AND scale [Título]	4	0
	social determinants [Título] AND measuring [Título]	10	5
	social determinants [Título] AND instrument [Título]	1	0
Pubmed	FAMILY [Título] AND SCALE [Título] AND “2015/03/10” [PDat]: “2020/03/07” [PDat]	162	11
	Inequalities [Título] AND instrument [Título] AND “2015/03/10” [PDat]: “2020/03/07” [PDat]	3	2
	Inequalities [Título] AND measuring [Título]	10	4
	social determinants [Título] AND psychometry [Título]	0	0
	social determinants of health [Título] AND instrument [Título]	0	0
	TITLE (social AND determinants) AND TITLE (scale)	9	0
Scopus	TITLE (“social determinants”) AND TITLE (instrument)	1	0
	TITLE (“social determinants”) AND TITLE (measuring)	10	0
	“Social determinants questionnaire”	19	0
Google Scholar	“scale”, “instrument”, “determinants”, “family”.	1100	13

Source: Own elaboration

Inclusion criteria were established as follows: year of publication between 2010 and 2020 (2 years after the publication of the SSD Commission), English, Spanish or Portuguese language; availability of full text access and publication in journals indexed or approved in the PUBLINDEX bibliographic index (Colombia)¹. Exclusion criteria were defined as gray literature documents and those articles with unvalidated questionnaires, reflection or thematic review on the SDGs.

A total of 1466 articles related to the object of the search were found with the highest number of results in Google Scholar (76%) (see [Figure 1](#)). In a first filter based on reading the title, 1318 were discarded because they were considered irrelevant to the object of the study, leaving a total of 148 manuscripts for the second phase. On the other hand, 14 duplicate articles and 3 articles were excluded because they did not have access to the full text.

The information of the remaining 131 was consolidated in an Excel matrix, in which the following variables were analyzed: title, database, journal, authors, abstract, year of publication, country, language, query link, method, population and relationship with the DSS in terms of their measurement as official surveys, indicators or validated instruments. Similarly, in the last filter, 95 articles were discarded after analysis of the complete abstract and 9 because they were not found in PUBLINDEX 2020. Finally, the review was carried out with 27 manuscripts that met the inclusion criteria.




Figure 1. Flowchart for item selection
Source: Own elaboration

The analysis of the information from the articles was carried out with the ATLAS.Ti version 9 software, licensed by the Library Center of the University of Caldas. For the coding of the data, some preliminary categories were considered that guided the process as they were considered fundamental in the research process: health condition and population to which the research was directed, type of research, methodological process of measurement, instruments and their validation (psychometric tests and statistical measures), source of consultation of the information, indicators.

For the development of the research, the ethical parameters of Resolution 8430 of 1993 ([Ministry of Health, 1993](#)) and the Declaration of Helsinki ([World Medical Association, 2017](#)) were adopted. Ethical endorsement was also obtained from the Faculty of Health Sciences of the University of Caldas (Act 001 of February 17, 2021).

3. Results

The year 2019 saw the highest number of publications (n=8), English the predominant language (n=22) and the USA (n=7) the country with the most publications, followed by Spain (n=4) (see [Table 2](#)).

According to the approach and type of study, quantitative (n=12), qualitative (n=14) and mixed (n=1) perspectives were found. The former analyzed indicators, domains, tests, validations; while the latter focused on tools, content analysis (conceptual) and methodological foundations of DSS measurement. In contrast, research results manuscripts predominated (n=15), followed by systematic, thematic, narrative, narrative bibliographic reviews (n=11) and an evaluative study (n=1) (see [Table 2](#)).

The age groups in which the instruments have been most commonly applied are 18 years and older, followed by the age groups 15 and 24 years, 20 and 64 years, 25 and 64 years, 22 and 70 years, and for general population ([Browne-Yung,](#)

[Freeman, Battersby, Mcevoy, & Baum, 2019](#); [Hong & Mainous, 2020](#); [Knighton, Stephenson, & Savitz, 2018](#); [Prasad et al., 2013](#); [Ribeiro, Mayer, Miranda, & De-Pina, 2017](#); [Suel, Polak, Bennett, & Ezzati, 2019](#); [Suárez-Álvarez, Fernández-Feito, Vallina-Crespo, Aldasoro-Unamuno, & Cofiño, 2018](#)). Regarding health conditions, it was found that the instruments were applied to consultants with no diagnosis (n=3), high burden of cardiovascular comorbidity (n=2), anxiety disorder (n=1), healthy population (n=11) and no specific information (n=10). The settings in which the measurements were taken were clinical (health posts), institutional (educational centers, universities, homes) and community (canteens, neighborhoods).

Seventy percent of the manuscripts were published in journals with a high impact factor in quartiles Q1 and Q2; 26% and 4% were found in Q3 and Q4, respectively, according to the STI Specialized Journal Indexing and Approval System (Publindex-2020).

Table 2.
Characterization of publications

Year	Art (n)	Language	Country	Journal: impact quartiles (PUBLINDEX 2021)	Type of research
2010	1	English-n=1	Brazil-n=1	Rev Saúde Pública-Q2	Quantitative/Research DSS analysis through national survey (Yonekura, Soares-Baldini, Minuci-García, Sivalli-Campos y Trapé, 2010)
2011	1	English-n=1	Spain-n=1	Int J Health Serv-Q2	Quantitative/ Research This cross-sectional study analyzes the impact of unemployment and DSS (Puig-Barrachina, Malmusi, Martínez y Benach, 2011).
2012	1	English-n=1	USA-n=1	BMC Public Health-Q1	Qualitative/ Research Community-based participatory research. Association of DSS with rates of hospitalizations and emergency use (Dulin et al., 2012).
2013	1	English-n=1	Brazil, Canada and Colombia-n=1	Rev Panam Salud Publica-Q3	Qualitative/Evaluative This study analyzed the Urban HEART (health equity in urban settings) experience in four cities in the Americas between 2010 and 2013: Guarulhos (Brazil), Toronto (Canada), and Bogotá and Medellín (Colombia) (Prasad et al., 2013)
2014	3	English-n=2	Irán-n=1	Med J Islam Repub Iran-Q3	Quantitative/ Research Validity of instrument to measure DSS (Nadrian, Nedjat, Taghdisi y Shojaeizadeh, 2014)
			Canada-n=1	International Journal for Equity in Health-Q1	Quantitative/ Research Three-stage approach using national health utility index surveys (Asada, Hurley, Norheim, y Johri, 2014).
		Spanish-n=1	Chile-n=1	Ciencia y Enfermería-Q4	Quantitative/ Research Descriptive and correlational (Vidal-Gutiérrez et al., 2014).
2015	0				
2016	5	English-n=4	Mexico-n=1	International Journal for Equity in Health-A1-Q1	Qualitative/Literature review Systematization of a three-stage methodology for the development of an empirical basis for inequality measurement (Guerra, Borde y Salgado De Snyder, 2016)
			Bangladesh, Brazil, South Africa and Vietnam-n=1		Qualitative/ Research Analysis of 4 case studies related to the 12 domains and 20 main indicators related to DSS (Blas et al., 2016).
		Spanish-n=1	Mexico-n=1	Global Health Action-Q1-n=3	Qualitative/ Research Two case studies to show how public policies address DSS in Mexico (Martínez-Valle, 2016).
			England-n=1		Qualitative/Narrative Review Analysis of key findings on data collection, presentation and analysis in England over the past 5 years, comparing what has been learned from Marmot (Goldblatt, 2016).
		Spanish-n=1	Spain-n=1	Gaceta Sanitaria-B-Q3	Quantitative/ Research This paper discusses the importance of monitoring DSS and health inequalities (Espelt et al., 2016).

Continúa en la siguiente página

Year	Art (n)	Language	Country	Journal: impact quartiles (PUBLINDEX 2021)	Type of research
2017	2	Spanish-n=1	Spain-n=1	Gaceta Sanitaria-B-Q3	Qualitative/ Review Identification of indicators to assess DSS by expert panel (Cabrera-León et al., 2017).
		English-n=1	Portugal-n=1	Acta Médica Portuguesa-Q3	Quantitative/research Describes the methods for constructing an index of ecological deprivation, classifies small areas throughout the country, according to their level of socioeconomic deprivation (Ribeiro, Mayer, Miranda, & De Pina, 2017).
				BMC Public Health-Q1	Quantitative/research Cross-sectional study explored how DSS assessment can be used to complement health strategies (Kusnoor et al., 2018).
2018	4	English-n=3	USA-n=3	Journal of Health Care For The Poor And Underserved-Q2	Quantitative/Systematic Literature Review. Understand current research on the effect of social Deprivation and service delivery (Knighton, Stephenson, & Savitz, 2018).
				Ecology Of Food And Nutrition-Q2	Mixto/investigación Mixed/research The qualitative method from the inductive theoretical (discovery) approach and the quantitative method from the deductive theoretical (testing) approach (Gadhoke, Pemberton, Foudeh, & Brenton, 2018).
		Spanish-n=1	Spain-n=1	Gaceta Sanitaria-Q3	Qualitative/review Design and application of two tools to assess the impact on DSS and equity in health programs and community interventions (Suárez-Álvarez, Fernández-Feito, Vallina-Crespo, AldasoroUnamuno, & Cofiño, 2018)
			Australia-n=1	Public Health Research and Practice-Q2	Qualitative/research It links DSS and anxiety and sleep disorders (Browne-Yung, Freeman, Battersby, Mcevoy, & Baum, 2019)
2019	8		USA-n=2	SSM - Population Health-Q1	Qualitative/Review Assesses the current state of DSS measurement by systematically identifying how many and what types of tools exist, as well as categories and indicators (Elias, Jutte, & Moore, 2019).
				Journal Community Psychol-Q2	Qualitative/Review Secondary analysis that reassesses indicators of community constructs from a database, social structures, and determinants of violence inequities (Armstead, Wilkins, & Nation, 2019).
		English-n=8	Canada-n=1	International Journal for Equity in Health-Q1	Qualitative/Review bibliographic narrative Identifies theoretical and empirical works from medicine, epidemiology, health promotion, and social sciences on DSS (Dover and Belon, 2019)
			Not specified	Rev Panam Salud Pública-Q3	Qualitative/Review Analysis of conceptual and methodological foundations that guide the measurement of social inequalities in health (Mújica and Moreno, 2019).
				J Orthop Sports Phys Ther- Q1	Qualitative/Review DSS analysis and musculoskeletal recovery (Rethorn, Cook, & Reneker, 2019)
			United Kingdom-n=1	Scientific Reports-Q1	Quantitative/research Model based on street imagery and data to measure the spatial distribution of DDS (Suel, Polak, Bennett, & Ezzati, 2019).
			Korea-n=1	PLoS ONE-Q1	Quantitative/research Validity of instrument to measure DSS (Cho et al., 2019)
2020	1	English-n=1	USA-n=1	Annals Of Family Medicine-Q1	Quantitative/research This study was a retrospective, cross-sectional, retrospective effort. DDS and CVD (Cardiovascular Disease) mortality relationship (Hong and Mainous, 2020).

Source: Previous elaboration

4. Instruments

Table 3 (see [Annexed A](#)) shows the 27 instruments identified in 19 articles, while the remaining articles do not explicitly refer to them. It can be seen that only four of them originated in the Latin American continent (14.8%). The country where the largest number of instruments was generated was also the United States (n=8), followed by Canada (n=4), Spain (n=3) and Mexico (n=2). With respect to language, it is possible to observe a low presence of instruments originally written in Spanish (22%), while 74% were in English.

It was found that the social determinant of health most frequently evaluated was the health system (70%), followed by education (63%) and, in third place, economic income and housing (55%). In relation to occupation, 40% of the instruments measured it, as well as public policies, which were included as a SDH in 11% of the instruments.

Determinants such as age, gender and ethnicity were assessed in 41%. Socioeconomic stratum was not directly assessed in any of the instruments in this review. Although the instruments focus on measuring both categories of determinants, the structural determinants are analyzed to a greater extent, estimating a ratio of 2:1 with respect to the intermediate determinants.

Regarding the form of application, 44% of the questions were asked in a mixed form (closed, open, Likert-type and/or dichotomous); 19% were Likert-type; 11% and 7% were closed and dichotomous, respectively, and in five instruments the way of asking questions was not explicit (19%). Of the 27 instruments identified, 20 were available. On the other hand, 21 instruments reported information on their validation process, 85.7% reported validity data. One of the instruments reported substantial adaptations for its use (see [Annexed A](#)).

5. Discussion

Health inequities are also present in so-called first world countries such as the USA and Spain. However, they are much more evident in third world countries, especially in Latin America, Asia and Africa. From the findings of this documentary review, it is evident that in Latin America the measurement of SDH has been limited, which implies that it is necessary to have monitoring and analysis instruments for decision-makers, since this is a fundamental process in the provision of resources and generation of capacities aimed at addressing the specific health problems of the populations. In this sense, [Mejía and Lachaud \(2020\)](#) state that it is necessary to have tools to identify health and social needs.

In the present review, the environments in which the instruments were most frequently applied were community and institutional, especially in the healthy population. On the other hand, they were infrequently applied in that population that had a specific diagnosis, in this regard, [Balhara and Irvin \(2020\)](#) highlight the environment and community participation are a learning that transforms the DSS, serving as a lens to examine biases, which allows a positive impact on the context of the social problems faced by people, along with exposure to realities that are often invisible in clinical settings.

Consequently, the measurement of SDH in various frameworks requires the approach of knowledge about the health conditions of the general population in its historical, social, cultural and political context, as well as the need to expand these conditions with the use of strategies based on the interpretation of data and indicators to develop adequate and appropriate recommendations that favor interventions and contribute to the strengthening of social inclusion and health for all, in accordance with the fundamental right to health regulated in Colombia ([Congress Of Colombia- Law 1438, 2011](#)).

One of the population groups in which less work was found were children, although they have been the subject of extensive action by the State, evidenced in the National Policy on Children and Adolescents 2018-2030 (Colombian Institute of Family Welfare, [ICBF, 2018](#)) and different programs that favor their development and care, such as Maternal and Child Care, FAMI Homes, Community Welfare Homes ([Aranda-Aranda, 2018](#)), Comprehensive Care Program for Colombian Youth, [Profamilia Youth Network \(2021\)](#). In this regard, it is noted that objective data can be obtained on the DSS in this population, which in the future will allow monitoring how the implementation of these concrete actions is related to the results, by making possible work on the DSS that has an impact on their projection under the framework of social justice ([Janus, Reid-Westoby, Raiter, Forer, & Guhn, 2021](#)).

In this regard, [Hommes, Drees, Geffert, Philipsborn and Stratil \(2020\)](#), highlight how “most references on early childhood focus on physiological and pathological development patterns or on the long-term preventive effect of vaccines” (p. 5); denoting little analysis of the social and economic determinants that influence child development, these exclusively biomedical reasons do not comprehensively address the causes that explain their health conditions, so the problems are perpetuated over time with partial solutions.

On the other hand, since 1974, attention has been drawn to the relevance of factors other than the health system as determinants of health status ([Lalonde, 1981](#)), and it was found in this review that some aspects of the health system are the most frequently measured, leaving aside others that are relevant for the performance of HSS evaluations. It should be noted that health not only takes precedence as a biological good/aspect, focused only on the salutogenic well-being of the population, but also as “a social structure and related factors” ([Cho, Lee, Lim and Lee, 2020, p. 9](#)), which constitute mediating factors between the balance between inequalities and contribute to a more comprehensive society.

In this aspect, the importance of complementing information on the health system with information on social aspects is highlighted, as [Downward, Rasciute and Kumar \(2020\)](#) state, when they refer that it is necessary to implement “longitudinal data, fixed effects controls and instrumental variables estimation” (p. 6), to address health as a social determinant, and not only based on social aspects, given that the relationship between both -health and society- allows defining to what extent health investment generates better collective results in the communities.

This review found that education was the second most evaluated determinant in the instruments identified. In this regard, [Broch, Lisboa-Riquinho, Becker-Vieira, Roese-Ramos and Aparecida-Gasparin \(2020\)](#) associate illiteracy with precarious living conditions and poverty, since the lack of opportunities, mainly reflected in insufficient economic income, leads to a disadvantage that affects health conditions. Likewise, education affects the social position of an individual, and this in turn determines the distribution of health and well-being in the population ([Mújica and Moreno, 2019](#)). Under these conditions, education is constituted as a strength of society, by allowing to guide the disposition of power, wealth and resources, whose distribution under conditions of equitable access allows the constitution of more inclusive, equitable and healthy societies.

The results show how individual income is considered within the DSS addressed in the instruments, being a condition that helps define the socioeconomic level and is related to the economic and social factor, while determining aspects such as the neighborhood where the person lives, belonging to a low, medium or high socioeconomic stratum, which is closely related to the characteristics and possibilities of education, access to health, family history, prestige, political power and others ([Agualongo-Quelal and Garcés-Alencastro, 2020](#)). Returning to the above, [Cho, Lee, Lim and Lee \(2020\)](#), state that “income is the representative index and a factor that decides socioeconomic status, and the lower the income level, the more difficult it is to pay attention to health” (p. 9). To this extent, it can be considered that the absence of income is an important cause of social inequality, to which is added the distribution - deficient and scarce - of access to social services and productive resources, which become insufficient employment opportunities, deplorable salaries and concentration of power and wealth towards the most favored ([Arias-Ramírez, Sánchez-Hernández and Rodríguez-Morales, 2020](#)).

Occupation is closely related to income, which is why it is considered a key element for building social capital and enhancing the development of social skills ([Asokan *et al.*, 2020](#)). That is why the association between the type and condition of work with health status has been studied and is part of the report of the WHO Commission on Social Determinants of Health ([Matilla-Santander and Martínez-Sánchez, 2018](#)). Jobs with low wages, unstable, without normative regulation, with precariousness in aspects of job security, are associated with worse health conditions, problems in mental health status, suicidal thoughts and actions, as well as threats on food security ([López-Ejeda, Vargas and Marrodán, 2020](#)). In contrast, in the present review, occupation was not a DSS included in all the instruments used.

From another perspective, the present review did not find allusion to the socioeconomic stratum determinant in a direct way, so it is not associated with variables such as biological, physiological and environmental mechanisms and how these variables affect the life course and is especially relevant in health outcomes ([Davies *et al.*, 2019](#)). Similarly, [Cho *et al.* \(2019\)](#) assert that to overcome persistent inequalities in the health sector, universal health coverage is not enough, but rather policies and programs that improve socioeconomic status as a causal determinant of health are needed. This is demonstrated in that countries such as China have shown public health problems such as multimorbidity, which are more prevalent in elderly men from lower socioeconomic strata ([Zou, Wang, Bhura, Zhang, & Tang, 2020](#)). As a consequence of the above, social class has been used as a resource to classify the population and make health inequalities visible, but

rarely to understand the social processes of causality that help explain health outcomes that are products of complex interactions ([Wami et al., 2020](#)).

It should be noted that living conditions do not depend only on a specific determinant, such as race, but are influenced by a set of determinants such as ethnicity, socioeconomic status, values and culture, becoming factors that show the need to assume the diversity and heterogeneity involved in these variables and their impact on health ([Assari & Caldwell, 2018](#)). Ethnic, racial and gender differences are structuring axes of social inequality and inequity in health in regions such as Asia, Africa and Latin America; shaping structural disparities of well-being, in aspects as important as recognition, autonomy and full enjoyment of rights of women compared to men and of Afro-descendant and indigenous communities in relation to the rest of society. These inequalities are sometimes reinforced in the different stages of the life cycle and interact with geographic asymmetries, making them relevant to issues of social inclusion and equity ([ECLAC, 2021](#)).

The findings show that DSS such as age, gender and ethnicity, which have been considered as a cause of inequities throughout history, have been measured very little in comparison with the other determinants. This is supported by previous studies such as that of [Young et al. \(2020\)](#), in which the lack of reviews on specific data on these topics (race, ethnicity, age), as well as on the implications of socioeconomic status, is evident, since these determinants are considered difficult to measure in a comparable manner between countries. It is therefore not surprising that very little related research is available compared to studies that focus on inequalities associated with wealth, education or employment ([Victoria et al., 2019](#)).

In this regard, several of the declarations of the WHO international conferences on health are reiterative in the urgency of modifying economic and political structures to reduce health inequities and approach the goal of health and well-being for all ([González-Rojo, Álvarez-Dardet and López-Fernández, 2018](#)). Governments, through their political- economic decisions, positively or negatively impact health inequity ([Gómez, González, & Ramírez, 2019](#)), so these aspects should be objectively measured as a baseline to have a clear notion of their effect. The DSS could become a starting point to establish not only variables but also associated factors that have an international and historical application.

6. Conclusion

Measurement should focus on diagnosing, describing, analyzing and proposing responses to problems of individual, family and community impact that can be expressed in public policies. The scientific evidence analyzed made it possible to identify that there is no homogeneity in the different instruments used to evaluate the Social Determinants of Health, which is why some fundamental conditions that would explain inequalities and inequities are not included.

In order to carry out comprehensive analyses and comparisons, it is not possible for this approach to continue to be partial, which leads to the need for the design of generic instruments to measure both the structural and intermediate dimensions and thus become international guidelines for their evaluation. ■■■

Acknowledgments

The authors would like to thank the Master's Program in Public Health of the Universidad de Caldas for their support in the generation of new knowledge.

Conflict of interest

The authors declare that they have no conflicts of interest.

References

1. AGUALONGO-QUELAL, Diana Elizabeth; GARCÉS-ALENCASTRO, Alejandra Christina. El nivel socioeconómico como factor de influencia en temas de salud y educación. En: Revista Vínculos-ESPE. 2020. vol. 5, no. 2, p. 19-27. <https://doi.org/10.24133/vinculospe.v5i2.1639>
2. ARANDA-ARANDA, María Yully. Las construcciones colectivas una: mirada desde la primera infancia. En: Revista Neuronum. 2018. vol. 4, no. 2, p. 60-77. <http://eduneuro.com/revista/index.php/revistaneuronum/article/view/123>
3. ARIAS-RAMÍREZ, Rafael; SÁNCHEZ-HERNÁNDEZ, Leonardo; RODRÍGUEZ-MORALES, Marlen. Pobreza y desigualdad en Costa Rica: una mirada más allá de la distribución de los ingresos. En: Revista Estudios del Desarrollo Social: Cuba y América Latina. 2020. vol. 8, no. 1, p. 1-26. <http://scielo.sld.cu/pdf/reds/v8n1/2308-0132-reds-8-01-16.pdf>

4. ARMSTEAD, Theresa L; WILKINS, Natalie; NATION, Maury. Structural and social determinants of inequities in violence risk: A review of indicators. In: *Journal of Community Psychology*. 2019. vol. 49, no. 4, p. 878– 906. <https://doi.org/10.1002/jcop.22232>
5. ASADA, Yukiko; HURLEY, Jeremiah; NORHEIM, Ole Frithjof; JOHRI, Mira. A three-stage approach to measuring health inequalities and inequities. In: *International Journal of Equity Health*. 2014. vol. 13, no. 1, p. 98–110. <https://doi.org/10.1186/s12939-014-0098-y>
6. ASSARI, Shervin; CALDWELL, Cleopatra Howard. Social Determinants of Perceived Discrimination among Black Youth: Intersection of Ethnicity and Gender. In: *Children (Basel)*. 2018. vol. 5, no. 2, p. 1–11. <https://doi.org/10.3390/children5020024>
7. ASOCIACIÓN MÉDICA MUNDIAL. Declaración de Helsinki de la Asamblea Médica Mundial – principios éticos para las investigaciones médicas en seres humanos. Finlandia; 2017. <https://www.wma.net/es/policies-post/declaracion-de-helsinki-de-la-amm-principios-eticos-para-las-investigaciones-medicas-en-seres-humanos/>
8. ASOKAN, G.V.; ALI-YUSUF, Mohamed Yaqoob; KIRUBAKARAN, Richard; MUQBEL-ALBADWI, Abdulaziz Mohamed; EBRAHIM-SAAD, Ahmed; Hus-sain. MJAHEH, Ahmed; HAMAD-SALEH, Saleh. Levels and Determinants of Health Literacy in Bahrain's Community Context. In: *Oman Medical Journal*. 2020. vol. 35, no. 6. <https://doi.org/10.5001/omj.2020.88>
9. BALHARA, Kamna S; IRVIN, Nathan. A Community Mural Tour: Facilitating Experiential Learning About Social Determinants of Health. In: *The Western Journal of Emergency Medicine*. 2020. vol. 22, no. 1, p. 60–62. <https://doi.org/10.5811/westjem.2020.9.48738>
10. BLAS, Erik; ATAGUBA, John E; HUDA, Tanvir M; BAO, Giang Kim; RASELLA, Davide; GERECKE, Megan R. The feasibility of measuring and monitoring social determinants of health and the relevance for policy and programme – a qualitative assessment of four countries. In: *Global Health Action*. 2016. vol. 9, no. 1, p. 1–15. <https://doi.org/10.3402/gha.v9.29002>
11. BROCH, Daiane; LISBOA-RIQUELME, Deise; BECKER-VIEIRA, Letícia; ROESE-RAMOS, Adriana; APARECIDA-GASPARIN, Vanessa. Social determinants of health and community health agent work. In: *Revista da Escola de Enfermagem da USP*. 2020. vol. 54, p. 1–8. <https://doi.org/10.1590/S1980-220X2018031403558>
12. BROWNE-YUNG, Kathryn; FREEMAN, Toby; BATTERSBY, Malcolm; MCEVOY, Doug R; BAUM, Fran. Developing a screening tool to recognise social determinants of health in Australian clinical settings. In: *Public Health Research and Practice*. 2019. vol. 29, no. 4, p. 1–6. <https://doi.org/10.17061/phrp28341813>
13. CABRERA-LEÓN, Andrés; DAPONTE-CODINA, Antonio; MATEO, Inmaculada; ARROYO-BORRELL, Elena; BARTOLL, Xavier; BRAVO, María José; DOMÍNGUEZ-BERJÓN, María Felicitas; RENART, Gemma; ÁLVAREZ-DARDET, Carlos; MARÍ-DELL'OLMO, Marc; BOLÍVAR-MUÑOZ, Julia; SAEZ, Marc; ESCRIBÀ-AGÜIR, Vicenta; PALÈNCIA, Laia; LÓPEZ, María José; SAURINA, Carme; PUIG, Vanessa; MARTÍN, Unai; GOTSSENS, Mercè; BORRELL, Carme; SERRA-SAURINA, Laura; SORDO, Luis; BACIGALUPE, Amaia; RODRÍGUEZ-SANZ, Maica; PÉREZ, Glòria; ESPELT, Albert; RUIZ, Miguel; BERNAL, Mariola. Indicadores contextuales para evaluar los determinantes sociales de la salud y la recesión económica Española. En: *Gaceta Sanitaria*. 2017. vol. 31, no. 3, p. 194–203. <https://doi.org/10.1016/j.gaceta.2016.06.014>
14. COLOMBIA. CONGRESO DE COLOMBIA. Ley 1438 (19, enero, 2011). por medio de la cual se reforma el Sistema General de Seguridad Social en Salud y se dictan otras disposiciones. Bogotá D.C.: Congreso de Colombia, p. 1–53. https://www.minsalud.gov.co/Normatividad_Nuevo/LEY%201438%20DE%202011.pdf
15. COLOMBIA. MINISTERIO DE SALUD. Resolución 8430 de 1993 (04, octubre, 1993). Por la cual se establecen las normas científicas, técnicas y administrativas para la investigación en salud. Bogotá D.C.: Ministerio de Salud, 1993. <https://www.minsalud.gov.co/sites/rid/Lists/BibliotecaDigital/RIDE/DE/DIJ/RESOLUCION-8430-DE-1993.PDF>
16. COMMISSION ON SOCIAL DETERMINANTS OF HEALTH. Subsana las desigualdades en una generación: alcanzar la equidad sanitaria actuando sobre los determinantes sociales de la salud: informe final de la Comisión Sobre Determinantes Sociales de la Salud. Buenos Aires; 2009. <https://apps.who.int/iris/handle/10665/44084>
17. CHO, Mikyeong; LEE, Hyeonkyeong; LEE, Young-Me; LEE, Ja-yin; MIN, Haeyoung; KIM, Youlim; KIM, Sookyung. Psychometric Properties of the Korean Version of the Health Literacy on Social Determinants of Health Questionnaire (K-HL-SDHQ). In: *PLOS ONE*. 2019. vol. 14, no. 11, p. 1–14. <https://doi.org/10.1371/journal.pone.0224557>
18. CHO, Mikyeong; LEE, Young-Me; LIM, Seung-Joo; LEE, Hyeonkyeong. Factors Associated with the Health Literacy on Social Determinants of Health: A Focus on Socioeconomic Position and Work Environment. In: *International Journal of Environmental Research Public Health*. 2020. vol. 17, no. 18, p. 1–11. <https://doi.org/10.3390/ijerph17186663>
19. CHO, Hoyune E; WANG, Lu; CHEN, Jung-Sheng; LIU, Mochua; KUO, Chang-Fu; CHUNG, Kevin C. Investigating the causal effect of socioeconomic status on quality of care under a universal health insurance system - a marginal structural model approach. In: *BMC Health Services Research*. 2019. vol. 19, p. 1–10. <https://doi.org/10.1186/s12913-019-4793-7>
20. DAVIES, Joanna M; SLEEMAN, Katherine E; LENIZ, Javiera; WILSON, Rebecca; HIGGINSON, Irene J; VERNE, Julia; MADDOCKS, Matthew; MURTAGH, Fliss E M. Socioeconomic position and use of healthcare in the last year of life: A systematic review and meta-analysis. In: *PLoS Medicine*. 2019. vol. 16, no. 4, p. 1–23. <https://doi.org/10.1371/journal.pmed.1002782>
21. DECLARACIÓN DE ADELAIDA. II Conferencia internacional sobre promoción de la salud. Políticas públicas para la salud declaración de la conferencia. Adelaide, Australia; Organización Mundial de la Salud. 1988. https://www.gob.mx/cms/uploads/attachment/data/file/102073_recomendaciones_de_Adelaida.pdf
22. DOVER, Douglas C; BELON, Ana Paula. The health equity measurement framework: a comprehensive model to measure social inequities in health. In: *International Journal of Equity Health*. 2019. vol. 18, no. 36, p. 1–12. <https://doi.org/10.1186/s12939-019-0935-0>
23. DOWNWARD, Paul; RASCIUTE, Simona; KUMAR, Harish. The effect of health on social capital: a longitudinal observation study of the UK. In: *BMC Public Health*. 2020. vol. 20, no. 1, p. 1–10. <https://doi.org/10.1186/s12889-020-08577-w>
24. DULIN, Michael F; TAPP, Hazel; SMITH, Heather A; URQUIETA DE HERNANDEZ, Brisa; COFFMAN, Maren J; LUDDEN, Tom; SORENSEN, Janni; FURUSETH, Owen J. A trans-disciplinary approach to the evaluation of social determinants of health in a hispanic population. In: *BMC Public Health*. 2012. vol. 12, p. 769–779. <https://doi.org/10.1186/1471-2458-12-769>

25. ECONOMIC COMMISSION FOR LATIN AMERICA AND THE CARIBBEAN (ECLAC). Panorama Social de América Latina, 2020. Santiago. 2021. https://repositorio.cepal.org/bitstream/handle/11362/46687/8/S2100150_es.pdf
26. ELIAS, Renee Roy; JUTTE, Douglas P; MOORE, Alison. Exploring consensus across sectors for measuring the social determinants of health. In: SSM - Population Health. 2019. vol. 7, p. 1-8. <https://doi.org/10.1016/j.ssmph.2019.100395>
27. ESPELT, Albert; CONTINENTE, Xavier; DOMINGO-SALVANYE, Antonia; DOMÍNGUEZ-BERJÓN, M. Felicitas; FERNÁNDEZ-VILLA, Tania; MONGE, Susana; RUIZ-CANTERO, M. Teresa; PEREZ, Glòria; BORRELL, Carme. La vigilancia de los determinantes sociales de la salud. En: Gaceta Sanitaria. 2016. vol. 30, no. 1, p. 38-44. <https://doi.org/10.1016/j.gaceta.2016.05.011>
28. GADHOKE, Preety; PEMBERTON, Salome; FOUDEH, Ava; BRENTON, Barrett P. Development and validation of the Social Determinants of Health Questionnaire and implications for "Promoting Food Security and Healthy Lifestyles" in a complex urban food ecosystem. In: Ecology of Food and Nutrition. 2018. vol. 57, no. 4, p. 261-281. <https://doi.org/10.1080/03670244.2018.1481835>
29. GOLDBLATT, Peter O. Moving forward monitoring of the social determinants of health in a country: lessons from England 5 years after the Marmot Review. In: Global Health Action. 2016. vol. 9, no. 1, p. 1-6. <https://doi.org/10.3402/gha.v9.29627>
30. GÓMEZ, Jaime Eduardo; GONZÁLEZ, Marco Tulio; RAMÍREZ, Reinaldo Francisco. Determinantes políticos de la salud: un concepto de importancia para el profesional en salud pública. Opinión Novel. En: Revista Avances en Salud. 2019. vol. 3, no. 1, p. 45-48. <https://doi.org/10.21897/25394622.1751>
31. GONZÁLEZ-ROJO, Elena; ÁLVAREZ-DARDET, Carlos; LÓPEZ-FERNÁNDEZ, Luis Andrés. Hacia una salud pública orientada desde los determinantes sociales de la salud: informe de un taller. En: Gaceta Sanitaria. 2018. vol. 32, no. 05, p. 488-491. <https://doi.org/10.1016/j.gaceta.2017.09.003>
32. GUERRA, German; BORDE, Elis; SALGADO DE SNYDER, Nelly. Measuring health inequities in low and middle income countries for the development of observatories on inequities and social determinants of health. In: Journal for Equity in Health. 2016. vol. 15, no. 9, p. 1-10. <https://doi.org/10.1186/s12939-016-0297-9>
33. HOMMES, Franziska; DREES, Simon; GEFFERT, Karin; PHILIPSBORN, Peter Von; STRATIL, Jan M. How are social determinants of health represented in German medical education?: a qualitative content analysis of key-curricular documents. In: BMJ Open. 2020. vol. 10, no. 7, p. 1-8. <https://doi.org/10.1136/bmjopen-2019-036026>
34. HONG, Young-Rock; MAINOUS, Arch G 3rd. Development and Validation of a County-Level Social Determinants of Health Risk Assessment Tool for Cardiovascular Disease. In: Annals of Family Medicine. 2020. vol. 18, no. 4, p. 318-325. <https://doi.org/10.1370/afm.2534>
35. INSTITUTO COLOMBIANO DE BIENESTAR FAMILIAR (ICBF). Política Nacional de Infancia y Adolescencia 2018-2030. Colombia; 2018. https://www.icbf.gov.co/sites/default/files/politica_nacional_de_infancia_y_adolescencia_2018_-_2030_0.pdf
36. JANUS, Magdalena; REID-WESTOBY, Caroline; RAITER, Noam; FORER, Barry; GUHN, Martin. Population-Level Data on Child Development at School Entry Reflecting Social Determinants of Health: A Narrative Review of Studies Using the Early Development Instrument. In: Int. Journal of Environmental Research of Public Health. 2021. vol. 18, no. 7, p. 1-15. <https://doi.org/10.3390/ijerph18073397>
37. KNIGHTON, Andrew J; STEPHENSON, Brad; SAVITZ, Lucy A. Measuring the Effect of Social Determinants on Patient Outcomes: A Systematic Literature Review. In: Journal of Health Care for the Poor and Underserved. 2018. vol. 29, no. 1, p. 81-106. <https://doi.org/10.1353/hpu.2018.0009>
38. KUSNOOR, Sheila V; KOONCE, Taneya Y; HURLEY, Suzanne T; MCCLELLAN, Kalonji M; BLASINGAME, Mallory N; FRANKS, Elizabeth T; HUANG, Li-Ching; EPELBAUM, Marcia I; GIUSE, Nunzia B. Collection of social determinants of health in the community clinic setting: a cross-sectional study. In: BMC Public Health. 2018. vol. 18, p. 550-558. <https://doi.org/10.1186/s12889-018-5453-2>
39. LALONDE, Marc. MINISTER OF NATIONAL HEALTH AND WELFARE. A new perspective on the health of Canadians-a working document. Canadá: Minister of Supply and Services Canada 1981, p. 1-77. ISBN: 0-662-50019-9. https://fundadeps.org/wp-content/uploads/eps_media/recursos/documentos/132/informe-lalonde.pdf
40. LEMA-ANÓN, Carlos. La revolución de los determinantes sociales de la salud: derecho a la salud y desigualdad. En: Anuario de Filosofía del Derecho. 2020. No 36, p. 289-317. <https://dialnet.unirioja.es/servlet/articulo?codigo=7498771>
41. LÓPEZ-EJEDA, Noemí; VARGAS, Antonio; MARRODÁN, María Dolores. Desempleo, precariedad, nutrición y salud en una España en crisis. En: Revista DIECISIETE. 2020. no. 3, p. 56-73. https://doi.org/10.36852/2695-4427_2020_03.04
42. MARTÍNEZ-VALLE, Adolfo. The Mexican experience in monitoring and evaluation of public policies addressing social determinants of health. In: Global Health Action. 2016. vol. 9, no. 1, p. 1-6. <https://doi.org/10.3402/gha.v9.29030>
43. MATILLA-SANTANDER, Nuria; MARTÍNEZ-SÁNCHEZ, Jose María. Plataformas digitales y empleo: necesidad de monitorización y vigilancia de salud pública. En: Revista Española de Salud Pública. 2018. vol. 92, p. 1-3. <https://www.scielosp.org/pdf/resp/2018.v92/e201806036/es>
44. MEJÍA-LANCHEROS, Cilia; LACHAUD, James. Addressing social determinants of health: reopen the debate and the implications for the health and overall well-being of Colombian people. In: Revista Avances en Enfermería. 2020. Vol. 38, no. 2, p. 135-139. <https://doi.org/10.15446/av.enferm.v38n2.85241>
45. MÚJICA, Óscar J; MORENO, Claudia M. De la retórica a la acción: medir desigualdades en salud para "no dejar a nadie atrás". En: Revista Panamericana de Salud Pública. 2019. vol. 43, no. 12, p. 1-8. <https://doi.org/10.26633/RPSP.2019.12>
46. NADRIAN, Haidar; NEDJAT, Saharnaz; TAGHDISI, Mohammad Hossein; SHOJAIZADEH, Davoud. Urban traffic-related determinants of health questionnaire (UTDHO): an instrument developed for health impact assessments. In: Medical Journal of Islamic Republic of Iran. 2014. vol. 28, p. 84-94. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4301240/pdf/MJIRI-28-84.pdf>
47. ORGANIZACIÓN MUNDIAL DE LA SALUD (OMS). Declaración de Sundsvall sobre los ambientes favorables a la salud. Sundsvall, Suecia; 1991. <https://apps.who.int/iris/handle/10665/59967>
48. PIÑONES-RIVERA, Carlos; LIBERONA-CONCHA, Nanette; LEIVA-GÓMEZ, Sandra. Perspectivas teóricas sobre salud y migración: determinantes sociales, transnacionalismo y vulnerabilidad estructural. En: Saúde Social São Paulo. 2021. vol. 30, no. 1, p. 1-18. <https://doi.org/10.1590/S0104-12902021200310>

49. PRASAD, Amit; MAHECHA-GROOT, Ana M; MONTEIRO, Teófilo; MURPHY, Kelly; O'CAMPO, Patricia; ESTIVALET-BROIDE, Emilia; KANO, Megumi. Linking evidence to action on social determinants of health using Urban HEART in the Americas. In: *Revista Panamericana de Salud Pública*. 2013. vol. 34, no. 6, p. 407-415. <https://www.scielosp.org/pdf/rpsp/2013.v34n6/407-415/en>
50. PROFAMILIA. Red Joven Profamilia. Programa para jóvenes. Colombia; 2021. <https://profamilia.org.co/servicios/programa-para-jovenes/>
51. PUIG-BARRACHINA, Vanessa; MALMUSI, Davide; MARTÍNEZ, José Miguel; BENACH, Joan. Monitoring social determinants of health inequalities: the impact of unemployment among vulnerable groups. In: *International Journal of Health Services*. 2011. vol. 41, no. 3, p. 459-482. <https://doi.org/10.2190/HS.41.3.d>
52. RETHORN, Zachary D; COOK, Chad; RENEKER, Jennifer C. Social Determinants of Health: If You Aren't Measuring Them, You Aren't Seeing the Big Picture. In: *Journal of Orthopaedic & Sports Physical Therapy*. 2019. vol. 49, no. 12, p. 872-874. <https://www.jospt.org/doi/10.2519/jospt.2019.0613>
53. RIBEIRO, Ana Isabel; MAYER, Alexandra; MIRANDA, Ana; DE PINA, Maria de Fátima. The Portuguese Version of the European Deprivation Index: An Instrument to Study Health Inequalities. In: *Acta Medica Portuguesa*. 2017. vol. 30, no. 1, p. 17-25. <https://pubmed.ncbi.nlm.nih.gov/28501033/>
54. SUÁREZ-ÁLVAREZ, Óscar; FERNÁNDEZ-FEITO, Ana; VALLINA-CRESPO, Henar; ALDASORO-UNAMUNO, Elena; COFIÑO, Rafael. Herramientas para una evaluación del impacto en salud de los programas de salud pública e intervenciones comunitarias con un perspectiva de equidad. En: *Gaceta Sanitaria*. 2018. vol. 32, no. 6, p. 579-581. <https://doi.org/10.1016/j.gaceta.2018.01.008>
55. SUEL, Esra; POLAK, John W; BENNETT, James E; EZZATI, Majid. Measuring social, environmental and health inequalities using deep learning and street imagery. In: *Scientific Reports*. 2019. vol. 9, p. 1-10. <https://doi.org/10.1038/s41598-019-42036-w>
56. THE PAN AMERICAN HEALTH ORGANIZATION. Declaración de Alma-Ata. Alma-Ata, URSS; 1978. <https://www.paho.org/hq/dmdocuments/2012/Alma-Ata-1978Declaracion.pdf>
57. THE PAN AMERICAN HEALTH ORGANIZATION - PAHO. Carta de Ottawa para la promoción de la salud. Ottawa, Canadá; 1986. <https://files.sld.cu/upp/files/2015/04/carta-de-ottawa.pdf>
58. VICTORIA, Cesar; BOERMA, Ties; REQUEJO, Jennifer; MESENBURG, Marilia Arndt; JOSEPH, Gary; COSTA, Janaia Calu; VIDALETI, Luis Pablo; FERREIRA, Leonardo Zanini; HOSSEINPOOR, Ahmad Reza; BARROS, Aluisio J. Analyses of inequalities in RMNCH: rising to the challenge of the SDGs. In: *BJM Global Health*. 2019. vol. 4, no. 4, p. 1-8. <https://doi.org/10.1136/bmjgh-2018-001295>
59. VIDAL-GUTIÉRREZ, Daisy; CHAMBLAS-GARCÍA, Isis; ZAVALA-GUTIÉRREZ, Mercedes; MÜLLER-GILCHRIST, Ralph; RODRÍGUEZ-TORRES, María Cecilia; CHÁVEZ-MONTECINO, Alejandra. Determinantes Sociales de Salud y Estilos de Vida en Población Adulta Concepción, Chile. En: *Ciencia y Enfermería*. 2014. vol. 20, no. 1, p. 61-74. <https://doi.org/10.4067/S0717-95532014000100006>
60. WAMI, Welcome; MCCARTNEY, Gerry; BARTLEY, Mel; BUCHANAN, Duncan; DUNDAS, Ruth; KATIKIREDDI, Srinivasa Vittal; MITCHELL, Rich; WALSH, David. Theory driven analysis of social class and health outcomes using UK nationally representative longitudinal data. In: *International Journal for Equity in Health*. 2020. vol. 19, p. 1-16. <https://doi.org/10.1186/s12939-020-01302-4>
61. WORLD HEALTH ORGANIZATION. Carta de Bangkok para la promoción de la salud en un mundo globalizado. Bangkok; 2005. <https://parquedelavida.co/index.php/publicaciones/banco-de-conocimiento/item/113-carta-de-bangkok-para-la-promocion-de-la-salud-en-un-mundo-globalizado-tailandia-2005>
62. WORLD HEALTH ORGANIZATION. Declaración de Yakarta: sobre la Promoción de la Salud en el Siglo XXI. Yakarta, Indonesia; 1997. <https://iris.paho.org/handle/10665.2/35312>
63. WORLD HEALTH ORGANIZATION. Quinta Conferencia Mundial de Promoción de la salud: hacia una mayor equidad. México D.F; 2000. https://www.insp.mx/images/stories/Centros/nucleo/docs/dip_1sp/5ta_conferencia.pdf
64. WORLD HEALTH ORGANIZATION (WHO). Determinantes sociales de la salud. México D.F; 2018. https://www.who.int/health-topics/social-determinants-of-health#tab=tab_3
65. YONEKURA, Tatiana; SOARES-BALDINI, Cássia; MINUCI-GARCÍA, Elaine; SIVALLI-CAMPOS, Célia Maria; TRAPÉ, Carla Andrea. Youth map of the city of Santo André, Southeastern Brazil: an instrument to read social inequalities. In: *Revista de Saude Publica*. 2010. vol. 44, no. 1, p. 45-52. <https://doi.org/10.1590/s0034-89102010000100005>
66. YOUNG, Heather M; BELL, Janice F; WHITNEY, Robin L; RIDBERG, Ronit A; REED, Sarah C; VITALIANO, Peter P. Social Determinants of Health: Underreported Heterogeneity in Systematic Reviews of Caregiver Interventions. In: *The Gerontologist*. 2020. vol. 60, no. 1, p. 14-28. <https://doi.org/10.1093/geront/gnz148>
67. ZOU, Siyu; WANG, Zhicheng; BHURA, Maria; ZHANG, Guoting; TANG, Kun. Prevalence and associated socioeconomic factors of multimorbidity in 10 regions of China: an analysis of 0.5 million adults. In: *Journal of Public Health (Oxford Academic)*. 2020. <https://doi.org/10.1093/pubmed/fdaa204>

Annexes

Annexed I.

Article	Instrument used	General information			Structure		Validity of the instrument			Population	Application environment
		Authors	Country	Language	Dimensions evaluated	Items	Form of application	YES/NO	Psychometric or statistical tests applied		
	Questionnaire: Social and Behavioral Determinants of Health	National Academy of Medicine (NAM)	USA	English	1	10	Dichotomous and openended questions.	YES	Reliability Exploratory factor analysis Structural validity	Demonstrated validity	
(Kusnoor et al., 2018)	The Protocol for Responding to and Assessing Patient Assets, Risks, and Experiences (PRAPARE)	National Association of Community Health Centers, Inc.	USA	English	5	17	Closed and open questions.	YES	Internal consistency Reliability Pilot test	Demonstrated validity	Patients 18years of age or older who could read and speak English.
	Survey of Household Economics and Decisionmaking (SHED)	Board of Governors of the Federal Reserve	USA	English	10		Closed and open-ended questions.	NO			
	HUI Mark 3 (HUI3): The Health Utilities Index	Health Utilities Inc.	Canada	English	8		Closed questions.	YES	Internal consistency Test-relest reliability Convergent validity	Demonstrated validity	Residents of institutionalized Canadian households aged 18 years or older
(Asada, Hurley, Norheim, &Johri, 2014)	Joint Canada/United States Survey of Health, 2002-03 (JCUSH)	National Center for Health Statistics and Statistics Canada	Canada	English	1	13	Closed and open questions.	YES	Confidence intervals	95% confidence intervals -We consider p < 0.05 to be statistically significant.	
(Suel, Polak, Bennett, & Ezzati, 2019).	Pre-trained convolutional neural network(CNN= VGG16 network)	Simonyan K, Zisserman A	United Kingdom	English	7		Not specified.	YES	Reliability Measurement error	Demonstrated validity	General population
(Gadhoke, Pemberton, Foudeh, & Brenton, 2018)	SDHQ (Social Determinants of Health Survey Questionnaire)	Gadhoke P, Pemberton S, Foudeh A, Brenton BP.	USA	English	17	153	Closed and open-ended and Likert-type questions.	YES	Content validity Apparent validity Reliability Pilot test	Demonstrated validity	Persons 18years of age or older

Continúa en la siguiente página

Article	Instrument used	General information			Structure			Validity of the instrument			Population	Application environment
		Authors	Country	Language	Dimensions evaluated	Items	Form of application	YES/NO	Psychometric or statistical tests applied	Validation result		
(Cho et al., 2019)	The Korean version of the Health Literacy on Social Determinants of Health Questionnaire (K-HLSDHQ)	Cho M, Lee H, Lee YM, Lee JY, Min H, et al.	Korea	English	1	8	Closed-ended and Likert-type questions.	YES	Content validity Reliability Construct validity Cultural adaptation Internal validity Convergent validity Discriminant validity	Demonstrated validity	Adult population between 20 and 64 years old.	Community
		Walker et al.	Mexican-American	Spanish	6	52	Likert-type questions.	YES	Validity of criteria Test-retest reliability Pilot test	Demonstrated validity		
(Vidal-Gutierrez et al., 2014)	Health-tilo Promoting Lifestyle Profile II, Spanish Version Ad hoc instrument	Vidal I, Chamblá M, Zavala R, Müller M, Rodríguez A.	Chile	Spanish	5	22	Closed questions.	YES	Content validity Reliability	Demonstrated validity	Adult population between 20-64 years old	Clinical
		Haidar N, Sahamatz N, Mohammad H, Davoud S.	Iran	English	2	14	Likert-type questions.	YES	Apparent validity Content validity Construct validity Test-retest reliability Internal consistency	Demonstrated validity (required substantial adaptations)	People between 22 and 70 years old.	Universities, schools, health care centers and traffic offices.
(Dulin et al., 2012)	Medical Outcomes Study- Social Support Survey (MOS)	Sherbourne and Stewart	USA	English	5	19	Likert-type questions.	YES	Reliability Construct validity Confirmatory and exploratory factor analysis	Demonstrated validity		
		Ware, Kosinski, Keller	USA	English	8	12	Likert-type and closed-ended questions.	YES	Test-retest reliability Construct validity Validity of criteria	Demonstrated validity	General population	Hispanic community members, health and social service providers.
(Hong and Mainous, 2020)	Personal Resources Questionnaire 85 (PRQ-85)	Brandt P, Weinert C	USA	English	6	15	Likert-type questions.	YES	Reliability	Demonstrated validity		
		Hong Arch G.	USA	English	3		Not specified.	YES	Validity of criteria Reliability	Demonstrated validity	For the entire community	Community

Continúa en la siguiente página

Article	Instrument used	General information			Structure		Validity of the instrument			Population	Application environment
		Authors	Country	Language	Dimensions evaluated	Items	Form of application	YES/NO	Psychometric or statistical tests applied	Validation result	
(Brown-Yung, Freeman, Battersby, Moevo, & Baum, 2019).	Social Health Screening (SHS)	Brown-Yung, K.	Australia	English	4	25	Closed-ended and Likert-type questions.	YES	Content validity Pilot test	Demonstrated validity	Clinical
(Guerra, Borde and Salgado De Snyder, 2016).	OHI: observatories on health inequities in Mexico	German Guerra E, Borde V, Salgado N	México		1		Closed and openended questions.	NO			Community
	HEMF: The Health Equity Measurement Framework	Douglas C, Do-ver A, Paula B	Canada	English	21		Not specified.	YES	Content validity	Demonstrated validity	
(Dover and Belon, 2019)	Survey - Alberta Community Health Survey (ACHS)	Government of Alberta	Canada	English	1	57	Closed and open questions.	NO			Community
	Survey - Canadian Community Health Survey (CHS): 2015-2017.				1	16					
(Puig-Barachina, Malmusi, Martínez and Benach, 2011).	General Health Questionnaire (GHQ-12)	Goldberg and Blackwell	England	English	1	12	Closed and open questions.	YES	Reliability Construct validity Validity of criteria Structural validity Internal consistency	Demonstrated validity	Community
	2006 Catalanian Health Survey	Department of Health	Spain, Catalonia	Catalan and Spanish	21	184	Questions (dichotomous, categorical, quantitative).	YES	Measurement error	Not reported	
(Prasad et al., 2013)	Urban Health Equity Assessment and Response Tool (Urban HEART)	World Health Organization	Japan	English	4	8	Not specified.	YES	Face and content validity	Demonstrated validity	Organizations
(Suárez-Alvarez, Fernández-Felló, Vallina-Crespo, Aldasoro-Unamuno, Cofío)	Screening tool for the evaluation of the health impact of sectoral public policies.	Aldasoro E, Bacigalupe A, Calderín C, Esnaola S, Sanz E.	Spain	Spanish	3	7	Closed and open questions.	YES	Pilot test	No information	Clinical and community

Source: Own elaboration