## Analysis of the 'Rural Nursing' Concept According to Walker and Avant's Model

### Bruno Neves da Silva

https://orcid.org/oooo-ooo1-9854-4492 Universidade Federal do Rio Grande do Norte, Brasil enfbneves@gmail.com

### Deise Lisboa Riquinho

https://orcid.org/0000-0002-6604-8985 Universidade Federal do Rio Grande do Sul, Brasil deiseriquinho@gmail.com

### Renata Marinho Fernandes

https://orcid.org/0000-0001-7358-9061 Universidade Federal do Rio Grande do Norte, Brasil remarifernandes@gmail.com

#### Ana Luisa Brandão de Carvalho Lira

Universidade Federal do Ceará, Brasil https://orcid.org/oooo-ooo2-7255-96oX analuisa\_brandao@yahoo.com.br

### Gerlane Cristinne Bertino Veras

https://orcid.org/0000-0002-3866-4668 Universidade Federal de Campina Grande, Brasil gerlaneveras2@gmail.com

### Erika Simone Galvão Pinto

https://orcid.org/o000-0003-0205-6633 Universidade Federal do Rio Grande do Norte, Brasil erikasgp@gmail.com Theme: Epistemology

**Contributions to the field**: The analysis of the 'rural nursing' concept contributed to the improvement of its field of work since it allowed in-depth research into its attributes, precedents, and consequences. In addition, this study has strengthened the identity of the nursing team within the rural context, considering all the nuances involved, which contributes to individual-centered nursing care with satisfactory results. As a result, and based on the advancement of knowledge, the consolidation of nursing as an academic subject becomes possible.

### **Abstract**

Introduction: Rural nursing as a working field is not yet well established, and there are no studies dedicated to elucidating its concept. In this regard, explaining this concept helps to unveil the field of rural nursing, as well as strengthen the construction of the rural nursing team's identity and nursing as an academic subject, based on the advancement of knowledge. Objective: To analyze the "rural nursing" concept. Materials and Methods: This is a theoretical analysis study, based on Walker and Avant's analytical model, with the aim of examining the structure and function of the concept. The study was based on a scoping review of official databases and other sources. Data collection indicators included the publication year of the studies included in the sample, the publication country, identification of the use of the concept, precedents, consequences, defining attributes, and empirical references of the concept. Results: The rural nursing concept contains 12 attributes, 30 precedents and consequences, and two empirical references, and is defined as nursing practice in rural areas, according to the definition adopted by each country, by qualified and specialized professionals, with diverse skills, who work understanding the needs of the rural population and its socio-cultural aspects, and providing holistic care for the population, which may become part of it. Conclusion: The correct application of the concept contributes to establishing the professional identity of rural nurses and strengthening nursing as a subject and science, based on the production and advancement of knowledge.

### **Keywords (Source: DeCS)**

Rural nursing; nursing care; standardized nursing terminology; concept formation; rural population health.

# 4 Análisis del concepto de "enfermería rural" según el modelo de Walker y Avant

### Resumen

Introducción: la enfermería rural como campo de actividad aún no está bien establecida y no existen estudios dedicados a dilucidar su concepto. En este contexto, explicar este concepto ayuda a desvelar el campo de actuación de la enfermería rural, así como a fortalecer la construcción de la identidad del equipo de enfermería rural y de la enfermería como disciplina académica, basada en el avance del conocimiento. Objetivo: analizar el concepto de "enfermería rural". Materiales y método: estudio de análisis teórico, basado en el modelo analítico de Walker y Avant, con el objetivo de examinar la estructura y función del concepto. Se parte de un scoping review de bases de datos oficiales y otras fuentes. Los indicadores de recogida de datos fueron el año de publicación de los estudios incluidos en la muestra, el país de publicación, la identificación del uso del concepto, los antecedentes, los consecuentes, los atributos definitorios y las referencias empíricas del concepto. Resultados: el concepto de enfermería rural tiene 12 atributos, 30 antecedentes y consecuentes y dos referenciales empíricos, y se define como la práctica de la enfermería en el medio rural, de acuerdo con la definición adoptada por cada país, por profesionales habilitados y especializados, con competencias diversas, que actúan comprendiendo las necesidades de la población rural y sus aspectos socioculturales, y cuidando de la población de forma holística, pudiendo llegar a formar parte de ella. Conclusión: la correcta aplicación del concepto contribuye al establecimiento de la identidad profesional de las enfermeras rurales y al fortalecimiento de la enfermería como disciplina y ciencia, basada en la producción y avance del conocimiento.

### Palabras clave (DeCS)

Enfermería rural; cuidados de enfermería; terminología estandarizada en enfermería; formación de concepto; salud de la población rural.

## Análise do conceito "enfermagem rural" segundo o modelo de Walker e Avant

### Resumo

Introdução: a enfermagem rural enquanto campo de atuação ainda não é bem estabelecida, e não existem estudos dedicados a elucidar seu conceito. Nessa seara, explicitar esse conceito contribui para desvelar o campo de atuação da enfermagem rural, assim como para fortalecer a construção da identidade da equipe de enfermagem rural e a enfermagem enquanto disciplina acadêmica, a partir do avanço do conhecimento. Objetivo: analisar o conceito "enfermagem rural". Materiais e método: estudo de análise teórica, operacionalizado com base no modelo analítico de Walker e Avant, com vistas a examinar a estrutura e a função do conceito. Parte-se de uma scoping review realizada em bases de dados oficiais e outras fontes. Foram extraídos como indicadores de coleta de dados o ano de publicação dos estudos incluídos na amostra, o país de publicação, a identificação da utilização do conceito, antecedentes, consequentes, atributos definidores e referenciais empíricos do conceito. Resultados: o conceito enfermagem rural possui 12 atributos, 30 antecedentes e consequentes e dois referenciais empíricos, e é definido como a prática da enfermagem em áreas rurais, conforme a definição adotada por cada país, por profissionais habilitados e especializados, com habilidades diversas, que atuam compreendendo as necessidades da população rural e seus aspectos socioculturais, e cuidando de forma holística da população, podendo vir a ser parte desta. Conclusão: a aplicação correta do conceito contribui para estabelecer a identidade profissional dos enfermeiros rurais e fortalecer a enfermagem enquanto disciplina e ciência, a partir da produção e avanço do conhecimento.

### Palavras-chave (Fonte DeCS)

Enfermagem rural; cuidados de enfermagem; terminologia padronizada em enfermagem; formação de conceito; saúde da população rural.

## Introduction

The 'rural nursing' concept is not yet consensually defined in the literature. The dimension of rural nursing practice, however, represents a practice committed to addressing the problems of each person in a range of contexts, in the construction of different forms of care. This reflects critically on the measures implemented (1).

Rural nursing professionals have skills that extend beyond general clinical practice, including the ability to be with, advocate for the community, understand the local culture, provide support, know and respect the environment, encourage preservation and not harm nature, develop health education measures, and even provide advance care planning, as well as palliative care (1, 2).

In rural settings, health is often seen in varying ways depending on the location. Health is often understood as the ability to perform daily work activities. Therefore, there are many needs that are not exactly included in the notion of care adopted in nursing models, especially those developed in urban areas, requiring healthcare professionals to adapt them (1).

In addition, rural nursing professionals face a host of geographical, logistical, and service structuring barriers when providing care. Long distances between the healthcare unit and the population, lack of public transportation, the precarious infrastructure of the units, access restrictions during rainy periods, work overload, lack of adequate monetary compensation, the role of "do-it-all" and fragmented teams, with the absence of other healthcare professionals to provide shared care, lead some professionals to quit rural practice (3-8).

In addition to the aforementioned factors, there is a lack of undergraduate and postgraduate training in rural nursing, both nationally and internationally, which contributes to the invisibility of care for the rural population. In this sense, there is an urgent need for professional training to integrate the theme into the political and pedagogical projects of nursing courses, with the aim of contributing to professional autonomy, thus training nursing professionals who are capable of adapting and building rural nursing knowledge and practices according to the specificities and needs of daily work (1, 9). Rural nursing training during undergraduate studies is also a need perceived by rural nursing professionals (10).

Despite these factors, studies show that rural nurses implement their practice with pleasure and satisfaction in a number of situations (9, 11, 12) and manage to develop characteristics such as closer bonds and belonging to the community, being recognized by the community, producing holistic and culturally competent care, having room for growth and learning from the work process, among other factors (12-15).

Rural nursing as a practice field is not yet well established, and there are no studies dedicated to elucidating its concept. In this regard, making this concept explicit helps to unveil the still nebulous field of rural nursing, as well as strengthen the construction of the identity of rural nursing professionals and nursing as an academic subject, based on the advancement of knowledge. Thus, the aim of this study is to analyze the 'rural nursing' concept based on Walker and Avant's analytical model (16).

### **Materials and Methods**

This is a conceptual analysis based on the analytical model proposed by Walker and Avant (16), in which examining the structure and function of a concept is the purpose of the analysis. The eight steps recommended by the authors were followed: i. Selecting the concept of interest; ii. Determining the objectives or purpose of the analysis; iii. Identifying all the uses of the concept that can be achieved; iv. Determining the defining attributes; 5) Identifying a model case; 6) identifying additional cases; 7) Identifying the precedents and consequences of the concept, and 8) Defining the empirical references.

The studies included in the analysis were selected via a scoping review, following the steps recommended by the Joanna Briggs Institute's reviewers' manual, based on the theoretical framework proposed by Arskey and O'Malley (17). Prisma Extension for Scoping Reviews (Prisma-ScR) was used for writing. The review protocol was registered on the Open Science Framework Platform (doi: 10.17605/OSF.IO/RTJN3). To avoid replicating studies, a preliminary search was conducted in the "Cumulative Index to Nursing and Allied Health Literature" (Cinahl), "Medical Literature Analysis and Retrieval System Online" (Medline), and PubMed databases, resulting in no published studies on the concept of 'rural nursing' itself.

Given that the concept of interest selected was rural nursing, the review's guiding question "How is the 'rural nursing' concept described in the setting of nurses' work in rural healthcare services?" was developed using the PCC strategy, where 'P' stands for population — nurses; 'C' for concept —- rural nursing; and 'C' for context — rural healthcare services.

The study search was conducted in August and September 2022 and then updated in March 2024. The following MeSH descriptors related to the PCC strategy were used: nurses, rural nursing, and rural health services. The search strategy established was nurses AND rural nursing AND rural health services, as well as their respective synonyms in Portuguese and Spanish, where applicable. The databases selected were Web of Science, Scopus, PubMed, Embase, Medline, Cinahl, Latin American and Caribbean Health Sciences Literature (Lilacs), Cochrane Central,

and Nursing Database (Base de Dados em Enfermagem - BDEnf). The data were accessed through the Journal Website of the Coordination for the Improvement of Higher Education Personnel (Coordenação de Aperfeiçoamento de Pessoal de Nível Superior - Capes), using the Federated Academic Community (Comunidade Acadêmica Federada - CAFe), using a login and password provided by the Universidade Federal do Rio Grande do Norte, Brazil. The data was collected manually by two independent researchers, with no need for review by a third reviewer due to disagreements.

Searches were also conducted on the following databases: Google Scholar, the Capes Theses and Dissertations Catalog, the Brazilian Digital Library of Theses and Dissertations, and the following websites: Diva, Dart-Europe, Eric, Ethos, Rcaap, Theses Canada, National EDT, and EBSCO Open dissertations. The following websites were also searched: International Council of Nurses, Rural Health Information Hub, Center for Rural Health, Rural Seeds, National Rural Health Resource Center, and Rural Nursing Organization. The same search strategy as defined for the databases was used. Another search strategy was to search for studies in specialized journals on the theme. For this purpose, the Online Journal of Rural Nursing and Health Care was identified and accessed.


The search results were refined based on the review's eligibility criteria, which included studies available in full free of charge, in English, Portuguese, or Spanish, which addressed the study's objective, with rural nursing as the central topic of research. Literature reviews and duplicate studies (considered only once) were excluded. Given the scope of the study, no time frame was set for the searches.

The studies included were pre-selected and the titles and respective abstracts were read; the final sample was reached after reading the full texts. The data was organized using Microsoft Excel 2016® spreadsheets and, once the final sample had been established, the following data collection indicators were extracted: Publication year and country, identification of the use of the concept; precedents of the concept (events or incidents that must exist before the occurrence of the concept); consequences of the concept (events or incidents that occur as a result of the occurrence of the concept); defining attributes (characteristics most frequently associated with the concept and which allow a broader view of it); and empirical references of the concept (classes or categories of real phenomena which, by their presence or existence, demonstrate the occurrence of the concept itself [16]).

## **Results**

The final sample of studies that comprised the review were 33 studies. Of these, 31 were scientific articles, one was a master's thesis, and one was a doctoral dissertation. The following flowchart illustrates the sample collection process.


**Figure 1.** Flowchart of the Selection Process for the Studies Included in the Review, Natal, Rio Grande do Norte, Brazil, 2024



**Source**: Prepared by the authors, adapted from Prisma-ScR.

Regarding the years when the studies were published, the year 2008 was highlighted, as well as the period ranging from 2015 to 2021, as can be seen in Figure 2.


**Figure 2.** Publication Year of the Studies that Comprised the Sample in Absolute Numbers, Natal, Rio Grande do Norte, Brazil, 2018



Source: Prepared by the authors.

Regarding the countries where the studies were published, Australia was prominent, followed by some countries in the global North, as shown in Figure 3.

Figure 3. Studies that Comprised the Sample by Country of Origin. Natal, Rio Grande do Norte, Brazil, 2018



Source: Prepared by the auhtors.

Cultural competence (24)

Throughout the studies analyzed, only two explicitly highlighted the rural nursing concept. Regarding the defining attributes, connectivity to the community, proficiency in more than one specialty, and having a wide range of skills were highlighted. The definitions found and the concept's attributes are shown in Table 1, along with their precedents and consequences.

**Table 1.** Uses, Defining Attributes, Precedents, and Consequences of the 'Rural Nursing' Concept. Natal, Rio Grande do Norte, 2024

Concept Uses		
The definition of rural nursing includes nurses who work outside the main metropolitan areas, where patients have reduced access to healthcare services (4).		
Rural nursing professionals are specialists with a generalist focus who provide care to patients throughout their lives with health problems in six nursing subspecialties: Medical or surgical, obstetrics, pediatrics, geriatrics, psychiatry, and emergency or trauma nursing (18).		
Defining Attributes		
Community connectivity (5, 19-22)	Interpersonal skills (29)	
Care towards the community (23)	Recognition by the community (22)	

Creativity (9, 20)

Holistic care (13)	Sense of belonging to the community (8)
Proficiency in more than one specialty (23, 25, 26)	Sharing values (30)
Range of skills (27, 28)	Confidentiality (25)
Concept Precedents and Consequences	
Precedents	Consequences
Vocation (1, 21)	Holistic care (23)
Work-related beliefs (21)	Job satisfaction (8, 10-12, 14, 31)
Belief that they provide quality care (23)	Need to study rural practice as an undergraduate (10, 14)
Willingness to live in rural areas (10, 14)	A sense of appreciation from the community (10, 31, 32)
Identifying with family healthcare (31)	Community bond (8, 12, 31, 34, 35)
Personal identification with the countryside (11, 14, 32)	Autonomy (7, 18, 36, 37)
Adaptability (9)	Difficulties in addressing the population's specificities (34)
Previous contact with rural life or work (13, 14, 33)	Work overload (14, 34)
Growing up in a rural environment (7, 14)	Humility (9)
Post-graduate experience in rural areas (14)	Dissatisfaction with work conditions (8)
Desire to establish a family in a rural area (14)	Role of educator (35)
Lack of urban jobs (7)	Direct, comprehensive care (33, 35)
Experiences with rural settings in education/training (7)	Professional isolation (4, 7, 13, 22, 24, 25, 34, 37)
Opportunity to exercise advanced practice (11)	Lack of professional and monetary recognition (3)
	Practice influenced by the setting (3, 22)
	"Do-it-all" role (7)

**Source**: Prepared by the authors.

Regarding the empirical references, these comprised the identity of rural nursing professionals (4, 13) and rural nursing in advanced practice (27, 37).

## **Discussion**

At an international level, despite the fact that countries have both urban and rural geography, relatively limited attention has been placed on research into the nature of rural and remote nursing practice, as well as the characteristics of the nursing professionals who live and work in these areas (11). It is even questioned whether there is a difference between nursing practice in urban and rural healthcare units (38).

The challenge of finding definitions for the term 'rural' stems in part from the different needs and uses of the definitions. In the nursing and medical literature, the definitions of rural and remote practice reflect the skills and knowledge needed by professionals working in areas where distance, climate, limited resources, and limited support shape the character of their lives and professional practice (11), which is in line with the uses of the concept found in the literature.

Rural nursing practice is different in nature and scope from nursing practice in urban environments. It is distinct in its boundaries, intersections, dimensions, and even at its core. The core of all nursing is care, and care is the substance of the relationship between the nursing professional and the patient; consequently, what happens at the core of rural nursing is something different from what happens at the core of nursing anywhere else. Being a rural nurse means that when a nurse saves a life, everyone in town recognizes that she or he was there; and when a nurse loses a life, everyone in town recognizes that she or he was there. Being a rural nursing professional means knowing how to manage what is available, where it is, and how to live with the consequences (39).

Regarding the defining attributes of the concept, these showed that rural nursing professionals create close bonds with the community and may even become part of it. In addition, they share values and are recognized as professionals with whom the community can establish bonds of trust, which are characteristics that are strengthened by their daily practices and the fact that they identify with the rural area in which they work (8).

In addition to the aforementioned attributes, proficiency in more than one specialty is often mentioned in the field of rural nursing, which is endorsed by the World Health Organization when it recommends that nursing professionals should not limit themselves to merely supervising the sick or treating chronic and acute illnesses, but should also be healthcare pioneers and collaborate with various fields to motivate vulnerable populations (40).

Regarding the concept's precedents, most of them are related to previous contact with rural areas, a trend already found in the literature, which indicates a predilection for working in rural areas among individuals from or with previous contact with rural environments (38). The consequences of the concept, in turn, denote the limitations and possibilities of the professional practice of rural nurses, which indicates a balance of factors that can lead to pleasure and/or suffering in the work environment. It should be emphasized that the factors that hinder practice, such as dissatisfaction with work conditions, professional isolation, lack of professional and monetary recognition, and any others, must be overcome to improve the quality of life at work for rural nursing professionals (41).

According to international data, nursing professionals have a significant role in providing healthcare services in rural areas, where the number and type of providers are limited, and where they often have to fill in the gaps. An aging workforce, limited opportunities for professional development, and professional isolation exert pressure on a replacement that is already known to be difficult to recruit. Still, the current rural nursing workforce is not being replaced, and the shortage of these professionals in rural areas is a constant concern worldwide (42).

The demands of rural nurses also aim to overcome the lack of training opportunities in formal education and the lack of availability of continued education, long journeys to areas far from healthcare facilities, and the lack of awareness of the specific needs of these advanced generalists are the basis for the curriculum of a rural initiative/leadership project (43).

Other precedents and consequences such as job satisfaction, direct comprehensive care, professional isolation, and experience with the rural setting in education were identified in a systematic review with a meta-synthesis addressing the reason for the choice of rural practice by nursing professionals. The review identified three dimensions related to predilection: personal, professional, and locational (38), which prompts reflection on whether the professional identity of the rural nurse is constructed before or after professional practice.

Regarding this identity, it is one of the empirical references of the 'rural nursing' concept and is referred to in the literature as self-perceived stances, values, knowledge, beliefs, and skills that are shared with other people within a professional group in the workplace, obtained through a socialization process. Specifically, the professional identity of rural nursing is still scarcely mentioned in international literature (10).

Advanced practice rural nursing was another empirical reference for the 'rural nursing' concept, and the opportunity to practice it is sought after by nurses, thereby constituting one of the precedents of the concept (18). For the International Council of Nurses, advanced practice nursing (APN) refers to a nursing professional who has acquired complex decision-making skills, a specialized knowledge base, and clinical competencies focused on expanded practice, the attributes of which are leveled by the country and/or context in which they are licensed to practice, with a master's degree course recommended for the entry-level (44).

Authors, using the same conceptual analysis model adopted in this study, defined APN as the specialized knowledge employed by a licensed and qualified nursing professional to make decisions at complex and advanced levels, and apply the relevant clinical skills to implement the role of APN in healthcare, thus integrating practice, theory, teaching, research, management, and leadership (45).

In the rural setting, the presence of rural nurses with advanced practice can contribute to improving the health indicators of the population and their quality of life, given the knowledge and skill base that these professionals hold, which can even intervene early in a patient's condition. Rural nursing professionals themselves recognize that their APN training has enabled them to act more autonomously, to perform detailed patient assessments, and to initiate or manage treatment in the context of interprofessional care (46, 47).

To use the 'rural nursing' concept, the following model case is suggested: BNS, 27, a rural nurse from a primarily rural municipality in northeastern Brazil, visited the rural area to bandage the diabetic foot of JPM, a subsistence farmer. She seized the opportunity to perform health education about the disease and also held a nursing consultation to assess him globally. After performing interventions such as assessing peripheral neuropathy, calculating cardiovascular risk, checking current blood glucose levels, and reinforcing guidance on insulin therapy, BNS assessed the family members who lived with JPM, identifying hypochromic spots on his youngest son, compatible with suspected leprosy. She promptly referred him to the basic healthcare unit, advised him on the relevant care, and scheduled an examination of his contacts, ensuring that the family kept the case confidential due to the stigma surrounding the disease. The family expressed gratitude and created a bond with BNS and, to materialize this feeling, gave her a jar of homemade jam.

Regarding the counter-case, it follows: BNS, 27, a rural nurse from a remote municipality in northeastern Brazil, conducted a home visit to perform a dressing on the diabetic foot of JPM, a subsistence farmer. After finishing the dressing, she provided some guidance and supplies for changing the dressing at home, if necessary, and returned to the basic healthcare unit.

In relation to the model case and the counter-case, by comparing the two, it is possible to emphasize the real contribution of rural nursing to the care of communities that (r) exist in the rural setting, and it is worth noting them as examples to discuss the rural nursing concept, which promotes critical thinking and the advancement of knowledge in the field.

## **Conclusion**

The conceptual analysis based on the framework adopted allowed the concept of rural nursing, its uses, attributes, precedents, consequences, and empirical references to be elucidated.

Therefore, the 'rural nursing' concept is defined as nursing practice in rural areas, according to the definition of the term 'rural' adopted by each country, by professionals who are qualified and specialized in various skills, who work with an understanding of the needs of the rural population and its sociocultural aspects, providing holistic care to the population, and who may become a part of it.

The correct application of the concept helps to establish the professional identity of rural nursing professionals and to strengthen nursing as a science through the production and advancement of knowledge.

As for the limitations, it is worth noting that it was not possible to access some documents deemed important for the review as they were not available in full free of charge via the means accessed;

moreover, the lack of inclusion of languages other than Spanish, English, and Portuguese may have excluded studies that are relevant to the field of rural nursing.

**Conflicts of interest:** The authors declare that they have no conflict of interest.

## Referências

- Lima ÂRA, Buss E, Ruiz M del CS, González JS, Heck RM. Possibilidades de formação em enfermagem rural: revisão integrativa. Acta paul enferm. 2019;32(1):113-9. DOI: https://doi. org/10.1590/1982-0194201900016
- 2. Christensen KL DNP, Winters CA, Colclough Y, Oley E, Luparell S. Advance Care planning in rural Montana: Exploring the nurse's role. JHPN. 2019;21(4):264-71. DOI: https://doi.org/10.1097/NJH.000000000000556
- Kidd T, Kenny A, Meehan-Andrews T. The experience of general nurses in rural Australian emergency departments. Nurse Educ Pract. 2012;12(1):11-5. DOI: https://doi.org/10.1016/j. nepr.2011.05.001
- 4. Mills J, Birks M, Hegney D. The status of rural nursing in Australia: 12 years on. Collegian. 2010;17(1):30-7. DOI: https://doi.org/10.1016/j.colegn.2009.09.001
- Schlairet MC. Complexity compression in rural nursing. Online Journal of Rural Nursing and Health Care. 2017; 17(2):2-33. DOI: https://doi.org/10.14574/ojrnhc.v17i2.445
- 6. Silva BN, Riquinho DL, Miranda FAN, Souza NL, Pinto ESG. Análise contextual do cuidado da enfermeira rural no âmbito da Atenção Primária à Saúde. Rev. Enferm. Atual In Derme. 2021;95(35):e-021104. DOI: https://revistaenfermagematual. com.br/index.php/revista/article/view/1066
- Smith J, Vandall-Walker V. A double whammy! New baccalaureate registered nurses' transitions into rural acute care. Rural and Remote Health. 2017;17(4):4256. DOI: https://doi.org/10.22605/ RRH4256
- Terry D, Lê Q, Nguyen U, Hoang H. Workplace health and safety issues among community nurses: A study regarding the impact on providing care to rural consumers. BMJ Open. 2015;5(8):e008306. DOI: https://doi.org/10.1136/bmjopen-2015-008306
- Hounsgaard L, Jensen AB, Wilche JP, Dolmer I. The nature of nursing practice in rural and remote areas of Greenland. Int J Circumpolar Health. 2013;72. DOI: https://doi.org/10.3402/ijch. v72i0.20964
- 10. Owens RA. Nurse Practitioner Role Transition and Identity Development in Rural Health Care Settings. Nurs. Educ. Perspect. 2019;40(3):157-61. DOI: https://doi.org/10.1097/01. NEP.0000000000000455
- 11. MacLeod MLP, Stewart NJ, Kulig JC, Anguish P, Andrews ME, Banner D et al. Nurses who work in rural and remote communities in Canada: A national survey. Hum Resour Health. 2017;15(1):34. DOI: https://doi.org/10.1186/s12960-017-0209-0
- 12. Oliveira AR, Sousa YG, Silva DM, Alves JP, Diniz IVA, Medeiros SM et al. Primary Health Care in the rural context: The nurses' view. Rev. Gaúcha Enferm., 2020;41:e20190328. DOI: https://doi.org/10.1590/1983-1447.2020.20190328

- Fitzgerald RP. Rural nurse specialists: Clinical practice and the politics of care. Med Anthropol. 2008;27(3):257-82. DOI: https:// doi.org/10.1080/01459740802222757
- Hegney D, McCarthy A, Rogers-Clark C, Gorman D. Retaining rural and remote area nurses. The Queensland, Australia experience. J Nurs Adm. 2002;32(3):128-35. DOI: https://doi.org/10.1097/00005110-200203000-00005
- MacLeod M, Browne AJ, Leipert B. International perspective: Issues for nurses in rural and remote Canada. Aust J Rural Health. 1998;6(2):72-8. DOI: https://doi.org/10.1111/j.1440-1584.1998. tboo287.x
- 16. Walker LO, Avant KC. Strategies for theory construction in nursing. 4ª ed. Upper Saddle River: Pearson Prentice Hall; 2011.
- Arksey H, O'Malley L. Scoping studies: Towards a methodological framework. Int J Soc Res Methodol. 2005;8(1):19-32. DOI: https://doi.org/10.1080/1364557032000119616
- 18. Molinari DL, Monserud M. Rural nurse cultural self-efficacy and job satisfaction. J Transcult Nurs. 2009;20(2):211-8. DOI: https://doi.org/10.1177/1043659608330350
- Stanley D, Stanley K. Clinical leadership and rural and remote practice: A qualitative study. J Nurs Manag. 2019;27(6):1314-24. DOI: https://doi.org/10.1111/jonm.12813
- 20. MacKinnon KA. Labouring to nurse: The work of rural nurses who provide maternity care. Rural Remote Health. 2008;8(4):1047. DOI: https://doi.org/10.22605/RRH1047
- 21. Hernández A. Enabling the performance of nurses in rural Guatemala: the role of relationships. Umeå. Doctoral Thesis [PhD]. Umeå universitet; 2014. Disponível em: https://urn.kb.se/resolve?urn=urn:nbn:se:umu:diva-95114
- Bentham, DLM. Carving out a place: Establishing a new nurse practitioner practice in rural and remote Canada. Thesis [Master of Science]. University of Northern British Columbia; 2008. DOI: https://doi.org/10.24124/2008/bpgub554
- 23. Medves J, Edge DS, Bisonette L, Stanstield K. Supporting rural nurses: Skills and knowledge to practice in Ontario, Canada. Online Journal of Rural Nursing and Health Care. 2015;15(1):7-41. DOI: https://doi.org/10.14574/ojrnhc.v15i1.337
- MacLeod M, Browne AJ, Leipert B. Issues for nurses in rural and remote Canada. Aust J Rural Health. 1998;6(2):72-8. DOI: https:// doi.org/10.1111/j.1440-1584.1998.tb00287.x
- Whiteing, N., Barr, J., & Rossi, D. M. The practice of rural and remote nurses in Australia: A case study. Journal of Clinical Nursing, 2021;31(11-12):1502-18. DOI: https://doi.org/10.1111/jocn.16002
- 26. Keahey S. Against the odds: orienting and retaining rural nurses. J Nurses Staff Dev. 2008;24(2):E15-20. DOI: https://doi.org/10.1097/01.NND.0000300875.10684.be

- 27. Ross J. The development of the advanced role of rural nurses in New Zealand. Aust J Rural Health. 1999;7(4):253-7. DOI: https://doi.org/10.1046/j.1440-1584.1999.00246.x
- 28. Sandoval AFA, Rivas REE, Catalán MYA, Painecura RP, Urra VC. Profesionalización de Enfermería Rural, circulación de saberes y políticas estatales de salud en La Araucanía-Chile, años 1970-1990. Cul. Cuid. 2021;25(60):97-112. DOI: https://culturacuidados.ua.es/article/view/2021-n60-Profesionalización-de-Enfermería-Rural-circulación-d
- 29. Sedgwick M, Pijl-Zieber EM. New rural acute care nurses speak up: "We're it" but we're not ready. J Nurses Prof Dev. 2015;31(5):278-83. DOI: https://doi.org/10.1097/NND.0000000000000188
- 30. Bragg SM, Bonner A. Degree of value alignment: A grounded theory of rural nurse resignations. Rural and Remote Health. 2014;14(2):2648. DOI: https://doi.org/10.22605/RRH2648
- Oliveira AR, Sousa YG, Diniz IVA, Medeiros SM, Martiniano C, Alves M. The daily routine of nurses in rural areas in the Family Health Strategy. Rev Bras Enferm. 2019;72(4):918-25. DOI: https://doi.org/10.1590/0034-7167-2018-0243
- 32. Oliveira AR, Sousa YG, Alves JP, de Medeiros SM, Martiniano CS, Alves M. Satisfaction and limitation of primary health care nurses' work in rural areas. Rural and Remote Health. 2019;19(2):1-10. DOI: https://doi.org/10.22605/RRH4938
- 33. Bell J, Crawford R, Holloway K. Core components of the rural nurse specialist role in New Zealand. Rural and Remote Health. 2018;18(2):4260. DOI: https://doi.org/10.22605/RRH4260
- Doolan-Noble F, Tumilty E, McAuley K, Stokes T. How rural nurses in Southern New Zealand navigate their ethical landscape-A qualitative study. Aust J Rural Health. 2021;29(3):332-40. DOI: https://doi.org/10.1111/ajr.12709
- 35. Schwartz E. O viver, o adoecer e o cuidar das famílias de uma comunidade rural do extremo sul do Brasil: uma perspectiva ecológica [tese]. Santa Catarina: Universidade Federal de Santa Catarina; 2002. Disponível em: https://repositorio.ufsc.br/xmlui/handle/123456789/82296
- 36. Molinari DL, Monserud MA. Rural nurse job satisfaction. Rural and Remote Health. 2008;8(4):1055. DOI: https://doi. org/10.22605/RRH1055
- Hegney D. Extended, expanded, multi-skilled or advanced practice? Rural nurses in Australia, 1991-1994. Colle-

- gian. 1997;4(4):22-7. DOI: https://doi.org/10.1016/S1322-7696(08)60252-8
- 38. MacKay SC, Smith A, Kyle RG, Beattie M. What influences nurses' decisions to work in rural and remote settings? A systematic review and meta-synthesis of qualitative research. Rural and Remote Health. 2021;21(1):6335. DOI: https://doi.org/10.22605/RRH6335
- 39. Scharff JE. The Distinctive Nature and Scope of Rural Nursing Practice: Philosophical Bases. In Winters CA, Lee HJ. Rural Nursing: Concepts, Theory, and Practice. 3 ed. Nova York: Springer Publishing Company; 2010.
- 40. Organização Mundial da Saúde. Força de Trabalho em Saúde: Sobre o Departamento de Recursos Humanos para Saúde. 2018. https://www.paho.org/pt/topicos/educacao-recursos-humanos-para-saude
- 41. Reid FC. Lived experiences of adult community nurses delivering palliative care to children and young people in rural areas. Int J Palliat Nurs. 2013;19(11):541-7. DOI: https://doi.org/10.12968/ijpn.2013.19.11.541
- Smith S, Sim J, Halcomb E. Nurses' experiences of working in rural hospitals: An integrative review. J Nurs Manag. 2019;27(3):482-90. DOI: https://doi.org/10.1111/jonm.12716
- Gonzales M, Boswell C. Accepting the Challenge and Leadership for Rural Nurses. Nurse Leader. 2020;19(1):53-56. DOI: https:// doi.org/10.1016/j.mnl.2020.03.018
- 44. Owens, Rhoda A. Nurse practitioner role transition and identity development in rural health care settings. Nurs. Educ. Perspect. 2019;40(3):157-61. DOI: https://doi.org/10.1097/01. NEP.0000000000000455
- 45. International Council of Nurses (ICN). Plan estratégico del CIE 2014-2018. Geneve: ICN; 2012.
- 46. Olímpio JA, A JNM, Pitombeira DO, Enders BC, Sonenberg A, Vitor A. Prática Avançada de Enfermagem: uma análise conceitual. Acta paul. enferm. 2018;31(6):674-80. DOI: https://doi. org/10.1590/1982-0194201800092
- 47. Cant R, Birks M, Porter J, Jacob E, Cooper S. Developing advanced rural nursing practice: A whole new scope of responsibility. Collegian. 2011;18(4):177-82. DOI: https://doi.org/10.1016/j.colegn.2011.08.001



### Available in:

https://www.redalyc.org/articulo.oa?id=74181884008

How to cite

Complete issue

More information about this article

Journal's webpage in redalyc.org

Scientific Information System Redalyc Diamond Open Access scientific journal network Non-commercial open infrastructure owned by academia Bruno Neves da Silva, Deise Lisboa Riquinho,
Renata Marinho Fernandes,
Ana Luisa Brandão de Carvalho Lira,
Gerlane Cristinne Bertino Veras, Erika Simone Galvão Pinto
Analysis of the 'Rural Nursing' Concept According to
Walker and Avant's Model
Análisis del concepto de "enfermería rural" según el
modelo de Walker y Avant
Análise do conceito "enfermagem rural" segundo o
modelo de Walker e Avant

Aquichan vol. 24, no. 4, e2448, 2024 Universidad de La Sabana,

ISSN: 1657-5997 ISSN-E: 2027-5374

**DOI:** https://doi.org/10.5294/aqui.2024.24.4.8