



Journal of Human Sport and Exercise

E-ISSN: 1988-5202

jhse@ua.es

Universidad de Alicante

España

KIM, TAEWON; JIMENEZ-DIAZ, JUDITH; CHEN, JING

The effect of attentional focus in balancing tasks: A systematic review with meta-analysis

Journal of Human Sport and Exercise, vol. 12, núm. 2, 2017, pp. 463-479

Universidad de Alicante

Alicante, España

Available in: <http://www.redalyc.org/articulo.oa?id=301051757022>

- How to cite
- Complete issue
- More information about this article
- Journal's homepage in redalyc.org

redalyc.org

Scientific Information System

Network of Scientific Journals from Latin America, the Caribbean, Spain and Portugal

Non-profit academic project, developed under the open access initiative

The effect of attentional focus in balancing tasks: A systematic review with meta-analysis

TAEWON KIM¹, JUDITH JIMENEZ-DIAZ² , JING CHEN¹

¹ Department of Health & Kinesiology, Texas A&M University, United States

² School Physical Education and Sports, University of Costa Rica, Costa Rica

ABSTRACT

Purpose: The present study was to use the aggregate data meta-analytic approach to examine the effects of attentional focus during balancing tasks in motor learning. **Method:** A literature search was conducted based on five electronic database searches, cross-referencing and expert review. Studies included randomized trials of external (EF) versus internal focus (IF). Risk of bias was assessed using a self-developed instrument. Random effects models using the standardized mean difference effect size (*ES*) were used to pooled results. Heterogeneity was examined using the *Q* statistic and inconsistency using *I*². **Results:** Of 790 studies screened, 16 representing 541 males and females and up to 17 *ES* met the inclusion criteria. Analyses indicated that the EF groups outperformed the IF groups for acquisition phase (*ES*= 0.48, *n*= 16; *CI*_{95%}= 0.07 to 0.90, *Q*= 68.7, *I*²= 78.2%), retention (*ES*= 0.44, *n*= 17, *CI*_{95%}= 0.14 to 0.74; *Q*= 26.1, *I*²= 38.6%), and transfer (*ES*= 1.41, *n*= 4, *CI*_{95%}= 1.00 to 1.82, *Q*= 22, *I*²= 0%). **Conclusion:** The overall results suggest that EF results in better balance learning when compared to IF. **Key words:** MOTOR LEARNING, FOCUS OF ATTENTION, BALANCE, STABILITY, SYSTEMATIC REVIEW

Cite this article as:

Kim, T., Jimenez-Diaz, J., & Chen, J. (2017). The effect of attentional focus in balancing tasks: A systematic review with meta-analysis. *Journal of Human Sport and Exercise*, 12(2), 463-479. doi:10.14198/jhse.2017.122.22



Corresponding author. School Physical Education and Sports, University of Costa Rica, Costa Rica.

E-mail: judith.jimenez_d@ucr.ac.cr

Submitted for publication February 2017

Accepted for publication June 2017

JOURNAL OF HUMAN SPORT & EXERCISE ISSN 1988-5202

© Faculty of Education. University of Alicante

doi:10.14198/jhse.2017.122.22

INTRODUCTION

Enhancing the learning of a motor skill is a common objective in different fields of study such as kinesiology, sports, and physical therapy. One factor to optimize learning and performance of a motor skill is to provide the right instruction to the learner (Wulf, Höß, & Prinz, 1998). One related aspect that has been studied over the past several years is the focus of attention of a learner induced by the instructor (Park, Yi, Shin, & Ryu, 2015; Wulf, 2013). For example, the instructions given can prompt the learner to directly focus on the movement effect on the environment and away from the body (external focus). Alternatively, instructions can induce the learner to focus his or her attention on the body movement (internal focus) (McNevin, Weir, & Quinn, 2013; Peh, Chow, & Davids, 2011; Wulf, 2013; Wulf et al., 1998; Wulf, Shea, & Lewthwaite, 2010).

Research on the role of the performer's focus of attention has demonstrated that external focus (EF) enhances motor performance and learning relative to internal focus (IF) (Park, et al., 2015; Wulf et al., 2010). However, some studies have reported no benefit of EF relative to IF or even a benefit of internal focus (Park, et al., 2015; Wulf, 2008). Attentional focus has been studied in different sport tasks such as golf (Bell & Hardy, 2009; Wulf & Su, 2007), basketball (Al-Abood, Bennett, Hernandez, Ashford, & Davids, 2002; Zachry, Wulf, Mercer, & Bezodis, 2005), football (Zachry, 2005), and tennis (Maddox, Wulf, & Wright, 1999). In addition, attentional focus has been tested in balance tasks (De Bruin, Swanenburg, Betschon, & Murer, 2009; Wulf et al., 1998; Wulf & McNevin, 2003; Wulf, Shea, & Park, 2001).

In balancing tasks, evidence has shown that inducing an EF of attention enhances learning more than IF (McNevin, Shea, & Wulf, 2003; Wulf et al., 1998; Wulf, McNevin, & Shea, 2001; Wulf, Shea, et al., 2001). For example, Wulf and colleagues (1998) found that an EF condition allowed them to perform better balancing skill and learning compared to an IF of attention when performed using ski-simulator and stabilometer task. Similarly, when balancing using a stabilometer, more effective learning was shown when participants attention was directed to an external versus internal focus (Wulf, Shea, et al., 2001). In contrast, other studies have reported no superior benefit of EF versus IF (De Bruin et al., 2009; Wulf, 2008). For instance, no difference was found on balance learning when attention was directed to an external or internal focus when standing on a moving platform (De Bruin et al., 2009).

Previous research have suggested that a plausible explanation for external focus outperforming internal focus is the constrained-action hypothesis. This hypothesis states that external focus encourages automatic information processing while internal focus hinders the process (Park, et al., 2015; Wulf, McNevin, et al., 2001). Thus, external focus of attention can promote to faster postural perturbations, enhancing a balance performance and learning in conjunction with more automatic motor control processes than internal focus condition (Wulf, McNevin, et al., 2001).

Balance is a vital element to perform most motor skills, adequate balance is assumed to be a prerequisite for success in sports, and also, research suggested that balance must be enhanced for each specific task (Chew-Bullock et al., 2012; Tsigilis, Zachopoulou, & Mavridis, 2001). Evidence showed that, weak or poor balance product of aging or a pathology can cause falls or injuries and loss of autonomy in activities of daily living (Giagazoglou et al., 2013; Horlings, van Engelen, Allum, & Bloem, 2008; Hrysomallis, 2007; Pajala et al., 2008; Winter, 1995). For example, in sports, weak balance is associated with risk of injury of the ankle and knee in different activities (Hrysomallis, 2007). In addition, previous research has shown that the risk of falling is related to poor balance in elderly populations (Pajala et al., 2008). Furthermore, individuals with intellectual disabilities often fall due to poor balance (Giagazoglou et al., 2013).

Balance is a result of the postural control system, a system that functions continuously to coordinate the body in relation to other people, objects, and surfaces. Its role, fundamental for performing skilled movements (Chew-Bullock et al., 2012), is affected by proprioception, vision, vestibular function, and others factors (Park, et al., 2015). Balance is classified into two types, static and dynamic balance. Static balance, also known as postural balance, is the ability to maintain the body's center of gravity over a base of support with minimal movement without falling (Bressel, Yonker, Kras, & Heath, 2007; Hrysomallis, 2007; Meyer & Ayalon, 2006). Dynamic balance is the ability to perform a movement without falling while the base of support and the center of mass are in motion. Consequently, the control of balance is required to perform different motor tasks in sports (e.g. skiing, football, surfing) and activities of daily living (e.g. standing, walking) (Meyer & Ayalon, 2006; Chew-Bullock et al., 2012; Winter, 1995).

Recently, Wulf (2013) provided an extensive review that included studies of the last 15 years on attentional focus and its benefits on movement effectiveness and efficiency. In addition, Park et al. (2015) also provided a short review of attentional focus on balance. However, while Wulf (2013) and Park et al. (2015) concluded that adopting an EF of attention enhances motor performance and learning relative to an IF, no quantitative approach (i.e., meta-analysis) was performed. Meta-analysis is a quantitative approach in which studies on the same topic are combined and synthesized to report a general conclusion based on empirical data (Thomas & French, 1986). The strengths of meta-analysis include increased statistical power for primary outcomes and subgroups, ability resolve uncertainty when individual studies reach conflicting conclusions, improved estimates of effect size for primary outcomes, and ability to answer questions not established at the start of an individual study (Sacks, Berrier, Reitman, Ancona-Berk, & Chalmers, 1987).

Given the former, the purpose of the present work was to use the aggregate data meta-analytic approach to determine the effect of attentional focus (external and internal focus), during a balancing task on acquisition, retention, and transfer phase as well as explore how the focus of attention may vary among different variables or factors.

METHODS

This aggregate data meta-analysis was conducted by following the general guidelines from the Preferred Reporting Items for Systematic Reviews and Meta-Analysis (PRISMA) statement (Liberati, et al., 2009).

Study Eligibility Criteria

To be included in the meta-analysis, studies needed to meet the following a priori criteria: 1. Randomized intervention trials that included an external and internal focus group. 2. Participants of any age, sex, skill ability and health status. 3. Assessment of balancing performance in acquisition, retention and/or transfer as a dependent variable. 4. Adequate statistical data reported for the calculation of a standardized mean difference effect size (means, standard deviations, sample sizes, *F*-values). Studies of any year of publication were included. In addition, the language was limited to English.

Data Sources

A literature search for potentially eligible studies published up to December 31, 2015 was conducted using the following five electronic databases: PsycINFO, Scopus, Web of Science, PubMed, and Google Scholar. Key-words used in all databases searches included attentional focus (foci), external, internal focus and balance. In addition to electronic database searches, the reference lists of retrieved articles were reviewed to identify potentially eligible studies.

Study Selection and Data Abstraction

The first two authors (TK and JJ) independently participated in all the studies selection and data abstraction. Disagreements regarding the inclusion of studies and abstraction of data were resolved by consensus and when necessary, the help of the third author (JC). Prior to data abstraction, all authors developed a codebook in Excel spreadsheet (Excel 2013; Microsoft). To assess the study quality, sources of potential moderating variables were selected and coded in order to identify our primary results from included studies (Table 3 & 4).

Risk of Bias

Risk of bias (quality of studies) was assessed by a self-developed scale that included four items coded as either absent (0) or present (1). The four items included: randomized assignment to condition, control group included, sample size greater than 20, and data on dropouts reported. The sum of the items (ranged from 0 to 4) indicates the quality of the study. Risk of bias was assessed by two authors (TK, JJ).

Calculation of Effect Sizes from Each Study

The primary outcome for this study was calculated as the between-group effect size (ES) *g*. To obtain the attentional focus *ES* for a balance task, each *ES* was calculated by subtracting the mean (*M*) of the external focus group from the mean of the internal focus group and then dividing by the pooled standard deviation (*SD*_{pooled}) (Borenstein et al., 2009). When the *M* and *SD* were not reported but the *F* value with one degree of freedom was available, the *ES* was calculated as suggested by Mazzardo (2004), where *F* is the *F*-value and *DF*_{error} is the degrees of freedom for the error (see Equation 1 below).

$$ES = \frac{2 * \sqrt{F}}{\sqrt{DF_{error}}} \quad \text{Equation 1}$$

All *ES* were checked individually by the authors, thus a positive *ES* indicated that the EF group performed better than the IF group.

Pooled Estimates for Individual Effect Size

A random effects model (DerSimonian-Laird) was used to calculate the overall effect size following the guidelines of Borenstein et al. (2009). Overall *ES* were calculated for the practice, retention and transfer phase. All analyses were conducted using Excel spreadsheet (Excel 2013; Microsoft). Confidence Intervals (*CI*) were calculated at 95%.

Heterogeneity and Publication Bias

Heterogeneity across included studies were measured by Cochran's *Q* test while inconsistency was assessed using the *I*² statistic (Borenstein et al., 2009). Statistical significance for *Q* was set at *p* ≤ 0.10. *I*² values <25% was considered to represent very low, 25% to <50% to represents low, 50% to <75% represent moderate, and 75% or more to represent large amounts of inconsistency. To assess the possible presence of small-study effects (publication bias, etc.) we used a funnel plot, Egger's regression test, and a fail-safe *N* test (Orwin, 1983).

Moderator Variables

Year of publication, age, sex, and health condition of the sample, type of task, total trials during practice, feedback, type of measurement of the dependent variable, and the type of ES were analyzed as possible moderating variables in each phase. Continuous variables were analyzed by Pearson Correlation and categorical variables were analyzed by one-way ANOVA. Categorical variables during the practice, retention, and transfer phase were analyzed if there were more than two effect sizes in the category. Statistical analyzes for moderating variables were performed using IBM-SPSS Version 23.0 (Armonk, NY: IBM Corp). For statistical significance, two side of alpha level was set at $p = 0.05$.

RESULTS

Sixteen published studies between 1998 and 2014 were included in the meta-analysis. After screening 683 publications based on title and abstract, 42 publications were assessed based on the full-text. A flow diagram that depicts the search process is shown in Figure 1 while a list of excluded studies is shown in Appendix 1. Across all studies and categories, the risk of bias was $M \pm SD = 1.73 \pm 0.45$.




Figure 1. Flowchart of the studies selection

Table 1 presents the main characteristics of the studies included in the meta-analysis along with the age, sample size, experimental group conditions (EF, IF, and control), type of task, type of measurement, and statistical significance of the individual studies' outcome(s).

Table 1. Main Characteristics of Studies Included in the Meta-Analyses on Attentional Focus of a Balance Task

Authors & year	Age	Sample Size(n)	Group conditions	Task	Measurement	Practice phase included	Test phase included	Test results	Sig. of test
Wulf, Hoß, & Prinz (1998,Exp. 2)	Undergraduate	16	EF, IF	Stabilometer	RMSE	Y	Y	EF>IF	Y
Shea & Wulf (1999)	Undergraduate	32	EF, IF	Stabilometer	RMSE	Y	Y	EF>IF	Y
Wulf, McNevin, & Shea (2001)	Undergraduate	28	EF, IF	Stabilometer	RMSE	Y	Y	EF>IF	Y
Wulf, Shea, & Park (2001,Exp.1)	Undergraduate	17	EF, IF	Stabilometer	RMSE	Y	Y	EF>IF	Y
Wulf, Shea, & Park (2001,Exp.2)	Undergraduate	20	EF, IF	Stabilometer	RMSE	Y	Y	EF>IF	Y
Wulf, Weigelt, Poulter, & McNevin (2003,Exp. 1)	Undergraduate	18	EF, IF	Stabilometer	RMSE	Y	Y	EF>IF	Y
Chiviacowsky, Wulf, & Wally (2010)	Older adults (69 ± 7 years)	32	EF, IF	Stabilometer	Time in balance	Y	Y	EF>IF	Y
Wulf, Mercer, McNevin, & Guadagnoli (2004)	Undergraduate	32	EF, IF	Postural(n:16)& supra postural(n:16)	RMSE & MPF	Y	N	EF > IF 2	Y
Rotem-Lehrer & Laufer (2007)	Undergraduate (Ankle sprain)	36	EF, IF	Biodex	Dynamic stability index	Y	Y	EF>IF	Y
Laufer, Rotem-Lehrer, Ronen, Khayutin, & Rozenberg (2007)	Undergraduate (Ankle sprain)	40	EF, IF	Biodex	Dynamic stability index	Y	Y	EF>IF	Y
Totsika & Wulf (2003)	Undergraduate	22	EF, IF	Pedalo	MT	Y	Y	EF>IF	Y
Kee, Chatzisarantis, Kong, Chow & Chen (2012)	Undergraduate	32	EF, IF, CON	One-leg balancing	COP	Y	Y	EF=IF > CON	N
Polskaia, Richer, Dionne & Lajoie (2015)	Undergraduate	20	EF, IF, Cognitive	Postural Control	Sway area	Y	Y	Cognitive > EF=IF	N
Olivier, Palluel, & Nougier (2008)	Undergraduate (n:11) Children (n:44)	55	EF, IF	Postural Control	COP	Y	Y	EF>IF	Y
De Bruin, Swanenburg, Betschon, & Murer (2009)	Older adults (81 ± 6 years)	21	EF, IF	Biodex	Dynamic stability index	Y	N	EF=IF 2	N
Becker & Smith(2013)	Undergraduate (n:48) Children (n:48)	96	EF, IF	Double Pedalo	Total time taken to travel 7m	Y	Y	EF=IF	N
Huang, Zhao, & Hwang (2014)	Undergraduate	12	EF, IF	Stabilometer	Normalized task error %	Y	N	EF>IF	Y

Overall Effect Size: External Focus versus Internal Focus

The overall ES for attentional focus in a balance performance task are summarized in Table 2. The overall effect size for all phases was statistically significant and non-overlapping 95% confidence intervals were also observed. These results suggests that the EF condition was superior to the IF condition in the practice ($ES=$

0.48, $n = 16$, $CI_{95\%} = 0.07$ to 0.90 , $p = 0.05$), retention, ($ES = 0.44$, $n = 17$, $CI_{95\%} = 0.14$ to 0.74 , $p = 0.01$), and transfer phases ($ES = 1.41$, $n = 4$; $CI_{95\%} = 1.00$ to 1.82 , $p = 0.001$). One-way ANOVA indicated that there was not a statistically significant difference between the overall ES for each phase ($F_{(2, 34)} = 1.790$; $p = .182$). Figures 2, 3, and 4 show the study-level results for the practice, retention and transfer phases, respectively.

Table 2. Summary Results from Statistical Analyses for the Included Studies

Characteristics	Phase		
	Practice	Retention	Transfer
Experiments included	16	10	2
Total sample (N)	433	315	40
Estimated ES (n)	16	17	4
Overall ES (Random Effects Model)	0.48* ($CI_{95\%} = 0.07$ to 0.90) $p = .05$	0.44* ($CI_{95\%} = 0.14$ to 0.74) $p = .012$	1.41* ($CI_{95\%} = 1.00$ to 1.82) $p = .001$
Homogeneity Test (Q)	68.72* ($p = .01$)	26.05* ($p = .05$)	2.18 ($p = .53$)
Inconsistency (I^2)	78.17%	38.60%	0%
File-safe N	23	21	24

Notes: *statistically significant at $p < .05$; + statistically significant at $p < .10$; ES , Effect size.




Figure 2. Forest plot showing ES with 95% confidence interval for practice phase. Note: ES = Effect Size; LCI = Lower Confidence Interval; UCI = Upper Confidence Interval; IF = Internal Focus; EF = External Focus.




Figure 3. Forest plot showing ES with 95% confidence interval for retention phase. Note: ES= Effect Size; LCI= Lower Confidence Interval; UCI= Upper Confidence Interval; IF= Internal Focus; EF= External Focus. Becker & Smith (2013) included several subgroups.




Figure 4. Forest plot showing ES with 95% confidence interval for transfer phase. Note: ES= Effect Size; LCI= Lower Confidence Interval; UCI= Upper Confidence Interval; IF= Internal Focus; EF= External Focus.

When a single study report data for several cohorts of participants, the overall ES can be estimated using each group as unit of analysis (as results presented above); or each study can be average in one ES, and estimate the overall ES using each study as unit of analysis (Borenstein et al., 2009). We performed both analyses, to assess if a violation of the assumption of independent and identically distributed data was present. For these second analysis results suggests that the EF condition was superior to the IF condition in the practice ($ES = 0.47$, $n = 15$, $CI_{95\%} = 0.03$ to 0.91 , $p = 0.05$), retention, ($ES = 0.61$, $n = 10$, $CI_{95\%} = 0.29$ to 0.74 , $p = 0.01$), and transfer phases ($ES = 1.45$, $n = 2$; $CI_{95\%} = 0.85$ to 2.06 , $p = 0.001$).

Considering that for both analyses, all results are significant; for subsequent analysis and to be able to compare subgroups (moderator analysis), we used each group as a unit of analysis.

Heterogeneity

There was evidence of statistically significant heterogeneity for the practice phase ($Q = 68.72$, $p = .01$) as well as a large amount of inconsistency ($I^2 = 78.17\%$). Heterogeneity during the retention phase was also statistically significant ($Q = 26.05$, $p = .05$) but low inconsistency was observed ($I^2 = 38.6\%$). No statistically significant heterogeneity ($Q = 2.18$, $p = .53$) or inconsistency ($I^2 = 0\%$) were observed during the transfer phase.

Small-Study Effects and Fail-Safe Analysis

For the practice phase, potential small-study effects were observed as indicated by both funnel plot asymmetry (Figure 5) and Egger's regression test bias ($p = .03$). For the transfer phase, potential small-study effects were not observed as indicated by both funnel plot symmetry (Figure 5) and Egger's regression test bias ($p = .96$). Potential small-study effects were not analyzed in the transfer phase due to the small amount of ES. The Fail-safe N calculation revealed that for the practice phase, 23 non-significant ES are needed to obtain a small ($ES = 0.20$), non-significant overall ES. In other words, a change in ES from moderate to small. For the retention and transfer phases, 21 and 24 non-significant ES would be needed to obtain a small overall ES, respectively.




Figure 5. a. Funnel plot shows potential small-study effects (publication bias, etc.). Egger's regression test indicates potential small-study effect ($t = 2.46$, $df = 14$, $p = 0.03$) for practice phase. b. Funnel plot shows no potential small-study effects. Egger's regression test indicates no potential small-study effect ($t = 0.045$, $df = 15$, $p = 0.96$) for retention phase. Note: $1/se$ = inverse of the standard error of the ES (precision).

Moderator Variables

Practice phase.

For the practice phase, no statistically significant relationship was observed between the ES and the year of publication as well as total trials during practice. In addition, no statistically significant association was observed for type of task, method that the dependent variable was measured, feedback, and type of ES. Age, sex, and health status of the sample were not analyzed due to lack of information (Table 3).

Table 3. Statistical Analysis for Each Independent Variable for Practice Phase

Independent Variable	<i>n</i> ES	Mean ES	CI _{95%}	<i>r</i>	<i>F</i>	<i>p</i>
Year of publication	16	.48*	0.07 to 0.90	.117		.667
Total trial in practice	11	.47*	0.21 to 0.72	-.121		.727
Type of Task	16	.48*	0.07 to 0.90		1.910	.187
Stabilometer	7	.87*	0.51 to 1.24			
Biodex	3	-.13	-0.54 to 0.27			
Other	6	.13	-0.14 to 0.39			
Measurement of Dependent Variable	16	.48*	0.07 to 0.90		0.087	.917
RMSE	6	.72*	0.32 to 1.12			
RT	0					
MP	1	.88				
Other	9	.12	-0.10 to 0.34			
Feedback	16	.48*	0.07 to 0.90		0.638	.438
No	12	.23*	0.02 to 0.43			
Yes	4					
Type of ES	16	.48*	0.07 to 0.90		0.339	.570
M and DS	7	.54*	0.05 to 1.03			
F-value	9	.49*	0.24 to 0.74			
Age	15	.33*	0.11 to 0.55			
Children and Adolescents (>17)	0					
Undergraduate student (18-29)	13	.37*	0.13 to 0.60			
Middle-aged (30-59)	0					
Older adults (<60yr)	2	.12	-0.43 to 0.66			
Sex sample	12	.19	-0.01 to 0.39			
Only male	2	-.70*	-1.19 to -0.20			
Only female	0					
Both	10	.36*	0.14 to 0.58			
Health condition of sample	16	.48*	0.07 to 0.90			
Healthy	14	.34*	0.14 to 0.55			
Injured	2	-.06	-0.51 to 0.40			
Parkinson	0					
Other	0					

Note. **p* < .05*Retention phase*

For the retention phase, no statistically significant relationship was observed between the ES and the total trials during practice. In contrast, a statistically significant and negative relationship was found between ES

and year of publication ($n = 17$, $r = -.495$, $p = .044$), suggesting smaller effects with more recent studies. In addition, the type of task was shown to moderate the effect on balancing tasks ($F_{(2,15)} = 3.846$, $p = .047$). When the task consisted of using a stabilometer ($n = 7$) the difference was greater when compared to using other methods ($n = 8$). However, both categories demonstrated that EF was better than IF. Furthermore, the way that the dependent variable was measured ($F_{(1,16)} = 6.622$, $p = .021$) suggested that when the variable was measured using the RMSE ($n = 6$), the difference between EF and IF was greater than when measured using other methods ($n = 11$). However, both methods demonstrated that EF was better than IF. The type of ES ($F_{(1,16)} = 8.074$, $p = .012$) indicated that when the ES was calculated by F -value ($n = 7$), the difference between EF and IF was greater than when calculated with M and SD ($n = 10$); but in both types EF better than IF.

Table 4. Statistical Analysis for Each Independent Variable for Retention Phase

Independent Variable	n ES	Mean ES	$CI_{95\%}$	r	F	p
Year of publication	17	.44*	0.14 to 0.74	-.495*		.044
Total trial in practice	17	.44*	0.14 to 0.74	-.255		.324
Age	17	.44*	0.14 to 0.74		3.061	.079
Children and Adolescents (>17)	4	-.27	-0.85 to 0.31			
Undergraduate student (18-29)	12	.54*	0.28 to 0.80			
Middle-aged (30-59)	0					
Older adults (<60yr)	1	.76*	0.04 to 1.48			
Sex sample	15	.35*	0.11 to 0.59		3.851	.051
Only male	5	0.36	-0.08 to 0.80			
Only female	4	-0.27	-0.84 to 0.31			
Both	6	0.54*	0.21 to 0.86			
Type of Task	17	.44*	0.14 to 0.74		3.846*	.047
Stabilometer	7	.85*	0.51 to 1.19			
Biodex	2	.20	-0.25 to 0.66			
Other	8	.04	-0.37 to 0.45			
Measurement of Dependent Variable	17	.44*	0.14 to 0.74		6.622*	.021
RMSE	6	.87*	0.49 to 1.26			
RT	0					
MP	0					
Other	11	.21	-0.07 to 0.49			
Type of ES	17	.44*	0.14 to 0.74		8.074*	.012
M and DS	10	.12	-0.19 to 0.42			
F-value	7	.85*	0.51 to 1.19			
Feedback	17	.44*	0.14 to 0.74			
No	15	.38*	0.14 to 0.63			
Yes	2	.76*	0.17 to 1.34			

Health condition of sample	17	.44*	0.14 to 0.74
Healthy	15	.52	0.25 to 0.78
Injured	2	.20	-0.25 to 0.66
Parkinson	0		
Other	0		

Note. * $p < .05$

Transfer phase

Due to the small number of ES ($n = 4$) moderator analyses were not performed.

DISCUSSION AND CONCLUSIONS

To the best of our knowledge, this is the first meta-analysis to examine the effects of external and internal focus on balance during the practice, retention, and transfer phases. Our results suggest that external focus can be more beneficial than internal focus for improving balancing performance during all phases. Thus, providing cues to participants to direct their attention away from their movement appears to enhance performance more so than directing their attention to their movement.

Similar to our findings, a recent short review of attentional focus and balance showed that 83.3% of the studies concluded that external focus, when compared to internal focus, resulted in better performance (Park, et al., 2015). In addition, several studies have reported that instructions that induced external focus resulted in better performance than instructions that induced internal focus on a balancing task (Becker & Smith, 2013; Shea & Wulf, 1999; Rotem-Lehrer & Laufer, 2007; Totsika & Wulf, 2003). The present findings appear to be clear for the practice and retention phase, as stated by Wulf, McNevis and Shea (2001). However, additional research is needed for the transfer phase.

While external focus, overall, seems to be better than internal focus, results may vary according to specific conditions (Park, et al., 2015). Our moderator analyses suggest that the type of task, measurement of the dependent variable, year of publication, and type of ES estimated may affect results during the retention phase. In contrast, no moderator variables analyses were statistically significant during the practice phase. When balance was assessed with a stabilometer, benefits from external focus were greater than when assessed with Biodex or other types of methods. In addition, when balance was measured with RMSE, external focus results were greater than when measured with other techniques.

Furthermore, year of publication seemed to influence the effects of external focus, suggesting a negative relationship. Finally, when the ES was estimated from the *M* and *SD*, there was no difference between internal and external focus. However, when estimated from *F*-values, external focus was superior to internal focus.

Implication for practice

This meta-analysis suggests that practitioners should provide clear instruction cues that assist learners to drive their attention away from their body for better performance in balance tasks, considering that the overall ES indicated that EF practice had better motor performance on a balance task in practice and retention, compared to IF practice. However, the effect is not yet clear on transfer phase. In addition, practitioners should consider the influence of moderator variables that may vary the effect of the results of external and internal focus of attention, when programming practices, especially in retention phase.

Implication for research

Based on our included studies, there are areas on attentional focus that need to be clarified, especially considering the lack of information available for our moderator analyses (feedback, learners' health condition, time for the retention test). In addition, researchers should report detailed information for the protocol used, for moderator analyses, and include descriptive data (M , SD , and n), for records to be included in a meta-analysis. As a result, a greater number of eligible studies can be included in meta-analysis, thus resulting in more reliable conclusions.

Strengths and limitations

The major strength of the current meta-analysis is that it appears to be the first to compare external and internal focus of attention during the practice, retention and transfer phases in balancing tasks. Previous systematic reviews (without meta-analysis) of focus of attention in motor performance and balance task have been performed (Park, et al., 2015; Wulf, 2013). However, considering the limitations of systematic reviews without meta-analysis, the overall ES estimated in the current study provided more objective, quantitative data regarding the beneficial effects of external focus over internal focus during the practice, retention and transfer phases. A second potential strength is that the analysis of moderator variables can help practitioners to better understand the influence of different factors on attentional focus.

There are several potential limitations to this meta-analysis. First, several studies were excluded because they did not report sufficient data for the calculation of an ES . Thus, the results of the current study may not be representative of the entire body of literature. Second, we cannot confirm if IF or EF practice improved performance in balancing tasks give the lack of a comparison group, therefore we can only suggest which attentional focus was better.

In conclusion, the overall results showed that external focus group had better performance in balance task compared to the internal focus group in acquisition, retention and transfer phases.

REFERENCES

References preceded by an asterisk were included in the meta-analysis.

1. Al-Abood, S. A., Bennett, S. J., Hernandez, F. M., Ashford, D., & Davids, K. (2002). Effect of verbal instructions and image size on visual search strategies in basketball free throw shooting. *Journal of Sports Sciences*, 20(3), 271-278. <http://dx.doi.org/10.1080/026404102317284817>
2. *Becker, K., & Smith, P. J. (2013). Age, task complexity, and sex as potential moderators of attentional focus effects. *Perceptual Motor Skills*, 117, 1172-1186. <http://dx.doi.org/10.2466/23.25.pms.117x14z3>
3. Bell, J. J., & Hardy, J. (2009). Effects of attentional focus on skilled performance in golf. *Journal of Applied Sport Psychology*, 21(2), 163-177. <http://dx.doi.org/10.1080/10413200902795323>
4. Borenstein, M., Hedges, L. V., Higgins, J. P., & Rothstein, H. R. (2009). *Introduction to meta-analysis*. United Kingdom: John Wiley & Sons.
5. Bressel, E., Yonker, J. C., Kras, J., & Heath, E. M. (2007). Comparison of static and dynamic balance in female collegiate soccer, basketball, and gymnastics athletes. *Journal of Athletic Training*, 42(1), 42.
6. Chew-Bullock, T.S.-Y., Anderson, D. I., Hamel, K. A., Gorelick, M. L., Wallace, S. A., & Sidaway, B. (2012). Kicking performance in relation to balance ability over the support leg. *Human Movement Science*, 31(6), 1615-1623. <http://dx.doi.org/10.1016/j.humov.2012.07.001>

7. *Chiviackowsky, S., Wulf, G., & Wally, R. (2010). An external focus of attention enhances balance learning in older adults. *Gait & Posture*, 32(4), 572-575. <http://dx.doi.org/10.1016/j.gaitpost.2010.08.004>
8. *De Bruin, E. D., Swanenburg, J., Betschon, E., & Murer, K. (2009). A randomised controlled trial investigating motor skill training as a function of attentional focus in old age. *BMC Geriatrics*, 9(1), 15. <http://dx.doi.org/10.1186/1471-2318-9-15>
9. Giagazoglou, P., Kokaridas, D., Sidiropoulou, M., Patsiaouras, A., Karra, C., & Neofotistou, K. (2013). Effects of a trampoline exercise intervention on motor performance and balance ability of children with intellectual disabilities. *Research in Developmental Disabilities*, 34(9), 2701-2707. <http://dx.doi.org/10.1016/j.ridd.2013.05.034>
10. Horlings, C. G., van Engelen, B. G., Allum, J. H., & Bloem, B. R. (2008). A weak balance: the contribution of muscle weakness to postural instability and falls. *Nature Clinical Practice Neurology*, 4(9), 504-515. <http://dx.doi.org/10.1038/ncpneuro0886>
11. Hrysomallis, C. (2007). Relationship between balance ability, training and sports injury risk. *Sports Medicine*, 37(6), 547-556. <http://dx.doi.org/10.2165/00007256-200737060-00007>
12. *Huang, C. Y., Zhao, C. G., & Hwang, S. (2014). Neural basis of postural focus effect on concurrent postural and motor tasks: phase-locked electroencephalogram responses. *Behavioural Brain Research*, 274, 95-107. <http://dx.doi.org/10.1016/j.bbr.2014.07.054>
13. *Kee, Y. H., Chatzisarantis, N., Kong, V. P. W., Chow, J. Y., & Chen, L. H. (2012). Mindfulness, movement control, and attentional focus strategies: effects of mindfulness on a postural balance task. *Journal of Sport and Exercise Psychology*, 34(5), 561-579. <http://dx.doi.org/10.1123/jsep.34.5.561>
14. *Laufer, Y., Rotem-Lehrer, N., Ronen, Z., Khayutin, G., & Rozenberg, I. (2007). Effect of attention focus on acquisition and retention of postural control following ankle sprain. *Archives of Physical Medicine and Rehabilitation*, 88(1), 105-108. <http://dx.doi.org/10.1016/j.apmr.2006.10.028>
15. Liberati, A., Altman, D. G., Tetzlaff, J., Mulrow, C., Gøtzsche, P. C., Ioannidis, J. P. A., ... Moher, D. (2009). The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate healthcare interventions: explanation and elaboration. *BMJ*, 339, b2700. <http://doi.org/10.1136/bmj.b2700>
16. Maddox, M., Wulf, G., & Wright, D. (1999). The effect of an internal vs. external focus of attention on the learning of a tennis stroke. *Journal of Sport and Exercise Psychology*, 21, 78.
17. Mazzardo Jr, O. (2004). Contextual Interference: Is it supported across studies? (Master's Thesis). University of Pittsburgh, PA.
18. McNevin, N., Weir, P., & Quinn, T. (2013). Effects of attentional focus and age on suprapostural task performance and postural control. *Research Quarterly for Exercise and Sport*, 84(1), 96-103. <http://dx.doi.org/10.1080/02701367.2013.762321>
19. McNevin, N. H., Shea, C. H., & Wulf, G. (2003). Increasing the distance of an external focus of attention enhances learning. *Psychological Research*, 67(1), 22-29.
20. Meyer, G., & Ayalon, M. (2006). Biomechanical aspects of dynamic stability. *European Review of Aging and Physical Activity*, 3(1), 29-33. <http://dx.doi.org/10.1007/s11556-006-0006-6>
21. *Olivier, I., Palluel, E., & Nougier, V. (2008). Effects of attentional focus on postural sway in children and adults. *Experimental Brain Research*, 185(2), 341-345. <http://dx.doi.org/10.1007/s00221-008-1271-6>
22. Orwin, R. G. (1983). A fail-safe N for effect size in meta-analysis. *Journal of Educational Statistics*, 157-159. <http://dx.doi.org/10.2307/1164923>
23. Pajala, S., Era, P., Koskenvuo, M., Kaprio, J., Törmäkangas, T., & Rantanen, T. (2008). Force platform balance measures as predictors of indoor and outdoor falls in community-dwelling women

- aged 63–76 years. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 63(2), 171-178. <http://dx.doi.org/10.1093/gerona/63.2.171>
24. Park, S. H., Yi, C. W., Shin, J. Y., & Ryu, Y. U. (2015). Effects of external focus of attention on balance: a short review. *Journal of Physical Therapy Science*, 27(12), 3929. <http://dx.doi.org/10.1589/jpts.27.3929>
25. Peh, S. Y.-C., Chow, J. Y., & Davids, K. (2011). Focus of attention and its impact on movement behaviour. *Journal of Science and Medicine in Sport*, 14(1), 70-78. <http://dx.doi.org/10.1016/j.jsams.2010.07.002>
26. *Rotem-Lehrer, N., & Laufer, Y. (2007). Effect of focus of attention on transfer of a postural control task following an ankle sprain. *Journal of Orthopaedic & Sports Physical Therapy*, 37(9), 564-569. <http://dx.doi.org/10.2519/jospt.2007.2519>
27. *Polskaia, N., Richer, N., Dionne, E., & Lajoie, Y. (2015). Continuous cognitive task promotes greater postural stability than an internal or external focus of attention. *Gait & Posture*, 41(2), 454-458. <http://dx.doi.org/10.1016/j.gaitpost.2014.11.009>
28. Sacks, H. S., Berrier, J., Reitman, D., Ancona-Berk, V. A., & Chalmers, T. C. (1987). Meta-analyses of randomized controlled trials. *New England Journal of Medicine*, 316(8), 450-455. <http://dx.doi.org/10.1056/nejm198702193160806>
29. *Shea, C. H., & Wulf, G. (1999). Enhancing motor learning through external-focus instructions and feedback. *Human Movement Science*, 18(4), 553-571. [http://dx.doi.org/10.1016/S0167-9457\(99\)00031-7](http://dx.doi.org/10.1016/S0167-9457(99)00031-7)
30. Thomas, J. R., & French, K. E. (1986). The use of meta-analysis in exercise and sport: A tutorial. *Research Quarterly for Exercise and Sport*, 57(3), 196-204. <http://dx.doi.org/10.1080/02701367.1986.10605397>
31. *Totsika, V., & Wulf, G. (2003). The influence of external and internal foci of attention on transfer to novel situations and skills. *Research Quarterly for Exercise and Sport*, 74(2), 220-232. <http://dx.doi.org/10.1080/02701367.2003.10609084>
32. Tsigilis, N., Zachopoulou, E., & Mavridis, T. (2001). Evaluation of the Specificity of Selected Dynamic Balance Tests. *Perceptual and Motor Skills*, 92(3), 827-833. <https://doi.org/10.2466/pms.2001.92.3.827>
33. Winter, D. A. (1995). Human balance and posture control during standing and walking. *Gait & Posture*, 3(4), 193-214. [http://dx.doi.org/10.1016/0966-6362\(96\)82849-9](http://dx.doi.org/10.1016/0966-6362(96)82849-9)
34. Wulf, G. (2008). Attentional focus effects in balance acrobats. *Research Quarterly for Exercise and Sport*, 79(3), 319-325. <http://dx.doi.org/10.1080/02701367.2008.10599495>
35. Wulf, G. (2013). Attentional focus and motor learning: A review of 15 years. *International Review of Sport and Exercise Psychology*, 6(1), 77-104. <http://dx.doi.org/10.1080/1750984x.2012.723728>
36. *Wulf, G., Höß, M., & Prinz, W. (1998). Instructions for motor learning: Differential effects of internal versus external focus of attention. *Journal of Motor Behavior*, 30(2), 169-179. <http://dx.doi.org/10.1080/0022899809601334>
37. Wulf, G., & McNevin, N. (2003). Simply distracting learners is not enough: More evidence for the learning benefits of an external focus of attention. *European Journal of Sport Science*, 3(5), 1-13. <http://dx.doi.org/10.1080/17461390300073501>
38. *Wulf, G., McNevin, N., & Shea, C. H. (2001). The automaticity of complex motor skill learning as a function of attentional focus. *The Quarterly Journal of Experimental Psychology: Section A*, 54(4), 1143-1154. <http://dx.doi.org/10.1080/713756012>
39. *Wulf, G., Mercer, J., McNevin, N., & Guadagnoli, M. A. (2004). Reciprocal influences of attentional focus on postural and suprapostural task performance. *Journal of Motor Behavior*, 36(2), 189-199. <http://dx.doi.org/10.3200/jmbr.36.2.189-199>

40. Wulf, G., Shea, C., & Lewthwaite, R. (2010). Motor skill learning and performance: A review of influential factors. *Medical Education*, 44(1), 75-84. <http://dx.doi.org/10.1111/j.1365-2923.2009.03421.x>
41. *Wulf, G., Shea, C., & Park, J.-H. (2001). Attention and motor performance: Preferences for and advantages of an external focus. *Research Quarterly for Exercise and Sport*, 72(4), 335-344. <http://dx.doi.org/10.1080/02701367.2001.10608970>
42. Wulf, G., & Su, J. (2007). An external focus of attention enhances golf shot accuracy in beginners and experts. *Research Quarterly for Exercise and Sport*, 78(4), 384-389. <http://dx.doi.org/10.5641/193250307x13082505158336>
43. *Wulf, G., Weigelt, M., Poulter, D., & McNevin, N. (2003). Attentional focus on suprapostural tasks affects balance learning. *The Quarterly Journal of Experimental Psychology: Section A*, 56(7), 1191-1211. <http://dx.doi.org/10.1080/02724980343000062>
44. Zachry, T.L., Wulf, G., Mercer, J., & Bezodis, N. (2005). Increased movement accuracy and reduced EMG activity as the result of adopting an external focus of attention. *Brain Research Bulletin*, 67(4), 304-309. <http://dx.doi.org/10.1016/j.brainresbull.2005.06.035>
45. Zachry, T. L. (2005). Effects of attentional focus on kinematics and muscle activation patterns as a function of expertise. University of Nevada, Las Vegas.

Appendix 1. List of Excluded Studies

Reference	Reason
Boisgontier, M. P., Beets, I. A., Duysens, J., Nieuwboer, A., Krampe, R. T., & Swinnen, S. P. (2013). Age-related differences in attentional cost associated with postural dual tasks: increased recruitment of generic cognitive resources in older adults. <i>Neuroscience & Biobehavioral Reviews</i> , 37(8), 1824-1837.	4
Chiviackowsky, S., Wulf, G., Lewthwaite, R., & Campos, T. (2012). Motor learning benefits of self-controlled practice in persons with Parkinson's disease. <i>Gait & Posture</i> , 35(4), 601-605.	3
Cluff, T., Gharib, T., & Balasubramaniam, R. (2010). Attentional influences on the performance of secondary physical tasks during posture control. <i>Experimental brain research</i> , 203(4), 647-658.	3
Flores, F. S., Gomes Schild, J. F., & Chiviackowsky, S. (2015). Benefits of external focus instructions on the learning of a balance task in children of different ages. <i>International Journal of Sport Psychology</i> , 46(4), 311-320.	1
Jackson, B. H., & Holmes, A. M. (2011). The effects of focus of attention and task objective consistency on learning a balancing task. <i>Research Quarterly for Exercise and Sport</i> , 82(3), 574-579.	1
James, E. G. (2012). Body movement instructions facilitate synergy level motor learning, retention and transfer. <i>Neuroscience letters</i> , 522(2), 162-166.	2
Kakar, C., Zia, N., Sehgal, S., & Khushwaha, S. (2013). Effect of external and internal focus of attention on acquisition, retention, and transfer phase of motor learning in Parkinson's disease. <i>Hong Kong Physiotherapy Journal</i> , 31(2), 88-94.	2
Kal, E. C., Van der Kamp, J., & Houdijk, H. (2013). External attentional focus enhances movement automatization: A comprehensive test of the constrained action hypothesis. <i>Human Movement Science</i> , 32(4), 527-539.	2
Landers, M., Wulf, G., Wallmann, H., & Guadagnoli, M. (2005). An external focus of attention attenuates balance impairment in patients with Parkinson's disease who have a fall history. <i>Physiotherapy</i> , 91(3), 152-158.	1

- Lohse, K. R., Sherwood, D. E., & Healy, A. F. (2014). On the advantage of an external focus of attention: a benefit to learning or performance? *Human movement science*, 33, 120-134. 2
- Lohse, K. R. (2012). The influence of attention on learning and performance: Pre-movement time and accuracy in an isometric force production task. *Human Movement Science*, 31(1), 12-25. 2
- Lohse, K. R., & Sherwood, D. E. (2012). Thinking about muscles: The neuromuscular effects of attentional focus on accuracy and fatigue. *Acta psychologica*, 140(3), 236-245. 2
- McNevin, N. H., & Wulf, G. (2002). Attentional focus on supra-postural tasks affects postural control. *Human movement science*, 21(2), 187-202. 1
- McNevin, N. H., Shea, C. H., & Wulf, G. (2003). Increasing the distance of an external focus of attention enhances learning. *Psychological research*, 67(1), 22-29. 1
- McNevin, N., Weir, P., & Quinn, T. (2013). Effects of attentional focus and age on suprapostural task performance and postural control. *Research quarterly for exercise and sport*, 84(1), 96-103. 1
- Nafati, G., & Vuillerme, N. (2011). Decreasing internal focus of attention improves postural control during quiet standing in young healthy adults. *Research quarterly for exercise and sport*, 82(4), 634-643. 3
- Orrell, A. J., Eves, F. F., & Masters, R. S. W. (2006). Implicit motor learning of a balancing task. *Gait & posture*, 23(1), 9-16. 3
- Peh, S. Y. C., Chow, J. Y., & Davids, K. (2011). Focus of attention and its impact on movement behaviour. *Journal of Science and Medicine in Sport*, 14(1), 70-78. 4
- Remaud, A., Boyas, S., Lajoie, Y., & Bilodeau, M. (2013). Attentional focus influences postural control and reaction time performances only during challenging dual-task conditions in healthy young adults. *Experimental brain research*, 231(2), 219-229. 3
- Shafizadeh, M., Platt, G. K., & Mohammadi, B. (2013). Effects of different focus of attention rehabilitative training on gait performance in Multiple Sclerosis patients. *Journal of bodywork and movement therapies*, 17(1), 28-34. 2
- Wulf, G., Töllner, T., & Shea, C. H. (2007). Attentional focus effects as a function of task difficulty. *Research Quarterly for Exercise and Sport*, 78(3), 257-264. 1
- Wulf, G. (2008). Attentional focus effects in balance acrobats. *Research Quarterly for Exercise and Sport*, 79(3), 319-325. 1
- Wulf, G., Landers, M., Lewthwaite, R., & Töllner, T. (2009). External focus instructions reduce postural instability in individuals with Parkinson disease. *Physical therapy*, 89(2), 162-168. 1
- Wulf, G., & Lewthwaite, R. (2009). Conceptions of ability affect motor learning. *Journal of Motor Behavior*, 41(5), 461-467. 3
- Zachry, T., Wulf, G., Mercer, J., & Bezodis, N. (2005). Increased movement accuracy and reduced EMG activity as the result of adopting an external focus of attention. *Brain Research Bulletin*, 67(4), 304-309. 2
- Zentgraf, K., & Munzert, J. (2009). Effects of attentional-focus instructions on movement kinematics. *Psychology of Sport and Exercise*, 10(5), 520-525. 2

Note. 1: insufficient information; 2: not a balancing task; 3: not an attentional focus study; 4: review paper