



UNED Research Journal / Cuadernos de
Investigación UNED

ISSN: 1659-4266

cuadernosuned@gmail.com

Universidad Estatal a Distancia
Costa Rica

Solórzano, Alejandro; Greene, Harry W.
Predation in nature by a scorpion-hunter, *Stenorrhina freminvillei* (Serpentes, Colubridae)
UNED Research Journal / Cuadernos de Investigación UNED, vol. 4, núm. 1, julio-
diciembre, 2012, pp. 31-32
Universidad Estatal a Distancia
San José, Costa Rica

Available in: <http://www.redalyc.org/articulo.oa?id=515651981004>

- How to cite
- Complete issue
- More information about this article
- Journal's homepage in redalyc.org

redalyc.org

Scientific Information System

Network of Scientific Journals from Latin America, the Caribbean, Spain and Portugal

Non-profit academic project, developed under the open access initiative

Predation in nature by a scorpion-hunter, *Stenorrhina freminvillei* (Serpentes, Colubridae)

Alejandro Solórzano^{1,2} and Harry W. Greene^{3,4}

¹Museo de Zoología, Universidad de Costa Rica, Ciudad Universitaria Rodrigo Facio, San Pedro de Montes de Oca, San José, Costa Rica. E-mail: solorzano29@gmail.com

²Serpentario Nacional de Costa Rica, INBioparque, Santo Domingo, Heredia

³Department of Ecology and Evolutionary Biology, Cornell University, Ithaca, New York 14853, U.S.A. E-mail: hwg5@cornell.edu

⁴Author for correspondence

Recibido 17-X-2011 Corregido 03-XI-2011 Aceptado 14-XI-2011

ABSTRACT

Sonorini snakes are arthropod specialists but we know of only one published diet record for *Stenorrhina freminvillei*. Here we present quantitative data for predation on scorpions in nature by *S. freminvillei*: in nature, it consumes among other prey, relatively small scorpions, head-first.

KEY WORDS

Serpentes, *Stenorrhina*, scorpion, *Centruroides*, predation, venom.

RESUMEN

Los contenidos estomacales confirman que, en la naturaleza, *Stenorrhina freminvillei* consume escorpiones relativamente pequeños, iniciando por la parte cefálica.

PALABRAS CLAVE

Serpentes, *Stenorrhina*, escorpión, *Centruroides*, depredación, veneno.

Snakes of the colubrid clade Sonorini are arthropod specialists (Greene 1997) and among them the two species of *Stenorrhina* are widely reported to eat insects, spiders, and scorpions (Alvarez del Toro 1972, Lee 1996, Savage 2002, Köhler 2003). Nevertheless, despite their Spanish and English names ("alacranera"—scorpion-hunter or scorpion eater), we know of only three published diet records for *S. degenhardtii* (a large spider, Duellman 1963; a spider and an orthopteran, Sexton and Heatwole 1965) and only one for *S. freminvillei* (an individual in Mexico with tarantula in its stomach that was found ingesting a scorpion from the posterior abdomen [mesosoma], Luja 2007). Here we present quantitative data for predation on scorpions in nature by *S. freminvillei*.

An adult female (MZUCR-19140 in the Museo de Zoología, Universidad de Costa Rica) was captured at approximately 2300 hrs, July 12, 2006, crossing a road in Quebrada Grande de Liberia, approximately 3 km outside

the entrance to Santa Rosa National Park, Guanacaste Province, Costa Rica. After preservation and subsequent removal of prey items she had a snout-vent length of 449 mm, tail length of 75 mm, and mass of 52,67g. Her stomach contained two reasonably intact Common Black Scorpions (*Centruroides margaritatus*) that had been swallowed "head-first" (i.e., beginning with the cephalothorax or prosoma, Figure 1); the more posterior and smaller prey item was a female with a total length of 75 mm and mass of 1,38 g (prey/predator mass ratio [MR] 0,026), while the more anterior and larger item was a male with a total length of 113 mm and mass of 2,93 g (MR 0,056). Among live conspecific scorpions held captive at the Instituto Clodomiro Picado, two large males weighed 2,89 and 2,90 g, and two smaller females weighed 1,41 and 2,05 g.

Alvarez del Toro (1972) reported that captive *S. freminvillei* usually grasped a scorpion's anterior end and the snake's overlapping scales formed an effective armor



FIG. 1. Ventral views of *Stenorrhina freminvillei* with two scorpions in stomach (left) and removed (right).

against the arachnid's sting, scorpions were swallowed head-first with the chelae folded back, and the snakes seemed immune to scorpion stings. He also noted that a small captive was seemingly affected by the sting of a large scorpion, momentarily released its prey, and later subdued and swallowed it with difficulty. Solórzano (2004) saw a captive *S. freminvillei* seize a *C. margaritatus* by the abdomen (mesosoma), then use a loop of the snake's body to immobilize the tail (metasoma) and venomous telson. Our findings confirm that adult *S. freminvillei* also consume scorpions head-first in nature, and demonstrate that two diet items were small (MR ca. 2-5%) compared to non-venomous prey taken by many other colubrids (reviewed by Rodríguez-Robles 2002). Prey mass and defensive capability might thus favor behavioral versatility in subduing scorpions as well as restrict predation by *S. freminvillei* to relatively small items, and clearly these interactions are worthy of more detailed studies.

ACKNOWLEDGMENTS

We thank Carolina Vega for weighing the preserved and live scorpions.

REFERENCES

- Alvarez del Toro, M. 1972. Los Reptiles de Chiapas. Gobierno del Estado de Chiapas, Tuxtla Gutiérrez, Mexico.
- Duellman, W. E. 1963. Amphibians and Reptiles of the rainforests of southern El Petén, Guatemala. Univ. Kansas Publ., Mus. Nat. Hist., 15:205-249.
- Greene, H. W. 1997. Snakes: the evolution of mystery in nature. University of California Press, Berkeley, U. S. A.
- Köhler, K. 2003. Reptiles of Central America. Herpeton, Verlag Elke Köhler. Offenbach, Germany.
- Lee, J. C. 1996. The amphibians and reptiles of the Yucatán Peninsula. Cornell University Press, Ithaca, NY, U. S. A.
- Luja, V. H. 2007. *Stenorrhina freminvillei* (Fremenville's Scorpion-eating Snake). Diet. Herpetological Review 38: 211.
- Rodríguez-Robles, J. A. 2002. Feeding ecology of North American gopher snakes (*Pituophis catenifer*, Colubridae). Biological Journal of Linnean Society 77:165-183.
- Savage, J. M. 2002. The amphibians and reptiles of Costa Rica: a herpetofauna between two continents, between two seas. University of Chicago Press, Chicago, U. S. A.
- Sexton, O. J., and H. A. Heatwole. 1965. Life history notes on some Panamanian snakes. Caribbean Journal of Science 5:39-43.
- Solórzano, A. 2004. Serpientes de Costa Rica: Distribución, taxonomía e historia natural. Instituto Nacional de Biodiversidad. Santo Domingo de Heredia, Costa Rica.